

Digitized by the Internet Archive in 2013



# DEPARTMENT OF THE INTERIOR UNITED STATES GEOLOGICAL SURVEY

CHARLES D. WALCOTT, DIRECTOR

# RESULTS

OF

# RIMARY TRIANGULATION AND PRIMARY TRAVERSE


FISCAL YEAR 1905-6

BY

SAMUEL S. GANNETT



WASHINGTON
GOVERNMENT PRINTING OFFICE
1907



# DEPARTMENT OF THE INTERIOR UNITED STATES GEOLOGICAL SURVEY

CHARLES D. WALCOTT, DIRECTOR

# RESULTS

OF

# PRIMARY TRIANGULATION AND PRIMARY TRAVERSE

FISCAL YEAR 1905-6

 ${\rm BY}$ 

SAMUEL S. GANNETT



WASHINGTON
GOVERNMENT PRINTING OFFICE
1907



# CONTENTS.

Ö	Page.
Summary	1
Eastern division of topography	2
Alabama	2
Primary traverse	2
Shelby County	2
Coalville quadrangle	2
Chambers and Lee counties	3
Opelika quadrangle	3
Alabama-Georgia	5
Primary traverse	5
Russell County, Ala.; Chattahoochee and Muscogee counties, Ga.	5
Columbus quadrangle	5
Arkansas	6
Primary traverse	()
Crawford, Franklin, Logan, Scott, and Sebastian counties	6
Fort Smith quadrangle	6
Illinois	10
Primary traverse	10
Madison and Clinton counties	10
Breese quadrangle	10
Menard and Sangamon counties	12
Tallula quadrangle	12
Lake County	13
Waukegan quadrangle	13
Dupage County	15
Wheaton quadrangle	15
Indiana-Kentucky	17
Primary traverse	17
Clark, Floyd, and Harrison counties, Ind.; Bullitt, Jefferson, and	
Oldham counties, Ky	17
Louisville, New Albany, Prospect, and Riverview quadran-	
gles	17
Kentucky	24
Primary traverse	24
Caldwell, Crittenden, Hopkins, and Webster counties	24
Clay quadrangle	24
Jefferson County	26
Louisville city survey	26
Russell and Wayne counties	33
Monticello quadrangle	33
Franklin and Owen counties	35
Sadieville quadrangle	35
Anderson, Jefferson, Shelby, and Spencer counties	35
Shelbyville and Taylorsville quadrangles	35

	ern division of topography—Continued.
1	Louisiana
	Primary traverse
	Ascension, East Baton Rouge, and Iberville parishes
	Ascension, Assumption, Iberville, and West Baton Rouge parishes.
	Grossetete and Whitecastle quadrangles.
	Bossier, Caddo, and De Soto parishes.
,	Mansfield and Shreveport quadrangles.
7,	Aichigan
	Primary traverse.
	Livingston County
	Howell quadrangle
	Lapeer, Macomb, and Oakland counties
	Leonard quadrangle
	Livingston and Oakland counties.
	Milford quadrangle
	Oakland County
	Pontiac quadrangle
	Macomb and Oakland counties.
	Rochester quadrangle
)	Aississippi
	Primary traverse
	Copiah, Hinds, Madison, Rankin, Simpson, and Warren counties.
	Brandon, Edwards, Florence, Jackson, Raymond, Terry, and
	Vicksburg quadrangles
1	dissouri
	Primary traverse
	Knox, Macon, Monroe, Randolph, and Shelby counties
I	Yorth Carolina
	Primary traverse
	Sampson County
	Salemburg quadrangle
7	North Carolina-South Carolina
	Primary traverse
	Cleveland and Gaston counties, N. C.; Cherokee and York coun-
	ties, S. C.  Belmont, Gaffney, Kings Mountain, and Shelby quadrangles.
-	Dhio
(	Primary traverse.
	Coshocton, Defiance, Fairfield, Fulton, Guernsey, Henry, Licking,
	Lucas, Morgan, Muskingum, Noble, Paulding, Perry, Williams,
	and Wood counties.
	Bryan, Butler, Caldwell, Cambridge, Conesville, Continental,
	Coshocton, Cumberland, Defiance, Deshler, Edon, Frazeys-
	burg, Granville, Logan, McClure, Montpelier, Newark, New
	Comerstown, New Lexington, Ottawa, Paulding, Philo,
	Stryker, Sugargrove, Swanton, Thornville, Thurston, Wau-
	seon, and Zanesville quadrangles
	Pennsylvania-New York
	Triangulation stations.
	Warren County, Pa.; Chautauqua County, N. Y.
	Warren and Youngsville quadrangles
	Busti, Chautauqua County, N. Y

ennsylvania-New York—Continued.	
Triangulation stations—Continued.	
Warren County, Pa.; Chautauqua County, N. Y.—Continued.	
Warren and Youngsville quadrangle—Continued.	
Meas, Chautauqua County, N. Y.	
Peterson, Chautauqua County, N. Y.	
Bull, Warren County, Pa	
Clarendon, Warren County, Pa	
Crippen, Warren County, Pa	
Nelson, Warren County, Pa	
Quaker Hill, Warren County, Pa	
Wilcox, Warren County, Pa	
Yankee Bush, Warren County, Pa	
Pennsylvania	
Primary traverse	
Dauphin, Lebanon, and York counties	
Middletown quadrangle	
Berks and Lancaster counties	
New Holland quadrangle	
Cennessee	
Primary traverse	
Cannon and Rutherford counties	
Woodbury quadrangle	
<mark>'irginia</mark>	
Triangulation stations	
Floyd and Patrick counties	
Floyd and Stuart quadrangles	
Buffalo, Floyd County	
Haycock, Floyd County	
Stocker, Floyd County	
Bull, Patrick County	
Carter, Patrick County	
Hylton, Patrick County	
Noel, Patrick County	
Stuart Methodist Episcopal Church spire, Patrick Count	
Turner, Patrick County	
Alleghany, Bath, Bedford, Botetourt, Craig, and Rockbridge	
counties	
Buchanan and Fincastle quadrangles	
Rich Patch, Alleghany and Botetourt counties	
Potts, Alleghany and Craig counties	
Bald Knob, Bath County	
Caldwell, Botetourt County	
Sugar Loaf, Botetourt County	
Flat Top, Botetourt and Bedford counties	
Short Hill, Rockbridge county	
Vest Virginia	
Triangulation stations	
Erryton Calhoun Clay Kanawha, Koalie, alici Wift Couli(188	nd

Eastern division of topography—Continued.	Page.
West Virginia—Continued.	
Triangulation stations—Continued.	
Braxton, Calhoun, Clay, Kanawha, Roane, and Wirt counties—Con.	
Arnoldsburg, Flatwood, Little Otter, Minnora, Spencer, and	
Walton quadrangles—Continued.	
Frame, Braxton County	106
Cip, Braxton County	107
Green, Braxton and Nicholas counties.	107
High, Braxton County	107
Sugar, Braxton County.	108
Desert, Calhoun County.	108
Millstone, Calhoun County.	109
Mule, Calhoun County	109
Kite, Calhoun County	109
Lukens, Calhoun-Wirt county line.	110
Rattlesnake, Calhoun County.	110
Harrison, Clay County.	110
Pilot, Clay County.	111
Gunstock, Kanawha County.	111
	112
Ball, Roane County.	112
Campbell, Roane County.	
Countsville, Roane County.	112
Craig, Roane County.	113
Nichols, Roane County.	113
Poplar, Roane County.	113
Spencer, Roane County	114
Staats, Roane County.	114
Weedy, Roane County	115
Ruble, Wirt County.	115
Wood, Wirt, Jackson, and Roane counties	115
Wisconsin.	116
Primary traverse	116
Dane County	116
Cross Plains quadrangle	116
Rock and Walworth counties	117
Delayan, Janesville, and Shopiere quadrangles	117
Dodge, Milwaukee, Ozaukee, and Washington counties	119
Clyman, Hartford, Port Washington, Waukesha, and West-	
bend quadrangles.	119
Western division of topography.	122
California	122
Triangulation stations.	122
Colusa and Yolo counties	122
Copay, Colusa, Dunnigan, Rumsey, and Woodland quad-	
rangles	122
Arbuckle, Colusa County.	122
Ash, Colusa County	122
Barn, Colusa County	123
College City, Colusa County	123
Colusa, Colusa County	123
Foothill, Colusa County	124
Franklin, Colusa County	124
Johns, Colusa County	125

	' '
Western division of topography—Continued.	Page
California—Continued.	
Triangulation stations—Continued.	
Colusa and Yolo counties—Continued.	
Copay, Colusa, Dunnigan, Rumsey, and Woodland quad-	
rangles—Continued.	
Smokestack, Colusa County	12
Stovall, Colusa County	12
Webster, Colusa County	12
Williams, Colusa County	12
Blacks, Yolo County	12
Blodgett, Yolo County	12
Brickhouse, Yolo County	12
Corbin, Yolo County	12
Curtis, Yolo County	12
Davisville, Yolo County	12
Dunnigan, Yolo County	12
Esparta, Yolo County	12
Fairview, Yolo County	12
Gallup, Yolo County	1:
Green, Yolo County	1:
	1:
Hines, Yolo County	13
Mesa, Yolo County	
Monticello, Yolo County	13
Mumma, Yolo County	13
Roth, Yolo County	13
Scott, Yolo County	16
Stevens, Yolo County	13
Windmill, Yolo County	13
Winters, Yolo County	13
Winters School, Yolo County	13
Woodland city hall, Yolo County	13
Woodland high school, Yolo County	18
Yolo, Yolo County	13
Yolo northwest base, Yolo County	1:
Yolo southeast base, Yolo County	1:
Mariposa and Tuolumne counties	1:
Yosemite Special quadrangle	1:
Clouds Rest, Mariposa county	13
Devil Peak, Mariposa County	1:
Dewey, Mariposa County	1:
Eagle, Mariposa County	1:
El Capitan, Mariposa County	13
Flat, Mariposa County	13
Glacier Point, Mariposa County	1:
Pilot Peak, Mariposa and Tuolumne counties	1;
Sentinel Dome, Mariposa County	1;
Starr King, Mariposa County	1.
Valley, Mariposa County	1.
Yosemite Point, Mariposa County	1.
California-Nevada	1.
Triangulation stations	1.
Esmeralda and Nye counties, Nev.; Inyo County, Cal	1.
Amargosa region	1.
11111a1800a 1 8011	

VIII	CONTENTS.	
Western div	vision of topography—Continued.	Page.
	nia-Nevada—Continued.	r age.
	iangulation stations—Continued.	
20	Esmeralda and Nye counties, Nev.; Inyo County, Cal.—Continued	1
	Amargosa region—Continued.	.,
	Boundary, Inyo County, Cal	142
	Death, Inyo County, Cal	142
	Furnace, Inyo County, Cal.	143
	Grape, Inyo County, Cal.	143
	Telescope Peak, Inyo County, Cal	144
	Tin, Inyo County, Cal.	144
	Andesite, Esmeralda County, Nev	144
	Columbia, Esmeralda County, Nev.	145
	Gold Mountain, Esmeralda County, Nev.	145
		$\frac{140}{145}$
	Lone Mountain, Esmeralda County, Nev	$\frac{140}{146}$
	Montezuma, Esmeralda County, Nev.	
	Timpahute, Lincoln County, Nev	146
	Bare, Nye County, Nev.	147
	Beatty, Nye County, Nev.	147
	Belted Peak, Nye County, Nev	147
	Busch, Nye County, Nev	148
	Cactus Peak, Nye County, Nev'	148
	Cane, Nye County, Nev	149
	Chalk Mountain, Nye County, Nev	149
	Diamond, Nye County, Nev	149
	Forty (Shoshone Mountain), Nye County, Nev	150
	Jumbo, Nye County, Nev	150
	Kawich, Nye County, Nev	150
	Mal, Nye County, Nev	151
	Mesa (Pahute), Nye County, Nev	151
	Quartzite, Nye County, Nev	151
	Reveille, Nye County, Nev	152
	Sheet Line, Nye County, Nev	152
	Stonewall, Nye County, Nev	153
	Timber, Nye County, Nev	153
	Tolicha, Nye County, Nev	153
	Wheelbarrow Peak, Nye County, Nev	154
	White Pine, Nye County, Nev	154
	Yellow, Nye County, Nev	155
	Tertiary points located by intersections, Nevada	155
	Fresno, Inyo, Mono, Tulare, and Tuolumne counties, Cal.; Esmer-	
	alda and Nye counties, Nev	155
	High Sierra region, California; Goldfield region, Nevada	155
	Goddard, Fresno County, Cal	156
	Hilgard, Fresno County, Cal.	156
	Kaiser, Fresno County, Cal.	156
	Humphreys, Fresno and Inyo counties, Cal	157
	Red Slate, Fresno and Mono counties, Cal	157
	Split Mountain, Fresno and Inyo counties, Cal	158
	Silver, Fresno County, Cal.	158
	Big Pine, Inyo County, Cal	159
	Bishop, Inyo County, Cal.	159
	Black Mountain, Inyo County, Cal.	159
	multiple delicities and delicities a	100

Crater, Inyo county, Cal....

160

175

stern division	of topography—Continued.	
	vada—Continued.	l,
	ation stations—Continued.	
	no, Inyo, Mono, Tulare, and Tuolumne counties, Cal.; Esmer-	
ala	da and Nye counties, Nev.—Continued.	
201	High Sierra region, California; Goldfield region, Nevada—Con.	
	Dorwin Invo County Col	
	Darwin, Inyo County, Cal.	
	Double, Inyo County, Cal.	
	Independence, Inyo County, Cal.	
	Keynot, Inyo County, Cal.	
	Morgan, Inyo County, Cal.	
	Olancha, Inyo and Tulare counties, Cal	
	Palisade, Fresno and Inyo counties, Cal	
	Pinchot, Fresno and Inyo counties, Cal	
	Piper, Inyo County, Cal.	
	Round, Inyo County, Cal.	
	Sheep, Inyo County, Cal.	
	Tom, Inyo County, Cal	
	Waucoba, Inyo County, Cal	
	Three Sisters, Fresno County, Cal	
	White Top, Inyo County, Cal	
	Whitney, Tulare and Inyo counties, Cal	
	Williamson, Tulare and Inyo counties, Cal	
	Baldy, Mono County, Cal.	
	Castle Peak, Mono County, Cal.	
	Horse, Mono County, Cal	
	Heckla, Mono County, Cal.	
	Lyell, Mono County, Cal.	
	Mono, Mono County, Cal.	
	Monument, Mono County, Cal	
	White Mountain North, Mono County, Cal.	
	White Mountain South, Mono County, Cal.	
	Big Meadows, Tulare County, Cal.	
	Brewer, Tulare County, Cal.	
	Florence, Tulare County, Cal.	
	Kaweah Mountain, Tulare County, Cal	
	Kern, Tulare County, Cal	
	Mahogany, Tulare County, Cal.	
	Trail, Tulare County, Cal	
	Conness, Tuolumne County, Cal	
	California-Nevada boundary post triangulation station 75.	
	California-Nevada boundary post triangulation station 74.	
	Blue Dick, Esmeralda County, Nev	
	Gold Mountain, Esmeralda County, Nev	
	Lone Mountain, Esmeralda County, Nev	
	Magruder, Esmeralda County, Nev	
	Montezuma, Esmeralda County, Nev	
	Stonewall, Nye County, Nev	
California		]

Special sheets Nos. 19, 20, 21, and 28.

Western division of topography—Continued.  Montana.	Page.
Triangulation stations.	178
Fergus County.	178
Moccasin Mountain, Maiden, and Kendall quadrangles.	178
	178
Big Snowy.	
Dogmelle	178
Fence Corner	179
Fergus	179
Fox Pass.	179
Judith	180
North Moccasin	180
Pyramid	181
Skaggs.	181
South Moccasin	181
Tufted Pine	182
North Moccasin Mountains, middle peak	182
Eastern of two trees.	182
Nipple-shaped hill	183
Lewistown high school (center of building)	183
South Moccasin Mountains (northwest peak)	183
Judith Mountains (middle west peak)	183
Porphyry Peak.	183
Windmill	183
Black Butte.	183
Cone Butte.	183
Lindsy's ranch house	184
Small tree on summit of hill	184
Deerlodge, Granite, Powell, and Ravalli counties.	184
Philipsburg and Sapphire quadrangles.	184
Bench-mark post 5124, Deerlodge County.	184
Howe, Deerlodge County.	184
Short Peak, Deerlodge County.	185
Washoe smelter smokestack, Deerlodge county	185
Warm Springs, insane asylum, Deerlodge County	185
West Mound, Deerlodge County.	185
Bare Hill, Granite County.	186
	$\frac{180}{186}$
Black Pine, Granite County	186
Chicago, Granite County.	
Congdon Peak, Granite and Ravalli counties	187
Dome-shaped mountain, Granite County	187
Emerine, Granite County.	187
Fish Peak, Granite County.	188
Fourth prominent peak southwest of Mount Warren, Gran- ite County .	188
Fox Peak, Granite and Ravalli counties	188
Haggin, Granite County	188
Harvey, Granite County	189
Moore, Granite County	189
New Chicago, Granite County	190
Peak 2 miles east of Quigg, Granite County	190
Peak east of Haggin and 6 miles southwest of Anaconda,	
Granite County	190
Point Lookout Granita County	190

V O AT A ANAT ANDS	1 2 1
Western division of topography—Continued.	Page
Montana—Continued.	PHILIP
Triangulation stations—Continued.	
Degrlodge, Granite, Powell, and Rayalli counties—Continued.	
Philipsburg and Sapphire quadrangles—Continued.	
Prairie, Granite County	191
Princeton, Granite County	
Prominent bare hill, Granite County	
Quigg, Granite County	192
Red Lion, Granite County	192
Sugar Loaf, Granite County.	
Summit of high, sparsely timbered hill, Granite County.	193
Third prominent peak southwest of Mount Warren, Gran-	
ite County	193
Warren, Granite County	
Wilma post-office, Granite County	
Pikes Peak, Powell County	
Powell, Powell County	
Deer Mountain, Ravalli County	
Kent, Ravalli County	195
Palisade, Ravalli County	
67, Ravalli County	
68, Ravalli County	
Willow, Ravalli County	
New Mexico.	
Triangulation stations.	
Bernalillo, Socorro, and Valencia counties	
Albuquerque, university flag pole, Bernalillo County,	
Vulcan, Bernalillo County	
Campana, Socorro County	
Canas, Socorro County	
Chupadera, Socorro County	
Isleta, Socorro County	
North Base, Socorro County	
Polyadera, Socorro County	
Sanders, Socorro County	
Socorro Peak, Socorro County	
South base, Socorro County	
Turututu, Socorro County	
Lucero, Valencia County	20.3
Lunas, Valencia County	
Tome, Valencia County	
Secondary triangulation stations	
Albuquerque, Bernalillo County	
Isleta, Bernalillo County	
Belen, Valencia County	
La Joya, Valencia County	204
Las Lunas, Valencia County	204
Rio Puerco bridge, Valencia County	
San Acacia mesa, Valencia and Socorro counties	204
Alamillo, Socorro County	
Lemitar, Socorro County	204
Luis Lopez, Socorro County	
Magdalena, Socorro County	204

stern division of topography—Continued.  New Mexico—Continued.	Pa
Secondary triangulation stations—Continued.	
Polvadera, Socorro County	,
San Antonio, Socorro County.	
Socorro, Socorro County.	
Water Canyon (branch railroad), Socorro County	
Oklahoma	
Triangulation stations.	
Lincoln, Logau, Oklahoma, and Payne counties.	
Agra, Chandler, Edmond, Guthrie, Mallon, Merrick, Quay,	
Ripley, and Sac-Fox quadrangles.	
Cox, Number 9 County	
Agra, Lincoln County	
Agra oil tower, Lincoln County.	
Air, Lincoln County	
Avery, Lincoln County	
Buck, Lincoln county	
Chandler standpipe, Lincoln County.	
Girdle, Lincoln County.	
Harger, Lincoln County	
Mesecher, Lincoln County.	
Phee, Lincoln County	
Sac-Fox agency water tank, Lincoln County	
Stuart, Lincoln County.	
Tryon, Lincoln County.	
Flinn, Logan County	
Guthrie standpipe, Logan County	
Langston, Logan County	
Reece, Logan County	
Short, Logan County.	
Strong, Logan County	
Wallace, Logan County	
Wingard, Logan County	
Edmond, Oklahoma County	
Cordis, Payne County	
Cushing, Payne County	
Cushing oil tower, Payne County	
Cushing, Christian Church spire, Payne County	
Indian, Payne County	
Mound, Payne County	
Paradise, Payne County	
Perkins, Payne County.	
Perkins, tallest church spire, Payne County	
Quay, Pawnee County.	
Primary traverse	
Logan County.	
Guthrie quadrangle	
Texas-Louisiana	
Primary traverse	
Bowie, Cass, Fannin, Gregg, Harrison, Lamar, Marion, Red River,	
Titus, and Upshur counties, Tex; Caddo Parish, La	
Clarksville, Gilmer, Jefferson, Mount Pleasant, Mount Vernon,	
Paris, Shawneetown, and Texarkana quadrangles	

Page.


Trangui	ation stations.
	ver, Iron, and Piute counties, Utah; Lincoln County, Nev
	Iron Springs Special quadrangle
	Blue, Beaver County, Utah
	Frisco Peak, Beaver County, Utah
	Granite, Beaver County, Utah
	Hot, Iron County, Utalr
	Iron, Iron County, Utah
	Peak, Iron County, Utah
	Springs, Iron County, Utah
	Tushar, Piute County, Utah
	Pioche, Lincoln County, Nev
	<del> </del>
	ation stations
	norn, Fremont, and Natrona counties
	Alcove, Broken Horn, Lost Cabin, Nowood, Nowater, and
	Watrous quadrangles
	Deranch, Bighorn County
	Mahogany, Bighorn County
	Copper, Fremont County
	Herder, Fremont County
	Herder, Fremont County Poison, Fremont County
	Herder, Fremont County  Poison, Fremont County  Round Hill, Fremont County
	Herder, Fremont County Poison, Fremont County
	Herder, Fremont County  Poison, Fremont County  Round Hill, Fremont County
	Herder, Fremont County. Poison, Fremont County. Round Hill, Fremont County. Badwater, Natrona County.
	Herder, Fremont County. Poison, Fremont County. Round Hill, Fremont County. Badwater, Natrona County. Clark, Natrona County.
	Herder, Fremont County. Poison, Fremont County. Round Hill, Fremont County. Badwater, Natrona County. Clark, Natrona County. Cottonwood Pass, Natrona County.
	Herder, Fremont County. Poison, Fremont County. Round Hill, Fremont County. Badwater, Natrona County. Clark, Natrona County. Cottonwood Pass, Natrona County. Easy, Natrona County.
	Herder, Fremont County. Poison, Fremont County. Round Hill, Fremont County. Badwater, Natrona County. Clark, Natrona County. Cottonwood Pass, Natrona County. Easy, Natrona County. Enoch, Natrona County.
ζ	Herder, Fremont County. Poison, Fremont County. Round Hill, Fremont County. Badwater, Natrona County. Clark, Natrona County. Cottonwood Pass, Natrona County Easy, Natrona County. Enoch, Natrona County. Jack Pot, Natrona County.

PLATE I. Map showing condition of astronomic location and primary control to April 30, 1906.



rse 18.

i74



MAP SHOWING CONDITION OF ASTRONOMIC LOCATION AND PRIMARY CONTROL
10 April 30,4906

dhalling the

# RESULTS OF PRIMARY TRIANGULATION AND PRIMARY TRAVERSE, FISCAL YEAR 1905-6.

# By SAMUEL S. GANNETT.

## SUMMARY.

Summary of published results, 1905-6: Triangulation and primary traverse.

Locality.	Trian- gulation stations.	Traverse stations.
• EASTERN DIVISION.		
labama		9-
labama-Georgia		68
rkansas		. 117
llinois		161
ndiana-Kentucky		163
Centucky		
ouisiana		168
lichigan		178
lississippi		198
lissouri		137
Orth Carolina.		60
orth Carolina-South Carolina		145
Phio.		532
ennsylvania.		92
ennessee		61
irginia		
Vest Virginia.		
Visconsin		174
1950116111		1.
WESTERN DÍVISION.		
	50	58
alifornia		56
alifornia-Nevada		
Iontana		
lew Mexico		11
klahoma	చచ	336
exas-Louisiana		550
tah-Nevada		
yoming	13	
	353	3,071
	000	0,0

# EASTERN DIVISION OF TOPOGRAPHY.

H. M. Wilson, Geographer in charge.

#### ALABAMA.

#### PRIMARY TRAVERSE.

#### SHELBY COUNTY.

#### COALVILLE QUADRANGLE.

In June, 1906, C. B. Kendall, field assistant, ran a line of primary traverse across the southern border of this quadrangle from Longview to Teague bridge over Yellow Leaf Creek, connecting with points on the United States standard datum previously located by primary traverse.

Magnetic declination, 2° 51′ 38″ east.

Geographic positions along Louisville and Nashville Railroad near Longview.

	Station. Latitude.					Longitude.				
	er of company's store, iron post stamped		, 11	// 56, 9		46	46. 0			
Longview, public-road crossin	g 0.5 mile north of, center of track crossing 0.5 mile south of, center of tres-	33	12	21.0			59. 8			
tle	erossing.	33 33		47. 3 01. 9			22. 6 57. 5			
Longview, public-road crossin Sagmaw station, public-road tle.	erossing 0.5 mile south of, center of tres-	33	12	21. 0	86 86	46	59. 8 22. 6			

#### Geographic positions along highways.

Station.	Latitude.	Longitude.
Saginaw, mail box at four corners 0.5 mile northwest of Saginaw, about 1 mile north of, second-class road fork to south Forks. Pine stump at east side of road at top of small ridge Second-class forks to north at bend of main road to east	33 13 14.3 33 13 29.8 33 14 52.1 33 15 41.6 33 16 04.7	86 48 20.7 86 47 43.1 86 46 41.7 86 45 31.3 86 44 46.0
Forks at rail fence, 150 feet west of bridge over small stream, public road to west, second-class road to north uphill.  Second-class north-south road.  Forks of road 390 feet east of house, roads east to northeast.  Four corners at vacant dwelling, public road northwest and southeast.  Four corners, public and second-class crossroads.  Section-line crossing (").  Yellow Leaf Creek, center of bridge over small branch of.	33 16 10.1 33 16 02.4 33 16 03.4 33 16 10.2 33 16 18.8 33 16 28.5 33 16 46.1	86 44 04.3 86 43 31.8 86 42 51.3 86 42 28.7 85 42 07.5 86 41 52.2 86 41 30.2
Forks of road 0.75 mile southwest of box and 20 feet north of signboard "Calera 14 miles".  Public roads northeast, north, and southwest. Calvary Baptist Church, forks 0.5 mile east of, public road to south Section corner (number not obtained).	33 17 00.3 33 17 02.9 33 17 02.9 33 17 00.7	86 41 12.8 86 41 03.0 86 40 30.0 86 40 29.1

#### Geographic positions along highways—Continued.

Station.	La	Latitude.		Long	de.	
TO OO ID 1 W months out to make an oo					/	//
T. 20, R. 1 W., northeast corner sec. 20.	33	17	02, 2	86	39	26.4
Ransom station, four corners 150 feet south of cotton gin and 60 feet west of lumber railroad						
	33	17	05. 2	86	39	27. 5
Saginaw station, on Saginaw Lumber Co.'s railroad, 250 feet northeast						
of cotton gin, 200 feet northeast of railroad crossing, 100 feet southeast						
of dwelling, and about 8 feet south of water oak tree, aluminum tab-						
let in sandstone bowlder, stamped "Prim. Trav. Sta. No. 1, 1906"	33	17	07.8	86	39	26, 6
Public-road forks, second-class road to southwest, 10 feet southwest						
to oak painted "USTP 549.8".  Public-road forks, 15 feet south to signpost marked "Pelham 11.25	33	17	24.0	86	38	44.2
Public-road forks, 15 feet south to signpost marked "Pelham 11.25"						
miles''	33	17	29, 5	86	37	55. 1
Four corners, 300 feet southwest of church, 30 feet east to well, 15 feet	0					
southwest to oak.	33	17	37.7	86	37	18.1
Forks of road southeast and northeast, stump painted "VA 551" on						
top of small ridge	- ა3	18	17. 5	86	36	53. 0
T. 20 S., R. 1 W., sec. 11, center line of, public-road crossing	33	18	16.6	86	36	49.4
Secs. 12 and 13, quarter corner north of southeast corner sec. 12, forks						
of road south and east.	33	18	10.9	86	36	02.1
Forks of road east and west, 20 feet northeast to dead pine snag	33	17	56. 8	86	35	30. 0
Yellow Leaf Creek, center of bridge over northern fork of	53	17	56. 2	86	35	08. 8
Public road west, forks of, 1.5 miles south of Teague bridge, second-						
class road to northwest, 10 feet east to pine, 30 feet west to pine stump	33	17	21.8	86	33	51.3
Four corners, crossroads, 1.5 miles south of Teague bridge, 20 feet west						011.0
to bunch oak trees and signboard marked "Wilsonville"	33	17	15, 2	86	33	25.7
Public-road forks, south and southeast, 50 feet southeast to pine, 40					00	20
feet north to oak.	33	17	40.2	86	33	21.7
Three corners, 0.5 mile south of Teague bridge, public T road west		17				23. 8
Yellow Leaf Creek, center of Teague bridge over, public roads south	- 00		00		00	20.0
and southeast (located in 1904)	5.3	18	22.9	86	33	06. 8
the southers (rocare a m xou)	00		ww. 0	(10)	00	00.0

#### CHAMBERS AND LEE COUNTIES.

#### OPELIKA QUADRANGLE.

The following geographic positions were determined by primary traverse run by E. L. McNair, topographer, in April, 1905. The line starts at West Point, Ga., and runs northerly and westerly along public roads via Fredonia and White Plains to Penton, thence south via Marcoot to Gold Hill station, on the Central of Georgia Railway. Another line starts at Auburn station, on the Western Railway of Alabama, and runs via highways south to Wrights Corners, thence easterly and northerly to Salem, Ala.

#### Geographic positions along highways.

Station.	Latitude.			Lon	de.	
GEORGIA.		,	,,		,	
West Point, Atlanta and West Point R. R. station (Ellis, 1902)	32	52	31. 8	85	11	01. 6
hronze tablet stamped "Anniston 573 Ft."  Alabama-Georgia State line crossing of West Point and Fredonia road.			46, 4 09, 3			50. 1 28. 7
ALABAMA.						
West Point, 3.5 miles northwest of, 0.12 mile east of house of E. L. Bailey (colored), on north side of road between two oak trees, irou post stamped "Anniston 695 ft. Prim. Trav. Sta. No. 14, 1905"			46. 5			56. 1
Potts (Charles) mail box, T road northwesterly. Fredonia, 4.75 miles southeast of, forks of road at signboard "West Fredonia, 3.5 miles southeast of, forks of road at signboard "West	32 32		08, 9 30, 9			21, 6 45, 0
Point 7 miles of the southeast of forks of road at significant Fredonia, 1.5 miles southeast of, forks of road	$\frac{32}{32}$	57 58	21. 5 37. 7		15 16	16, 2 16, 5

Bull 310-07-2.

## Geographic positions along highways—Continued.

Station.	Latit	Long	ie.		
ALABAMA—continued.					
Fredonia, 40 feet southwest of, crossroads, iron post stamped "Prim. Trav. Sta. No. 15, 1905". Fredonia, 1.25 miles west of, forks of road at signboard Fredonia, 2.25 miles northwest of, four corners Five Points, 1.75 miles southeast of.	32 59 32 59 33 00 33 00	9 24.2 0 04.8 0 38.2	85 85 85 85	17 18 19 19	14. 4 31. 0 10. 8 44. 2
Five Points, 0.5 mile south of, four eorners. Five Points, 1.25 miles southwest of, highway and Central of Georgia Rwy. crossing. Central of Georgia Rwy. and Settlement road crossing. White Plains, four eorners at McCarley's store.	33 00 33 00 32 59 32 59	30.8 35.0 21.8	85 85 85 85	20 21 22 24	57. 2 50. 5 42. 1 10. 8
Chapel Hill, house of W. L. Wilson, center of road opposite.  Jenkins (W. T.) house, center of road opposite west end of.  Penton, four corners, 14 feet from corner of Storey's warehouse and 49  feet from post-office, iron post stamped "Prim. Trav. Sta. No. 16,	32 59 33 00	07.7	85 85	25 27	50. 9 02. 1
1905'' Penton, 1.75 miles south of, house of W. Lowe, jr., center of road oppo- site.	33 00		85 85	28 28	00.5
Penton, 3.25 miles south of, house of J. B. Lashley, center of road opposite.  Marcoot post-office, road corners 200 feet west of.  Marcoot post-office, 1.5 miles south of, on top of ridge, center of road	32 5 32 5		85 85	28 29	03. 2 06. 7
opposite W. T. Weldon's house	32 5		2 85	29	30. 6
east. Lafayette, 5 miles west of, near house of S. M. Abernathy, four corners. Stills (H.) residence, roads north, south, and west. Jones store, 0.75 mile northeast of, four corners.	32 5 32 5 32 5 32 5 32 5	3 54. 4 3 23. 4	85 85 85 85	29 29 28 28	23. 0 13. 9 52. 2 22. 9
T. 22 N., R. 26 E., in sec. 30, 3.5 feet from southeast corner of S. W. Jones's store, iron post stamped "Prim. Trav. Sta. No. 17, 1905" Jones store, 1.5 miles southwest of, forks of roads Lafayette and Camp Hill road, house of W. F. Royal, 0.25 mile south-	32 5 32 5		85 85	29 30	$01.6 \\ 09.2$
east of, four corners.  Forks of road.  House of A. B. McKinney, 250 feet south of, forks of road.  Forks of road.  House of Alfred Johnson, 0.33 mile south of, four corners.	32 50 32 40 32 40 32 40 32 40	8 45.0 8 05.4 6 48.8 6 20.1	85 85 85 85 85	30 30 30 30 30 30	27. 6 47. 5 13. 2 06. 6 08. 4
Forks of road Forks of road, east, west, and north Gold Hill station (Hawkins, 1901)	32 4 32 4 32 4	4 19.5	85 85 85	30 30 30	08. 4 09. 9 29. 2

## Geographic positions south and east of Auburn, Ala.

Station.	Latitude.			Long	Longitude		
	0	,	"	o	,	"	
Auburn station (Hawkins, 1901), road east of. Auburn station, 0.9 mile south of, roads east, west, and south Auburn station, 2.25 miles south of, Society Hill road, 10 feet southeast.	32 32	36 35	37. 1 55. 9	85 85	28 28	48. 0 42. 7	
of, iron post stamped "Prim. Trav. Sta. No. 18, 1905"	32 32	34 33	52. 4 55. 4	85 85	$\frac{28}{28}$	10.8 31.2	
Chewaela Creek, center of covered bridge over Wright (L. A.) house, four corners near	32 32	32 32	53. 0 00. 7	85 85	28 28	50. 0	
Wright's corners, 1.75 miles east of, forks of road Roads north, south, and east Mitchell's store, four corners.	32 32 32	31 32 32	55. 3 26. 4 20. 1	85 85 85	$\frac{26}{25}$	28. 3 44. 8 49. 5	
Chafin (H. C.) residence, center of road opposite.  Four corners	32 32	32 32	11.8 16.9	85 85	23 22	49. 5	
Providence Church, road corners 0.5 mile south of	32 32	32 31	40. 1 45. 9	85 85	$\frac{20}{20}$	28. 4 18. 3	
T road south Prince (George) residence, four corners	32 32 32	31 30 31	11. 9 37. 2 15. 0	85 85 85	18 16 15	51. 6 19. 9 16. 7	
Meadows, four corners. Salem station, 4.25 miles south of, 239 feet south of Butler house, 10 feet west of center of road, fron post stamped "Prim. Trav. Sta. No. 19,	34	91	15. 0	89	10	10. /	
1905, 526 ft.'' Salem, 2.25 miles south of, forks of road	32 32	32 33	$08.6 \\ 48.5$	85 85	$\frac{15}{15}$	23. 9 14. 9	
Salem, 0.75 mile south of, forks of road Salem station (Ellis, 1902)	32 32	$\frac{35}{35}$	07. 0 49. 6	85 85	14 14	32. 8 18. 8	
Salem station, 660 feet west of, 32 feet north of center of track of Central of Georgia Rwy., iron post stamped "Prim. Trav. Sta. No. 20, 1905, 686 ft."	32	35	51. 3	85	14	26.3	

#### ALABAMA-GEORGIA.

#### PRIMARY TRAVERSE.

RUSSELL COUNTY, ALA.; CHATTAHOOCHEE AND MUSCOGEE COUNTIES, GA.

#### COLUMBUS QUADRANGLE.

The following geographic positions were determined by C. B. Kendall, field assistant, in 1906. The line begins at Columbus, located by primary traverse in 1902 by J. R. Ellis, crosses Chattahoochee River to Girard, Ala., follows the Central of Georgia Railway to Fort Mitchell, thence along highways along the west, south, and east borders, tying to primary traverse station No. 3, established at Upatoic in 1905 by E. L. McNair, topographer.

Geographic positions along Central of Georgia Railway between Columbus, Ga., and Fort Mitchell, Ala.

Station.	Latitude.			le. Longit		
GEORGIA.		,	,,			
Columbus, First avenue crossing. Columbus, in west wall at north side of west entrance to post-office building, aluminum tablet stamped "Prim. Trav. Sta. No. 1, 1906," elevation 251 feet	32 32	28 28	39. 1	84	59 59	29, 8
Chattahoochec River, center of Central of Georgia Rwy. bridge over	32	27	43. 8			50. 9
ALABAMA.						
Girard station, 75 feet north of, road crossing	32	27 27 26 24	39. 8 15. 8 04. 6 15. 6	84 84 84 85	59 59 59 00	57. 5 50. 3 33. 5 28. 3
Brickyard station, east rail of main track at road crossing.  Second-class road crossing.  Flag station, 500 feet south of, road crossing near water mill.	32 32	23 22 22	46. 5 04. 7	85 85	00	33. 3 19. 1 32. 8
Second-class road crossing.  Fort Mitchell station, road crossing.  Fort Mitchell station, 100 feet south of, at northeast corner of store of G. L. Salas, iron post stamped "Prim. Tray. Sta. No. 2, Ala., 1906".	32	21 20 20	06. 7 33. 9 33. 0	85 85 85	00 01	49. 4 12. 2
Big Uchee Creek, west end of iron bridge over, forks of road southeast and southwest.			57. 6	85	01	02. 6
Small stream crossing, second-class road west Cotton gin, second-class road	32 32	18 17	18. 6 39. 9	85 85	00	37. 2 27. 4
Osweechee Church, three corners, T road east, 30 feet to tall pine Osweechee Church, 0.5 mile south of, at southeast corner, at junction of north and south river road and road east to Hatchers Landing,	32	16	36, 4	85	()()	11.8
iron post stamped "Prim. Trav. Sta. No. 3, 1906, Ga."  Three corners, T road north, 20 feet east to pine.  T. 15, R. 30, corner sec. 19, pine log planted in small marsh 224 feet east			14. 6 09. 8	85 84	()t) 59	02. 5 26. 5
of three corners, T road to west.  Triangle at road forks, southeast to pine, 50 feet north to pine.  Triangle at road forks, southeast and southwest.	32 32	15 15	10. 9 56. 8 09. 9	84 84 84		00. 5 03. 6 53. 2
Forks of road west, southwest, and northwest, 10 feet south to willow. Forks of road northeast, second-class road southeast leading to Fitz-		14	56, 1	84	56	30. 7
simmons Ford Chattahoochee River, Fitzsimmons Landing, on top of west bank at	32	15 14	03. 0 51. 4	84	55 55	43, 4
edge of field, 125 feet west of landing proper.  Alabama-Georgia State line, center of Chattahoochee River, about 800 feet south of Fitzsimmons Landing			42. 8		55	
GEORGIA.						
Forks of road between two small houses, roads west and southwest, 40 feet east to small house, 40 feet south to house.  Forks of road east and southeast, 100 feet east of top of ridge			19. 8 15. 1	84 84	54 53	19. 8 56. 8
St. Mark's Church (colored) at junction of Columbus-Florence and Florence-Cussets roads, at southwest corner of church, iron post stamped "Prim Tray Sta No. 2 Ga. 1996"	32	14	40,6	84	52	52, 8
Forks of road west and southwest, 10 feet north to cedar, 50 feet south	32	14	50.9	84	51	11 2
Jamestown, forks of road north and northeast, 600 feet north of, 20 feet east to rail fence, 40 feet north to persimmon.	32	15	53.8	84	30	45.6

Geographic positions along Central of Georgia Railway between Columbus, Ga., and Fort Mitchell, Ala.—Continued.

Station.	Latitude.			Long	de.	
GEORGIA—continued.	0	,	,		,	,,
Cemetery, forks of road east and southeast			0.3	84	50	17.5
Stephens Creek, center of bridge over			). 3 ). 3	84	49	37.0
Three corners T road southwest	32		1.3	84	49	05.4
Forks of road northeast and southeast, 40 feet north to double oak, 30						
feet south to clump of plum busines			5.5	84	48	06.8
Cusseta, 3 miles south of, forks of road south and southeast	32	16 4	4.4	84	47	47.6
Cusseta, 3 miles south of, in angle at forks of road Cusseta-Lonvale, Cusseta-Jamestown, iron post stamped "Prim. Trav. Sta. No. 3, Ga.						
Cusseta-Jamestown, fron poststamped Trim. Trav. Sta. No. 5, Ga. 1906"	32	16 4	4. 1	0.4	47	47.0
Forks of road northwest and north			3. 4	84 84	47 47	$\frac{47.8}{28.1}$
Cusseta, 1 mile southwest of, forks of road north and northeast, 10 feet	02	11 2	J. 7	0.1	41	20. 1
north to pine	32	18 1	2.1	84	47	16.8
Cusseta forks of road at west edge of 40 feet west to sign "Jamestown						20.0
6 mi.," 60 feet east to large oak stump. Cusseta, 0.75 mile northwest of, overhead road crossing Seaboard Air	32	18 - 2	5.2	84	47	04.4
Cusseta, 0.75 mile northwest of, overhead road crossing Seaboard Air						
Line Rwy. Cusseta, 1.5 miles northwest of, road crossing Seaboard Air Line Rwy.			). 7	84	47	18.6
Cusseta, 1.5 miles northwest of, road crossing Seaboard Air Line Rwy.			3.8	84		38.7
Milepost C 16; road crossing 300 feet south of			$\frac{9.6}{2.8}$		47	35.2
Ochilles Creek, south end of bridge over			$\frac{2.8}{3.7}$	84 84	47 47	09.2 $02.1$
Old store, four corners, roads north and south and west and east, 50	0.5	20 0	9. 4	04	41	02.1
feet southwest to oak, 30 feet east to oak.	32	21 5	9.4	84	46	51.7
Church and schoolhouse, 700 feet south of, four corners, 50 feet south to				01		(/11.1
telephone pole, 20 feet west to double sweet guin	32	22 - 2	1.7	84	46	43.8
Four corners, crossing of Cusseta-Greenville and Columbus-Buena						
Vista roads.	32	23 2	6.1	84	46	08.4
Northwest corner of schoolhouse yard, in southeast corner of intersection of above roads, iron post stamped "Prim. Trav. Sta. No. 4, Ga.						
1906"	32	23 2	5.6	84	46	08.0
Four corners, second-class crossroads, 20 feet southwest to C. B. Under-	0	2.,	7. 0	0.4	30	00.0
wood's mail box No. 16	32	24 1	7.5	84	46	11.2
Four corners at Cane Mill			4.2	84	46	04.9
Blair Branch, center of bridge over	32	25 - 3	3.6	84	45	-52, 8
Elbeck, 0.5 mile south of, three corners, 25 feet southeast to signboard	0.2	00 0	. 0			
"Cusseta 11 mi.," 20 feet south to oak	32	26 0	5.3	84	45	11.9
Muscogee and Chattahoochee county line, center of covered bridge over Upatoie Creek.	32	26 4	2.3	84	45	24.2
Forks of road 0.3 mile northwest of bridge over Upatoie Creek.			6.6	84	45	41.4
Forks of second-class road, 20 feet southeast to dead pine, 50 feet north	(,2	20 1	(). ()	(1.7	40	71. 7
to double oak	32	27 5	4.6	84	4.5	38.0
to double oak. Forks of road south and southwest, 25 feet west to oak, 20 feet east to						
small persimmon tree. Four corners, 2 miles south of schoolhouse, 20 feet north to mail box No.	32	28 - 1	4.1	84	45	57.9
Four corners, 2 miles south of schoolhouse, 20 feet north to mail box No.	0.2	00 0	7 0			10.0
20, post painted ''463''. Three corners, T road west, 10 feet southwest to mail box			7.6 7.4	84	45	$\frac{49.6}{37.1}$
Forks of road south and southwest 50 feet south to pine pointed "400"			0.3	84 84	45 45	$\frac{37.1}{15.6}$
Forks of road south and southwest, 50 feet south to pine painted "490". Forks of road north and northeast, 10 feet north to persimmon painted	02	90 0	0.0	0.4	40)	10.0
**482 **-	32	31 2	3.5	84	45	01.9
Upatoie, 0.75 mile south of, forks of road north and northwest			2.4	84	44	38.7
Upatoie station, at south wall in angle between wall and operator's						
office, Central of Georgia Rwy., iron post stamped "Prim. Trav. Sta. No. 3, 1905".	32	32 4				
			9. 6			25.1

#### ARKANSAS.

#### PRIMARY TRAVERSE.

CRAWFORD, FRANKLIN, LOGAN, SCOTT, AND SEBASTIAN COUNTIES.

#### FORT SMITH 30' QUADRANGLE.

The following geographic positions on the United States standard datum were determined by primary traverse in 1905 by J. R. Ellis, assistant topographer. The line starts from the "initial point" at Fort Smith, runs northeast along the Missouri Pacific Railway to a point 5 miles northeast of Van Buren, thence along the Little Rock and Fort Smith Railroad to the east edge of the quadrangle, thence south on highways to Charleston, thence west on highways and the

Midland Valley Railroad to Hackett, thence along the St. Louis and San Francisco Railroad to the initial point. Another line starts from Hackett, follows the St. Louis and San Francisco and the Midland Valley railroads to Hartford, thence east along the Chicago, Rock Island and Pacific Railroad to Barber, thence north on highways to Charleston, and is tied to United States Geological Survey triangulation stations Peak and Pinnacle.

Geographic positions along Missouri Pacific Railway between Fort Smith and Lees Creek.

Station.	Latitude.			Loi	Longitude		
Fort Smith, at southwest corner of old fort about 50 feet from United States Coast and Geodetic Survey astronomical station, which was used as initial point. Station mark: A stone monument. Fort Smith, yard-limit post, private road crossing just north of. Arkansas-Indian Territory boundary post 74 M Arkansas-Indian Territory boundary post 73 M, at Cherokee Junction. Milepost 509, private road crossing, 800 feet east of. Switch block to spur, road crossing northeast and southwest, 1,200 feet west of.  Lees Creek, center of bridge over.	35 35 35 35 35 35	23 24 25 26 27	16. 91 25. 9 56. 7 50. 2 08. 2 05. 8 03. 7	94 94 94 94 94	26 26 26 25 23	51,35 23,8 16,2 26 0 17,0 53,0 56,0	

Geographic positions along "Frisco" Railroad between Van Buren and Meadows.

Station.	Latitu	Long	le.		
Van Buren, in retaining wall to Doctor Kerr's front yard, 22 feet from corner of wall, aluminum tablet stamped "Prim. Tray. Sta. No. 1,	· ,	,,	e	,	,,
1905'' Van Buren, I mile north of, road crossing. Smeltzer station, road crossing just south of.	35 26 35 26 35 27			20	26. 4 15. 7 37. 4
Central pier of bridge No. 4071 over creek south.  Milepost 406, road crossing north and south 810 feet east of.  Meadows station, 0.66 mile west of, road crossing.	35 27 35 28 35 29	29.5	94	18	12. 7 04. 5 35. 1

#### Geographic positions along highways.

Station.	Latitude.			Latitude.			Lo	ongitude.			
Meadows, 0.75 mile east of station, T lane, 16 feet due north to arrow on fence post  Alma, 1.5 miles northwest of, 1.75 miles east of Meadows, in southwest corner of J. W. Farris's field at crossroads, nail in root of black oak bears S. 50° 15′ E., distant 34.7 feet; stone at crossroads bears S. 53°	35	29	33.5	94		" 22.7					
20' W., distant 24.5 feet; iron post stamped "Prim, Tray, Sta. No. 2, 1905".	35	29	32.2	93	14	19.3					

Geographic positions along Missouri Pacific Railway between Alma and Mulberry.

Station.	Latitude.			Longitude.		
Alma, station.  Alma, road crossing northeast and southwest, 1 mile cast of station.  Milepost 489, road crossing 0.25 mile west of.  Dyer, center of trestle 0.33 mile west of.  Dyer, in northeast corner of J. II. Selby's farm, on south side of rail- road, 6 fect from right-of-way fence and 18 fect west of section line.	35 35 35	28 28 29	45. 4 55. 7 10. 1 24. 7	94 94 94	13 11 10	16. 7 56. 0 02. 7 41. 2
iron post stamped "Prim. Trav. Sta. No. 3, 1995". Milepost 486. Milepost 485, road crossing north and south 800 feet west of Milepost 484, road crossing north and south 600 feet west of Mulberry, on property of Oil Mill Co., 585 feet north to Main street	35 35	29 29	32.0 46.3 47.3 40.3	94 94	06 05	57.8 41.2 46.7 42.8
crossing railroad, 10 feet east to north-south fence, in top of sand- stone 30 by 10 by 10 inches, aluminum tablet stamped "Prim. Trav. Sta. No. 4, 1905"	35	29	35, 9	94	03	06, 5

Geographic positions along highways, Mulberry via Charleston to Greenwood.

Station. Lati				Long	de.	
Riffle ford, Big Mulberry Creek, arrow painted on birch tree 80 feet north of	。 35	28	53.1	° 94	02	33.3
Cross and arrow painted on white-oak tree on north side of road and on north side of River Hill about 0.25 mile north of summit, about 1,000 feet southeast of gate to field.	35	27	02.1	94	03	08.0
Junction of telephone lines, T road north, just east of	35 35	26 26	38.8 36.5	94 93	01 59	30. 2 52. 5
road	35	25	58.2	93	59	51.6
sapling, 33 feet west to arrow on tree. Pauline store cross and arrow painted on black-oak tree just south of point where Charleston road leaves Fort Smith and Ozark road, 2.5	35	25	46. 4	94	01	48.0
miles west of Pauline Millcreek Mountain, Troad north 0.5 mile south of summit, 39 feet north- west to east end of stone fence, 12 feet east to cross on black oak	35 35	25 24	29.8 42.1	94	02	45. 5 38. 5
Vesta, in southwest corner of stone coping to public well, aluminum tablet stamped "Prim. Tray. Sta. No. 5, 1905".	35	22	44.4	94	02	28.4
T. 8 N., R. 29 W., corner secs. 11, 12, 13, and 14, at Vesta. T. 8 N., R. 29 W., corner secs. 13, 14, 23, and 24, T road west. Vesta crossroads, 2 miles south of, 22 feet northwest to nail in fence	35 35	22 21	44. 2 50. 0	94 94	02 02	$\frac{28.4}{29.7}$
post. 39 feet southwest to cross on fence post.  Peadget schoolhouse, 20 feet east to small bridge, 21 feet southeast to	35	20	58. 9	94	02	14. 4
mail box. Charleston, " $+\&\to$ " painted on white-oak tree about 1 mile north of. Charleston, railway crossing, 65 feet east of station.	35 35 35	20 18 17	06. 4 41. 1 39. 7	94 94 94	02 02 02	16. 5 16. 5 10. 3
Charleston, T road north, I mile south of.  7. 7 N. R. 28 W., sees. 18, 19, west corner of.  Charleston, 3 miles south and 0.5 mile east of, in southcast corner of field of Wert Haines at T road north nail in black-oak tree in road bears S. 44° E., distant 37 feet, in top of sandstone 32 by 7 by 6 inches,	35 35	16 16	56. 0 29. 1		02 01	06. 0 34. 8
aluminum tablet stamped "Prim. Trav. Sta. No. 6, 1905"	35 35	15 15	14. 6 37. 1	94 94	$\frac{01}{02}$	37. 7 40. 8
T. 7 N., R. 29 W., secs. 22, 23, 26, and 27, crossroads south at corner of T. 7 N., R. 29 W., secs. 21, 22, 27, and 28, Franklin-Sebastian county line.	35 35	15 15	38. 2 39. 0	94 94	03 04	45. 1 49. 2
T. 7 N., R. 29 W., secs. 20, 21, 28, 29, crossroads at corner of	35	15	39.8	94	05	53.8
T. 7 N., R. 29 W., sees. 19, 20, 29, 30, T road east, corner of Auburn, in northeast corner of Brown's store, aluminum tablet stamped "Prim Tray, Sta. No. 7, 1905".	35	15 15	40.8	94	06	58. 0 37. 8
Guideboard on tree at T road west, 1 mile west of Auburn	35 35	14	14. 7 49. 2	94	08	24. 3
house	35	14	24. 0	94	09	47. 4
Black-oak tree, "+" and arrow painted on it, east of T road north Garden, cross and arrow painted on corner of fence	35 35	14 13	01. 6 41. 4	94 94	11 12	03. 4
Liberty Church, forks of road, 20 feet southeast to cross on post 63 feet southwest to corner of cemetery.	35	13	03. 6	94	13	26, 2
Greenwood, in southeast corner of foundation to court-house, aluminum tablet stamped "Prim. Trav. Sta. No. 8, 1905"	35	12	43. 5	94	15	17.9

## Geographic positions along Midtand Valley Railroad, Greenwood to Hackett.

Station.	Latitude.			Lon	gitu	de.
Milepost 3, 1,300 feet west of, private-road crossing. Coal-mine shaft, crossing north and south 575 feet east of Excelsior station. Milepost 2, road crossing 1,700 feet east of. Milepost 3, north-south road crossing 650 feet west of. Milepost 4, road crossing 600 feet west of. Milepost 4, road crossing 600 feet west of. Midland Valley and "Frisco" R. R., crossing of Hackett, in southwest corner of cotton gin owned by Clark & Johnson, aluminum tablet stamped "Prim. Trav. Sta. No. 9, 1905".	35 35 35 35 35 35	/ 11 11 11 11 11 11 11	55. 4 39. 4 42. 0 40. 2 22. 7 19. 3 13. 7	94 94 94 94 94 94 94	18 19 20 22 23 24	23. 6 24. 8 09. 5 55. 3 24. 6 28. 3 07. 6

# Geographic positions along "Frisco" Railroad, Hackett to Fort Smith.

Station.	Latitude.		Long	Longitude			
	0		//		,	,,	
Switch block, private crossing 700 feet east	35	11	42.0	94	25	35. 7	
marked "No. 13 M 1877".			01. 5			17.8	
Tunnel, south end of			55. 2			33. 4	
1877''. Trestle 4262, road crossing under			46. 0 26. 2			13. 7 51. 9	
Arkansas-Indian Territory (Choctaw) boundary post marked "9 M 1877".	35	15	30. 8	94	26	09. 7	
Cedars, station board Milepost 422, road crossing east and west	35	16 17		94 94		28. 7 22. 2	
Arkansas-Indian Territory (Choctaw) boundary post marked "5 M							
Milepost 419, road crossing east and west 300 feet south of	35 35	18 20	20. 5	94 94	25		
Ward Siding, road crossing east and west. T. 8 N., R. 32 W., sees. 16, 17, 20, and 21, corner of.	35 35	21 22	13. 8 18. 0	94 94		42. 7 15. 8	

# Geographic positions along "Frisco" Railroad, milepost 434 to 438.

Station.	L٤.	situ	de.	Longitude.				
Trestle 4340 and milepost 434, crossing under	35 35 35 35	09 08 08	45. 0 27. 0 25. 4 39. 9	94 94 94 94	21 21	29. 5 55. 8 01. 0 51. 4		

## Geographic positions along Midland Valley Railroad, Montreal to Hartford.

Station.	Latitude.			Lor	Longitude.		
	0	,	,,	0	,	,,	
Montreal, 3,200 feet southwest of, road crossing	35	07	07.1	94	21	32, 5	
T. 5 N., Rs. 31 and 32 W., corner secs. 7, 12, 13, and 18.			06. 6	94		37. 4	
Coal shaft, road crossing 800 feet north of.		06	29.5	94	21	53. 5	
Midland City, 240 feet west of section house, in north corner of stone							
culvert, aluminum tablet stamped "Prim. Trav. Sta. No. 10, 1905".	35	05	45.7	94	21	46. 4	
Peak triangulation station, on a sharp summit of Sugarloaf Mountain,							
about 6 miles northeast of Sugarloaf Peak; station mark, a rock	25	0.4	25, 24	0.4	99	21, 85	
monument.  Midland City, 1 mile south of, 700 feet north of milepost 10, road cross-	99	04	20, 24	94	22	21.00	
	35	0.4	50.2	94	20	46. 3	
ing	35		53. 4	94	20	25.0	
Prairie Creek station	35	03	07.8	94	20	59.8	
Trestle A 1311, road crossing under	35		24. 7	94		38. 5	
Road crossing east and west	35		00.3			22. 1	
Hartford, road crossing 125 feet east of	35	01	44. 3	94	22	58. 5	
Hartford, in southeast corner of stone step in front of Grand View	25	01	15. 2	94	99	53. 1	
Hotel, aluminum tablet stamped "Prim. Trav. Sta. No. 11, 1905"	30	OI	10. 2	:44	22	00. I	
	-						

Geographic positions along Chicago, Rock Island and Pacific Railroad between milepost 279 and Barber.

Station.	Latitude.			Latitude. Longi				
	0	,	,,	0	,	,,		
Milepost 274, road crossing 1,800 feet east of.	35	01	30, 6	94	21	32. 4		
Milepost 278, road crossing 1,800 feet east of	35	01	45. 9	94		16. 4		
Milepost 275, road crossing north and south 0.5 mile east of	35	02	24.9	94	17	25. 0		
Milepost 276, 950 feet west of.	35	01	44. 1	94	19	00. 3		
Road crossing north and south		03		94	16	20. 8		
T. 5 N., Rs. 30 and 31 W., south corner secs. 31 and 36	35	03	28.1	94		02. 6		
Mansfield, in northeast corner of restaurant yard opposite station,								
iron post stamped "Prim. Trav. Sta. No. 12, 1905"	35	03	28.8	94	14	38. 0		
Milepost 270, road crossing north and south 230 feet east of	35	04	00.4	94	13	07.3		
Abbott station	35	04	29. 9	94	11	39. 4		
Milepost 267, private-road crossing 1,000 feet east of	35	05	08.7	94	10	05.0		
Milepost 266, 338 feet east of, 135 feet west of road erossing, in arch at								
south end of stone culvert, aluminum tablet stamped "Prim. Trav.								
Sta. No. 13, 1905''	35	05	13. 1	94	69	09. 3		
Echo station board	35	05	57. 0	94	07	45. 4		
Milepost 262, 705 feet west of, private-road erossing	35	-06	35. 1	94	-06	45. 7		
Milepost 261, road crossing 1,065 feet west of		07	10. 4		04			
Barber, road crossing 0.5 mile west of.	35	-07	26. 5	94	03	46, 4		
Barber, railroad bridge over Petit Jean River, in top of east end of cen-								
ter concrete pier, aluminum tablet stamped "Prim. Trav. Sta. No. 14	0.5	07	40 5	0.4	00	FO =		
1905"	35	07	43. 7	94	02	50. 7		

Geographic positions along highways, Barber to Pinnacte triangulation station.

Station.			Latitude.			ide.
	0	,	,,	0	,	"
Schoolhouse, forks of road just north of	35	€8	29. 1	94	02	39.7
Peach orchard, forks of road southeast at corner of, 15 feet southeast to corner rail fence near county line.  Logan-Sout county line, road fork west on ridge 0.5 mile east of, 5 feet	35	08	52. 1	94	02	03. 6
south to arrow painted on tree.  Field on top of ridge, arrow and cross painted on tree at southeast cor-	35	09	07. 6	94	01	33.4
	35	09	39. 5	94	01	08. 1
ner of.  Forks of road, arrow and cross painted on black oak 250 feet west of	35	10	11.7	94	00	46, 1
Church, turn of road at north end of lane	35	10	35. 4	94	01	09.0
Road north to schoolhouse, at turn of road 13 feet east to cross on						
fence post	35	10	40.2	94	02	15. 5
Pleasant Ridge schoolhouse, in east face of bowlder which is partly overgrown by post-oak tree, aluminum tablet stamped "Prim. Trav.						
Sta. No. 15, 1905''			12. 9			33. 1
T road west about 0.5 mile south of Washburn Mountain	35	12	00.9	94	02	32.2
Pinnaele triangulation station, knob on ridge about 5 miles south of						
Charleston, with all timber cleared from summit; station mark,						
lone tree blazed near foot	35	12	47.77	94	-03	11.44
7ion schoolhouse, crossroads 0.25 mile south of		14	06. 1			48.2
T. 7 N., R. 29 W., sees. 26, 27, 34, and 35, corner of	35	14	45. 5	04	63	47. 0

#### ILLINOIS.

#### PRIMARY TRAVERSE.

#### MADISON AND CLINTON COUNTIES.

#### BREESE QUADRANGLE.

The following geographic positions on the United States standard datum were determined by primary traverse in 1905 by J. R. Ellis. The line starts from an adjusted position on the Belleville quadrangle 2 miles west of Highland and follows the Vandalia Railroad to Highland; thence east and south along highways to a point near the southeast corner of the quadrangle; thence west along highways to a point 3 miles east of New Båden, where it is run west over the

Southern Railway to primary traverse station No. 17. The line was tied to Breese and Damiansville triangulation stations, United States Coast and Geodetic Survey.

Geographic positions along Vandalia Railroad near Highland.

Station.	Latitude.				Longitude.				
	0	/	11			1	//		
Highland, road crossing 2 miles west of	38	44	02. 9		89	42	48.2		
Highland, road crossing 1 mile west of	38	44	19.8		89	41	52. 4		
Highland, road crossing at station	38	44	38. 5		89	40	50. 5		

## Geographic positions along highways.

Station.	Latitude.	Longitude,
German Cemetery, road in front of entrance, 70 feet due north to	0 / //	0 / //
entrance	38 44 33.1	89 39 42, 3
Tps. 3 and 4 N., R. 5 W., T road north near corner of sees, 2, 3, 34, and 35, 30 feet northwest to sycamore tree, 36 feet northeast to dead		
black oak.  Tps. 3 and 4 N., R. 5 W., secs. 1, 2, 35, and 36, center of road at hedge	38 44 35, 8	89 38 03, 5
fence north. Linenfilser (Fred) residence, 400 feet west of, in pasture, 5 by 5 by 24 inch stone; walnut tree bears N, 35° 45° E., distant 40.4 feet; alumi-	38 44 34.7	89 36 56, 8
num tablet in top of stone, stamped "Prim. Trav. Sta. No. 22, 1905". Tps. 3 and 4 N., Rs. 4 and 5 W., corner sees. 1, 6, 31, and 36; also junction Madison, Clinton, and Bond counties; 19 feet southwest to west.	38 44 35, 1	89 36 40, 3
end of small bridge, 29 feet southeast to United States mail box	38 44 35, 6	VO 25 40 0
	38 44 33, 3	89 35 49.9
T road north, 15 feet north to center of small bridge.	38 44 31.3	89 34 32.2
T road south, 27 feet northeast to William Frentiger's mail box  Jamestown, T road north, 1 mile west of, 27 feet southeast to dead		89 33 23, 0
locust tree	38 44 03, 2	89 31 41.8
Jamestown public school grounds, near south line of, 57 feet east of southwest corner of grounds; southwest corner of school building bears N, 5° E., distant 144 feet; in top of dressed limestone 5 by 5 by		
24 inches aluminum tablet stamped "Prim. Trav. Sta. No. 23, 1905". T. 3 N., R. 4 W., corner sees. 2, 3, 10, and 11, at crossroads, 37 feet	38 43 59.7	89 31 06.9
northwest to corner yard fence, 36 feet southeast to cross on gatepost. T. 3 N., R. 4 W., corner sees. 14, 15, 22, and 23, at crossroads, 30 feet northeast to cross on corner fence post, 54 feet southeast to milk	38 43 36, 1	89 31 07.2
platform. T. 3 N., R. 4 W., west corner sees, 23 and 26, center of road at fence	58 41 51.1	89 31 03, 6
east just north of schoolhouse.	38 40 58.7	89 31 02, 3
T. 3 N., R. 4 W., corner secs. 26, 27, 34, and 35.	38 40 06, 5	89 31 01.0
H. Hinkam's farm, T road west, 42 feet east to wild cherry tree	38 38 56, 9	89 31 00, 1
State road crossing of north-south road, 24 feet north to cross on	38 38 31 3	89 31 33, 0
corner fence post, 63 feet southwest to cross on corner fence post Breese, 1 mile north of, in northeast corner of Frank Budde's field,	3. 3. 3.	
iron post stamped "Prim. Trav. Sta. No. 24, 1905"	38 37 30.4	89 31 32, 0
Breese, Catholic Church spire.  Crossroads, 27 feet northwest to west end of stone culvert, 30 feet	38 36 32.0	89 31 44.3
southeast to Hem Ahler's mail box	38 35 47.0	89 32 06, 4
Crossroads, 20 feet northwest to west end of culvert, 35 feet southwest to cross on telephone pole.  Germantown, crossroads 1 mile north of, 18 feet north to center of	38 34 54.6	89 32 06, 1
Germantown, crossroads 1 mile north of, 18 feet north to center of bridge.	38 34 02, 2	89 32 06, 3
Germantown, Catholic Church spire	38 33 13, 2	89 32 15. 9

#### Geographic positions along Southern Railway near Shoal Creek.

Station.	La	titu	de.	Long	gitu	de.
Shoal Creek, center of bridge over		32	46. 4 28. 8	° 89 89	,	47. 5 52. 8

#### Geographic positions along highways.

Station.	Latitude.			Station. Latitude.					
			//	0		//			
T road south at large wooden cross.  Bartelso, 1.25 miles southwest of, at T road north, in southeast corner of field owned by Herman Soole; nail in blaze on tree bears N. 76° 45′ E., distant 39.8 feet; iron post stamped "Prim. Trav. Sta.	48	32	11. 0	89	29	02. 9			
No. 25, 1905".  Murch's schoolhouse, T road cast, just south of, 25 feet northeast to	38	31	44.8	89	29	02. 8			
cross on wild-cherry tree, 31 feet southeast to corner wire fence Germantown, T road south 1.5 miles south of, 33 feet southeast to	38	31	41. 8	89	30	24, 9			
cross on post						31. 8			
Center of private road.  T. 1 N., R. 4 W., corner sees. 8, 9, 16, and 17, T road north.  T. 1 N., R. 4 W., corner sees. 7, 8, 17, and 18, crossroads, 36 feet north-		31 32	44. 2 16. 1			00. 9 12. 3			
east to large apple tree, 37 feet southeast to locust tree			17.5			18. 2			
T. 1 N., R. 4 W., east corner sees. 18 and 19. T. 1 N., R. 4 W., corner sees. 18 and 19 (west corner), 24 feet west to	38	31	24. 9	89	34	17. 0			
cross on rail fence, T road east	38	31	27. 1	89	35	34. 9			
west to cross on fence, 39 feet west to south end of tile culvert T. I. N., R. 5 W., southwest corner sec. 24, 0.5 mile east of Damiansville,	38	30	35. 2	89	35	34. 9			
iron post stamped "Prim. Tray. Sta. No. 26, 1905''.  Damiansville, Catholic Church spire.	. 38		36. 3 35. 8			42. 2 24. 4			
Damiansville schoolhouse, 1.25 miles west of T road east, 42 feet southeast to northwest corner of schoolhouse, 25 feet southwest to north	98	90	<i>өө.</i> 8	09	31	24. 4			
end of small bridge.	38	30	48. 6	89	38	56. 4			

#### Geographic positions along Southern Railway near New Baden.

Station.	Latitude.	Longitude.
New Baden, north-south road crossing about 3 miles east of, Southern Rwy, crossing.  Milepost 34, private-road crossing.  New Baden station  Milepost 31, road crossing north and south 170 feet west of.  North-south road crossing of Southern Rwy, near southwest corner of field of J. B. Freese, iron post stamped "Prim. Trav. Sta. No. 17, 1905"	38 31 54 3 38 31 53 2 38 31 53 0 38 31 54 2 38 31 55 6	89 38 57.0 89 40 37.4 89 42 03.1 89 43 58.5

#### MENARD AND SANGAMON COUNTIES.

#### TALLULA QUADRANGLE.

The positions in the following list were determined by primary traverse, run in June, 1905, by E. L. McNair, topographer. The line begins at Browns Crossing, on the Wabash Railroad, at the western boundary of Sangamon County, and runs north on or near the county line to about the center of T. 18 N., R. 8 W., Menard County, thence east to Petersburg:

### Geographic positions along highways.

Station.	L	atit	ude.	L01	igiti	ide.
Browns Crossing flag station, center of track at railroad crossing	00	412	//			
T. 15 N., R. 8 W., secs. 15 and 22, near quarter corner between. T road	39	43	27. 0	89	59	()4, 4
west	39	44	23, 7	120	=0	04.0
T. 15 N., R. 8 W., sec. 10, near center of, in triangle of roads, at T road	99	3.1	20. 1	89	59	04. 9
east, iron post stamped "Prim. Trav. Sta. No. 7, 1905"	39	45	51. 5	89	59	05, 6
T. 16 N., R. 8 W., near center sec. 34, three corners, T road south	39	47	34. 4	89	59	07. 0
T. 16 N., R. 8 W., secs. 27 and 34, quarter corner between, T road east.	39	48	00. 5	89	59	02. 6
T. 16 N., R. 8 W., secs. 21 and 22, quarter corner between, three corners,						
county-line road to north	39	49	19. 1	89	59	37. 2
T. 16 N., R. 8 W., sees. 9, 10, 15, and 16, corner of, T road east	39	50	37. 4	89	59	37. 8
T. 16 N., R. 8 W., secs. 3, 4, 9, and 10, corner, T road east	39	51	29. 7	89	59	38. 2
T. 16 N., R. 8 W., secs. 3 and 4, quarter corner between, three corners,	200	F 1	** 0			
T road to west	39	16	55. 8	89	59	38. 1
corner of, at intersection of roads, at northwest corner, iron post						
stamped "Prim. Trav. Sta. No. 8, 1905"	39	53	14. 4	89	59	39. 1
T. 17 N., R. 8 W., northwest corner of Sangamon County, T road to east.	39	53	55. 5	89	59	39. 0
T. 17 N., R. 8 W., secs. 15, 16, 21, and 22, corner of	39	54	59. 6	89	59	39, 8
T. 17 N., R. 8 W., secs. 9, 10, 15, and 16, corner of, T road west	39	55	51. 9	89	59	40, 5
T. 17 N., R. 8 W., secs. 3 and 4, quarter corner between, four corners	39	57	10.3	89	59	41. 6
Tps. 17 and 18 N., R. 8 W., sees. 4 and 33, quarter corner between	39	57	36.0	90	00	15. 4
T road south, in western part sec. 28.	39	58	53. 8	90	00	43. 6
T. 18 N., R. 8 W., secs. 27 and 28, quarter corner between, T road						
south, Menard and Cass county line.	39	58	54. 2	89		42. 3
T. 18 N., R. 8 W., sees. 21, 22, 27, and 28, corner of	39	59	20. 2	89	59	42. 4
T. 18 N., R. 8 W., secs. 15 and 16, quarter corner between, in grass triangle in center of road south and 25 feet south of center of east-west						
road, 450 feet west of farm house of Amos Shoneweise, iron post						
stamped "Prim. Trav. Sta. No. 9, 1905".	40	00	38. 2	89	59	42. 6
T. 18 N., R. 8 W., secs. 14 and 15, quarter corner between, T road to	10	00	00.2	(347	00	12. 0
south.	40	00	38. 5	89	58	34. 9
T road to north, in creek bottom	40	00	51. 1	89	57	26. 9
T. 18 N., Rs. 7 and 8 W., sees. 13 and 18, quarter corner between, four						
corners	40	00	38. 6	89	56	17. 9
T road south in western part of sec. 17.		00	39. 2	89	55	02. 8
T. 18 N., R. 7 W., sees. 15 and 16, quarter corner between, T road south.	40	00	39. 2	89		03. 3
Overhead crossing of Chicago and Alton R. R.	40	00	39. 5	89	51	36. 8
Petersburg station, Chicago, Peoria and St. Louis Rwy., center of track.	40	00	41. 20	89	50	46, 40
Uack	30	00	41. 20	au	90	30, 40

#### LAKE COUNTY.

#### WAUKEGAN QUADRANGLE.

In June, 1906, L. E. Tucker, topographic aid, ran a line of primary traverse around the borders of this quadrangle, starting at Benton triangulation station, United States Lake Survey, and tying to primary traverse post No. 1 of 1904.

Magnetic declination, north border, 3° 05′ east; south border, 2° 34′ east; west border, 3° 58′ east.

### Geographic positions along highways.

Station.	Latitude.			Lor	ngitı	ide.
Benton triangulation station, U. S. Lake Survey, in NW. \(\frac{1}{4}\) NW. \(\frac{1}{4}\) sec.  7, Benton Township. Station mark: A stone post \(\frac{1}{2}\) feet below surface, with another directly over it as a surface mark. Height of station used was 65 feet. Reference marks: Two stone posts, one S. 13° 04′ W., distant 565.9 meters; one N. 68° 59′ E., distant 19.65 meters. Height of ground at station above mean level of Lake Michigan, 212.6 feet.  T. 46 N., R. 12 E., quarter corner secs. 7 and 8, four corners, North Prairie Church on northeast corner; schoolhouse on northwest corner.	42	29	02, 88	87	52	43, 35 46, 8
Chicago and Milwaukee Electric R. R. and Winthrop Harbor road, erossing of.	42	28	43. 9	87	5()	41.9

# Geographic positions along Chicago and Northwestern Railway, Zion City to Lake Forest.

Station.	Latitude.		Lon	ongitude.		
Zion City, corner of Shiloh boulevard and Elijah avenue, northeast	0	,	"	0	,	,,
corner of American Express office 90 feet southwest.  Zion City, Shiloh boulevard and Chicago and Northwestern Rwy.	42	26	59. 2	87	49	31.0
crossing, west rail	42	26	59. 0	87	49	04. 4
East-west road crossing.	42	23	04.8	87	49	26. 3
Waukegan court-house.		21	36.8	87		58. 4
Chicago and Northwestern and Elgin, Joliet and Eastern Rwys., crossing of. Road crossing, east and west	42	19	29. 9 32. 2		50	20. 6 46. 8
Chicago and Northwestern Rwy, and Chicago and Milwaukee Electric						
R. R., overhead crossing of			45. 3			47. 9
Chicago and Northwestern Rwy., overhead crossing Lake Forest, in southeast corner of city hall yard, corner of Forest and Deerpatt streets; southeast corner of city hall bears N. 63° 30′ W., distant 34.5 feet; northwest corner of Chicago Telephone Co.'s building bears S. 41° 30′ E., distant 77.3 feet; iron post stamped	42	15	27.7	87	50	28. 2
"Prim. Trav, Sta. No. 12, 1906".	42	15	03. 9	87	50	28. 7
Chicago and Northwestern R. R. and highway crossing.	42	14	49. 4	87	51	42. 1

# Geographic positions along highways.

Station.	• La	titu	de.	Long	gitu	fitude.  ' " 4 54 19.6 55 30.0 56 21.5 56 39.7 58 36.2  00 13.4 00 05.0 00 14.1 00 07.4		
	0	,	"	0	,	"		
Tps. 43 and 44 N., Rs. 11 and 12 E.	42	14	23.8	87				
Tps. 43 and 44 N., R. 11 E., sees. 36 and 35 and 1 and 2.	42 42	14	24. 2 24. 7	87 87				
Tps. 43 and 44 N., R. 11 E., approximate corner secs. 35, 34, 3, and 2 bes Plaines River, on south side of town-line road, 9.8 feet southwest of corner of iron bridge across river; an 8-inch oak on opposite side of road is 22 feet north; iron post stamped "Prim. Trav. Sta. No. 13,	42	14	24. 1	- 61	- 99	30, 0		
1906"	42	14	25.6	87	56	21.5		
Milwaukee road and town line, corner of	42		25. 3	87				
Four corners cast of r ilroad crossing Wisconsin Central Rwy., azimuth of, at station 69, 152° 01′. Diamond Lake, in southwest corner of schoolhouse No. 76, Union, 5 feet north of school-yard corner; southwest corner of schoolhouse is 83.6 feet northeast; southeast corner of Wm. Einzewam's house is 20.5 feet northwest by west; iron post stamped "Prim. Trav. Sta.	42	14	25. 3	87	58	36, 2		
No. 14, 1906"	42	14	29. 1	88	00	13 4		
Elgin, Joliet and Eastern Rwy., azimuth from station 77, 282° 51'.	12		20.1		00	10. 1		
Three corners, road east	42	15	18.5	88				
Rockefeller, Hotel Cameron, center of street crossing	42	16	25. 2	88				
Wisconsin Central Rwy. and highway crossing.	42	17	51.7	88				
Four corners. Tps. 44 and 45 N., Rs. 10 and 11 E	42 42	18 19	21.5	88 88	00	15. 2 16. 3		
Gages Corners.	42	20	19. 2	88	00	16. 1		
Three corners, road west	42	21	37. 8			06. 5		
Druses Lake, at three corners 600 feet north of north shore of, opposite Brown's cottage; fence corner on west of road is 29.5 feet south; blazed oak is 26.7 feet north; W. C. Brewer's mail-box post No. 4 at corner is 22 feet southeast; iron post stamped "Prim. Trav. Sta.								
No. 15, 1906".	42	22	17.8	88	01	12. 8		
Road erossing T. 45 N., R. 10 E., sees. 1 and 12.	42 42	23 24	09.6 02.1	88 88	00	14. 5 14. 1		
T. 45 N., R. 10 E., sees. 1 and 12 T. 45 N., R. 11 E., corner sees. 6 and 7.	42	24	02. 1	88	00	14. 1		
Township corner.	42	24	54. 5	88	00	13. 6		
Four corners, road east and west, northwest and southeast	42	26	39. 4	88	00	37. 4		
is on southwest corner, mail box No. 69 is 35 feet northwest	42	27	58.1	88	01	01. 4		
Three corners, road west, schoolhouse on northwest corner	42	28	24. 1	88	01	04. 5		
west T. 1 N., R. 21 E., 50 feet northeast of south corner of secs. 34 and 35, north side State-line road. 800 feet northwest of Chas. Crawford's	42	29	44. 5	88	01	30, 3		
house; iron post stamped "Prim. Trav. Sta. No. 1, 1904"	42	29	42.5	87	59	24. 5		

#### DUPAGE COUNTY.

#### WHEATON QUADRANGLE

The following geographic positions were determined by primary traverse by E. L. McNair, topographer, in June, 1905. The line starts at Lombard triangulation station of the United States Lake Survey, near Lombard, Ill., and runs north to Itasca, on the Chicago, Milwaukee and St. Paul Railway; thence west along railway and highway to a point near the northwest corner of Dupage County; thence south along Elgin, Joliet and Eastern Railway and highway to a point about 1.5 miles east of the southwest corner of Dupage County; thence easterly via highways to quarter corner between secs. 27 and 28, Downers Grove Township; thence north to point of beginning.

Geographic positions from Lombard triangulation station North to Chicago, Milwaukee and St. Paul Railway.

Station.	Latitude.	Longitude.
Lombard triangulation station, U. S. Lake Survey, in NW. 4 sec. 4, York Township. Station mark: A stone post 3 feet below surface. Reference marks: Three stone posts, one N. 8° 52′ W., distant 117.93 meters; one N. 8° 51′ E., distant 150.05 meters; and one at center of sec. 4, S. 13° 05′ E., distant 575.32 meters.  T. 39 N., R. 11 E., four corners, quarter corner north side sec. 5.  T. 40 N., R. 11 E., quarter corner north side sec. 32, four corners east, west, and south.  T. 40 N., R. 11 E., sec. 20, four corners.  Hasca, 0.06 mile southeast of station, road corners east, west, and south. Hasca, 400 feet southeast of Chicago, Milwaukee and St. Paul Rwy, station, vertical face of west wing wall, north abutment of highway bridge over creek, 100 feet south of railway tracks, aluminum tablet stamped "Prim Trav. Sta. No. 1, 1905".	41 54 07.69 41 54 17.6 41 55 10.3 41 56 18.4 41 58 02.4	87 59 24.29 88 00 28.4 88 00 29.5 88 00 11.8 88 00 11.0

Geographic positions along Chicago, Milwaukee and St. Paul Railway, Itasca to Bartlett.

Station.	Latitude.			Loi	Longitude.			
		/			,			
Meacham, 0.75 mile east of station, road crossing.  Meacham, center of south track opposite station.  Roselle, center of south track opposite station.		58	31. 2 41. 9 00. 2	88	03	11. 1 04. 1 35. 5		
Roselle, 1.75 miles west of station, road crossing. Ontarioville, center of south track opposite station.	41	59 59	22. 4 18. 6	88	09	34. 9 11. 8		
Bartlett station, center of track opposite semaphore Bartlett, 0.6 mile west of station, road crossing Bartlett, 1.75 miles west of, on highway, four corners.	41 41 41	59	32. 9 41. 0 40. 0	88	11	09. 2 51. 5 03. 8		
Barriett, 1110 miles west of, on ingiliary, road conservation								

Geographic positions along Elgin, Joliet and Eastern Railway.

Station.	Låtitude.			Long	gitude. , ,, 14 11.1 14 12.0			
Road crossing near water tank 0.5 mile south of Chicago, Milwaukee and St. Paul Rwy. junction.  Illinois Central R. R. crossing, 0.5 mile north of, road crossing.  Illinois Central R. R. crossing, in vertical face of south abutment of overhead bridge 10 feet south of Illinois Central track, in line with	41	59	38. 8 32. 7	88	14	11.1		
center of Elgin, Joliet and Eastern Rwy, track, aluminum tablet stamped "Prim, Trav, Sat, No. 2, 1905". Chicago, Aurora and Elgin Third Rail Electric Line. Chicago, Aurora and Elgin Third Rail Electric Line, road crossing 0.75 mile south of.		56	05. 0 50. 3 09. 7			12. 4 13. 4 14. 0		

Geographic positions along highways in Wayne and Winfield townships.

Station.	Latitude.			Long	Longitude			
Chicago Great Western Rwy. crossing, T. 40 N., R. 9 E., Wayne Town-	0	,	,,	0	,	,,		
ship, in NW. ½ sec. 32.	41	54	33.0	88	14	16.2		
T. 40 N., R. 9 E., Wayne Township, near southwest corner sec. 32, road corners east, west, and south	41	53	58. 0	88	14	34. 1		
T. 39 N., R. 9 E., Winfield Township, in northeast corner sec. 7, Chicago and Northwestern Rwy. crossing.	41	52	58, 7	88	14	36, 4		
Chicago, Burlington and Quincy Rwy. crossing of branch line in east-			57.3			36, 1		
ern part of sec. 18, T. 39 N., R. 9 E. (Winfield Township) T. 39 N., R. 9 E., near line between secs. 17 and 18, Chicago, Burlington	41	01	91.0	00	14	50. 1		
and Quiney Rwy. branch line from West Chicago to Aurora, 672 feet northeast of north-south road, in north end of east abutment of open								
culvert, aluminum tablet stamped "Prim. Trav. Sta. No. 3, 1905"	41	52	00.9	88	14	28.7		
T. 39 N., R. 9 E., Winfield Township, in sec. 19, road corners east, west, and north.			55. 0			37. 7		
T. 39 N., R. 9 E., Winfield Township, near center sec. 32, four corners.	41	49	13.0	88	13	49. 8		

Geographic positions along Elgin, Joliet and Eastern Railway in Naperville Township.

Station.	Latitude.			Long	gitude.			
T. 38 N., R. 9 E., in eastern part of sec. 5, Naperville Township, road	0	,	,,	0	,	,,		
crossing	41	48	39.1	88	13	33. 3		
T. 38 N., R. 9 E., sec. 8, Naperville Township, Chicago, Aurora and Elgin Electric Rwy, crossing.  Frontenac siding, 2 miles north of crossing Chicago, Burlington and	41	47	49.3	88	13	48. 6		
Quiney Rwy. main line	41		36. 1	88	13	54.2		
Frontenae siding, 1 mile north of, road crossing	41	45	36.8	88	13	58.2		
Frontenae siding, road crossing.	41	44	41.3	- 88	13	59.0		
Frontenae siding, 0.75 mile south of, road erossing.	41	43	56. 4	88	14	03.5		

Geographic positions along highway from southwest corner of Naperville Township eastward to southern half of Downers Grove Township.

Station.	Latitude.			Lon	gitu	de.
T. 38 N., R. 9 E., quarter corner between sees. 33 and 34, Naperville	0	,	,,	0	,	"
Township, Copenhagen Church on northeast corner, four corners T. 38 N., R. 9 E., quarter corner between secs. 34 and 35, Naperville	41	43	57. 7	88	12	21.0
Township, four corners	41	43	58. 5	88	11	11.2
Road corners north, south, and west; quarter corner between secs. 35 and 36, Naperville Township.	41	43	59. 5	88	10	01.7
T. 38 N., R. 9 E., quarter corner between secs. 25 and 26, Naperville	41	4.4	50. O			
Township, road corners east, west, and south	41	44	52. 0	88	10	01.2
southeast, and south.	41	45	22.7	88	08	30.9
T. 38 N., R. 10 E., sec. 30, 400 feet west of farmhouse of 11. Haight, 400 feet east of iron truss highway bridge, in eapstone at north end of						
stone arch culvert, Lisle Township; aluminum tablet stamped "Prim. Trav. Sta. No. 5, 1905"	41	45	05, 6	- 99	07	44. 2
T. 38 N., R. 10 E., north part of sec. 28, Lisle Township, road corners						
east, west, and north. T. 38 N., R. 10 E., in SW. 4 sec. 23, Lisle Township; schoolhouse on	41	45	23. 1	88	05	55. 9
northeast corner; four corners. T. 38 N., R. 10 E., center sec. 25, Lisle Township; road corners north,	41	45	39.0	88	03	54.0
T. 38 N., R. 10 E., center sec. 25, Lisle Township; road corners north, south, and east.	41	45	01. 7	88	02	26. 2
T. 38 N., Rs. 10 and 11 E., quarter corner between secs. 25 and 30, Lisle						
and Downers Grove townships, four corners. T. 38 N., R. 11 E., sec. 29, Downers Grove Township, road corners east,	41	45	02.8	88	01	51.0
west, and north	41	45	04.5	88	00	27.7
T. 38 N., R. 11 E., quarter corner between secs. 28 and 29, Downers Grove Township; road corners	41	45	05, 4	87	59	35, 2
Grove Township; road corners. T. 38 N., R. 11 E., quarter corner between secs. 27 and 28, four corners.	41	45	06.8	87	58	25. 4

Geographic positions along highways north through Downers Grove Township to Lomburd triangulation station.

Station.	Lat	Latitude.		Long	gitai	łe.
T. 38 N., R. 11 E., corner secs. 15, 16, 21, and 22, four corners, Downers Grove Township.  T. 38 N., R. 11 E., corner secs. 9, 10, 15, and 16, four corners, Downers Grove Township.  Greggs flag station on Chicago, Burlington and Quincy Rwy., road crossing.  Greggs flag station, 0.6 mile east of, in capstone at south end of arch culvert. 11 feet south of center of south track, aluminum tablet.	41 41	47	25, 4 17, 6 44, 2	87 87	58	28, 0 30, 0 30, 9
stamped "Prim. Trav. Sta. No. 4, 1905". T. 38 N., R. 11 E., quarter corner between secs. 3 and 4, Downers Grove	41	47	44.1	87	57	49.5
Township, four corners. Road corners east, west, and north, sec. 33, York Township, T. 39 N., R. 11 E.			36, 5 27, 1			32, 8 27, 5
T. 39 N., R. 11 E., sec. 28, York Township, four corners. York Center, four corners. T. 39 N., R. 11 E., on line between secs. 9 and 16, four corners.	41 41	50 51		87 87	59 59	26, 0 33, 4 36, 2

#### INDIANA-KENTUCKY.

#### PRIMARY TRAVERSE.

CLARK, FLOYD, AND HARRISON COUNTIES, IND.; BULLITT, JEFFERSON, AND OLDHAM COUNTIES, KY.

#### LOUISVILLE, NEW ALBANY, PROSPECT, AND RIVERVIEW QUADRANGLES.

The following geographic positions were determined by primary traverse run in 1904 by J. R. Ellis. The line starts from the Louisville Blind Asylum, a triangulation station of the United States Coast and Geodetic Survey, and runs southward on the Louisville and Nashville Railroad to Shepherdsville, thence eastward via highways to Mount Washington, thence northward via highways to Anchorage, thence westward over the Louisville and Nashville Railroad to the starting point at Louisville. A line was also run from Mount Washington southeast to Smithville and return. A spur line was run over highways from Shepherdsville west via Capio to West Point; also one from Anchorage northeast over the Louisville and Nashville Railroad to Beard, and thence northward along highways via Brownsboro and Skylight to Westport.

In 1905 C. B. Kendall ran two lines of primary traverse—namely, from Anchorage to Hatton and from Smithville to Gudgel, on the Frankfort quadrangle—in order that the positions determined by Mr. Ellis on the Louisville astronomic datum could be reduced to the United States standard datum. A correction of -2.38" in latitude and +3.16" in longitude has therefore been applied to the original computed values to reduce them to the United States standard datum.

Mr. Kendall also ran lines of traverse in Indiana around the borders of the Prospect, New Albany, and Riverview quadrangles, tying to Westport and West Point, and thus closing circuits on traverse positions located by Mr. Ellis at those places.

LOUISVILLE AND PROSPECT QUADRANGLES (BULLITT, JEFFERSON, AND OLDHAM COUNTIES, KY.; CLARK AND FLOYD COUNTIES, IND.).

### Louisville quadrangle (Bullitt and Jefferson counties, Ky.).

### Geographic positions at Louisville.

Station.	Latitude.			Lor	ngitı	gitude.			
Louisville, Blind Asylum triangulation station, center of cupola Louisville, Story street crossing of Louisville and Nashville R. R.			23. 07			47. 40			
(Short Line division).  Louisville, Catholic Cathedral, Fifth and Walnut streets, triangula-	38	15	18. 4	85	43	45. 3			
tion station, center of spire Louisville, Ohio River survey, United States Army Engineers (1903),	38	15	05. 63	85	45	32, 00			
station 602 M +285 feet.	38	15	31.66	85	45	54. 77			

# Geographic positions along Louisville and Nashville Railroad between Highland Park and Shepherdsville.

Station.	Latitude.			Station. Latitude.			Loi	ngitı	ide.
	0	,	//	0	,	,,,			
Milepost 179	38	09	37. 4	85	44	57. 8			
Hoertz station, road crossing	38	08	16.9	85	44	36. 2			
Private road crossing east and west		07	34.5	85	44	24.9			
South Park, road crossing at section house.	38	06	57.0	85	44	14. 9			
South Park, in southwest corner of field owned by South Park Co., southeast corner of Louisville and Nashville R. R. station bears 7 W., distant 112 feet; cross on stone wall to south end of culvert bears N. 69 W., distant 19.7 feet; cemented in stone, aluminum tablet									
stamped "Prim. Trav. Sta. No. 31"	38	06	34.9	85	44	08.4			
Coral Ridge station, road crossing.	38	05	32.7	85	43	32. 1			
Riley triangulation station, United States Coast and Geodetic Survey, on knob owned by W. II. Riley, Brooks post office station mark; a stone post 24 by 4 by 4 inches, set in ground above an earthenware									
.pyramid	38	05	29.21	85	42				
Brooks station, road crossing 1.5 miles north of	38 38	04		85	43				
Brooks station, road crossing	38	02	39. 3 46. 5	85 85	42 42	37. 8 36. 4			
Hubers station.	38	01	59. 7	85	42				
Pike crossing.	38	00	58. 0	85		14. 4			
Private-road crossing	38	00	21. 2	85	42				
Shepherdsville, in northwest corner of court-house yard, northwest corner of water table bears S. 23° 40° E., distant 77.7 feet; northwest corner of court-house yard is 2.2 feet northwest; iron post set 42.						30,0			
inches in the ground, stamped "Prim. Trav. Sta. No. 32"	37	59	16.6	85	42	59. 9			
, , ,									

### Geographic positions along highways.

Station.	Latitude.	Longitude.
Shepherdsville, 1.25 miles east of, T road northwest, 48 feet west to mail box, 40 feet north to cross on gatepost.	° ' '' 37 59 53, 2	° ' '' 85 41 44.9
Floyds Fork, center of bridge over. T road northwest, 40 feet west to cross on telephone pole, 25 feet south	38 00 21.2	85 40 51.1
to cross on fence post	38 00 42.8 38 01 14.7	85 39 01.7 85 38 05.1
Stallings's (William) garden, at northwest corner of, nail in blazed walnut tree, bears N. 33° 30′ W., distant 44.2 feet: northwest corner of Stallings's bears hears. 750 40′ E. distant 12.4 foot irrespect to 10° 50° 10° 10° 10° 10° 10° 10° 10° 10° 10° 1		
Stallings's house bears S. 78° 40′ E., distant 153.4 feet; iron post set 40 inches in ground, stamped "Prim. Trav. Sta. No. 35″.  Bethel Church, T road north at. 37 feet west to W. Boss's mail box, 15	38 01 30.3	85 36 59,9
feet south to corner stone on south side of road.  Road south, 18 feet southeast to R. H. Hall's mail box, 44 feet south-	38 01 55.5	85 35 45.6
west to cross on corner fence post.  Mount Washington, road southeast 0.5 mile southwest of, 15 feet north	38 02 11.7	85 34 15.6
to cross on board fence, 50 feet east to cross on corner fence post  Mount Washington, intersection of roads in south part of, 27 feet east to telephone pole, 48 feet north to telephone pole	38 02 33.5 38 02 49.9	85 32 53.8 85 32 31.8
Road southwest, 15 feet north to cross on fence post, 25 feet southwest to cross on corner post.	38 03 24.8	85 30 59,8
Blacksmith shop, crossroads at, 33 feet southeast to corner fence post, 39 feet southeast to arrow on fence.	38 03 57.1	85 30 08.5

### Geographic positions along highways—Continued

Station.	La	titu	de	Ton	50.11	ch =
Fing post-office, 0.5 mile northeast of T road northwest, 24 feet east to						
cross on fence post 36 feet north to persimmon sapling	38	0.4	39.8	85	701	5.5.
Road southeast at branch, 24 feet east to cross on picket fence, 36 feet						
southwest to arrow on fence	38	(),5	15.8	85	263	01.
Whitfield, road west 1 mile southwest of, 900 feet northeast of school-						
house	38	05	35.5	85	28	31.
Bullitt-Jefferson county line, stone platform in front of brick house	38	()5	56.5	85	29	11.
Forks of road, 30 feet south to walnut tree, 60 feet northwest to cross on						
large sycamore tree.	38	06	27.1	85	30	(),5.
Malott post-office, 1.2 miles south of, in corner of field of O. E. Georger;						
southeast corner of Georger's house bears N. 10° 40′ E., distant 147.2						
feet; cross on foundation to stable bears S. 60° 20′ W., distant 54.6						
feet; iron post stamped 'Prim. Trav. Sta. No. 37"			18.8	85	30	10.
Floyds Fork, south end of covered bridge over	38	07	55.6	85	31	()5.
Bridwells's (Thomas) residence, small pasture in front of, center of gate						
to	38	()()	02.3			33.
arge white-oak tree, cross mark on	38	09	27.2	85	29	.).j.
Crossroads, 50 feet south to corner stone of fence, 28 feet northwest to						
cross on corner fence post.	38	()()	59.6	85	31	()()
Road west, 30 feet northwest to cross on corner rail fence, 16 feet east						
to small locust tree	38	10	36.6	85	32	()2.
Heddy road, south at Taylorsville pike, 18 feet north to cross on fence						
post, 43 feet southeast to cross on telephone pole.  Fucker station, crossing of Southern Rwy. 0.25 mile cast of	38	11	08.4	85	32	09.
Tucker station, crossing of Southern Rwy. 0.25 mile cast of	38	11	54.1	85	31	38.
Center small bridge	38	12	32.0	85	31	43.
Pike east, 25 feet southeast to mail box, 20 feet northeast to east end						
of tile culvert	. 38	13	52. 8	85	31	49.
Middletown, cross streets at Methodist Church, 41 feet southwest to						
iron pump, 30 feet southeast to cross on telephone pole	38	14	41.9	85	32	23.
Proad west, 34 feet southwest to stone gatepost, 19 feet southwest to						
cross on corner yard fence post.	38	15	18.8	85	32	38.

Geographic positions along highways between Mount Washington and Smithville.

### [Double spur line.]

Station.	Latitude.	
Mount Washington, road northeast 1.3 miles southeast of, 48 feet to cross on corner fence post, 42 feet southeast to cross on corner rail fence.  Road south 21 feet west to mail box, 30 feet southeast to cross on fence	° ′ ′′ 38 01 53.0	85 31 39.9
post Smithville, in lot at north corner of J. W. Markwell's front yard; north- west corner of Markwell's house bears S. 8° 45′ F., distant 86.9 feet; cross on corner of top corner stone to wall on opposite side of road bears N. 53° 15′ E., distant 55.1 feet; iron beneln-mark post set 36	38 01 07.6	85 31 20.1
inches in ground, stamped "Prim. Trav. Sta. No. 36"	38 00 46.2	85 30 52.4

Prospect quadrangle (Jefferson and Oldham counties, Ky.; Clark and Floyd counties, Ind.).

Geographic positions along the Louisville and Nashville Railroad between Anchorage and Louisville, Ky.

Station.	La	titu	tude. Long				de.
Anchorage, in circular park about 300 feet northwest of club house; top of east stone gatepost to entrance to Clark property bears N. 79° 15′ W., distant 106.3 feet; south rail of south track at road crossing near park bears N. 55° 30′ E., distant 61.8 feet; iron post stamped "Prim. Trav. Sta. No. 38". Lakeland station. Milepost 10, road crossing 540 feet west of. Lyndon, pike crossing 380 feet west of. Seechwood station, north track opposite. St. Matthews, in northeast corner of public school; northeast corner of schoolhouse bears S. 30° 40′ E., distant 171.1 feet; south rail of L. and	38 38 38 38	16 16 15	47. 4 10. 8 10. 5 41. 7 29. 4		85 85 85 85	33 34 36	
E. Electric R. R. bears N. 100 feet; in stone post set in ground, tablet stamped "Prim. Trav. Sta. No. 41".  Louisville, road crossing at entrance to city reservoir.			10. 2 15. 3				37.0 51.1

Geographic positions along Louisville and Nashville Railroad, Anchorage to Beard.

Station.	Latitude.	Longitude.
Forest station, road crossing 0.33 mile south of. O'Bannon station, road crossing 600 feet north of. Pewee Valley station, road crossing about 300 feet west of Beard, road crossing at station	38 17 18.8 38 18 31.8	85 31 34.0 85 30 48.0 85 29 22.1 85 28 21.4

Geographic positions along highway, Beard to Westport (Kentucky).

Station.	Li	atit	ude.	Lor	ngitı	ıde.
Beard, Y roads 2 miles north of, 20 feet east to cross on fence post, 46	0	,	"	0	,	"
feet northeast to cross on sycamore tree.  Brownsboro, in southeast corner of schoolhouse yard: northeast corner of east stone gatepost to entrance to school yard bears N. 41° 50′ W., distant 87.3 feet; cross cut on southeast corner of foundation to schoolhouse bears N. 36° 20′ E., distant 262.3 feet; iron post stamped	38	20	39.7	85	29	29.9
"Prim. Trav. Sta. No. 39".  Speers's (J. T.) residence, intersection of pikes, 16 feet southeast to cross	38	21	27.9	85	30	00.4
on telephone pole, 27 feet north to mail box	38	21	56.0	85	30	40.1
Center of gate at north end of lane, county road enters gate	38	22	49.3	85	30	54.7
Turn of road at northeast corner of small bridge.	38		26.4	85	32	04.5
T road southwest at two gates, corner stone	38	24	52.7			27.9
box, 37 feet east to cross on telephone pole	38	25	27.6	85	32	14.1
southeast to northwest corner blacksmith shop	38	25	56, 6	85	31	18.2
cross on beech tree	38		02.0	85		08.0
northwest to cross on corner fence post	38		26.8	85		11.6
Westport, cross on face of south gatepost to gate across road			08.0			47.5
Westport, center of crossing of Main and Third streets. Westport, in northeast corner of public school grounds; cross on stone foundation at northeast corner of schoolhouse bears S. 15° 10′ W., distant 140 feet; northwest corner wall to cemetery bears S. 32° 55′ E., distant 130.3 feet; iron bench-mark post stamped "Prim. Trav.	38	28	42. 4	85	28	31.8
Sta. No. 40".	38	28	46, 46	85	28	25, 93

The following geographic positions on the United States standard datum were obtained from primary traverse run in 1905 by C. B. Kendall, field assistant. The line starts from Louisville, Ky., with position of cupola of the Catholic Cathedral, near corner of Fifth avenue and Walnut street and runs north along Fifth avenue to Ohio River, which was crossed by triangulation into Jeffersonville. The line then follows the Pittsburg, Cincinnati, Chicago and St. Louis Railway north to Chaney station, thence east along public highways to Westport, Ky., closing on traverse position at that place.

 $Geographic\ position\ at\ Jeffers on ville,\ Ind.$ 

Station.	La	titu	de.	Lon	gitu	de.
Jeffersonville, crossing Baltimore and Ohio Southwestern and Pennsylvania Inter-Urban R. Rs., center of tracks.	° 38	16	26.6	° 85	44	52, 6

### Geographic positions along Pittsburg, Cincinnati, Chicago and St. Louis Railings (Indiana).

Station.		Latitude.		Latitude.		de. Longit			
Jeffersonville, crossing Baltimore and Ohio Southwestern R. R. and	0	,	,,		,				
Pittsburg, Cincinnati, Chicago and St. Lonis Rwy, center of	38	16	59.7	85	4.1	37.8			
Jeffersonville, 2.2 miles north of, road crossing, center of track			13.5			05.2			
Pennsylvania and Baltimore and Ohio R. Rs., erossing, 500 feet north					4-7				
of, center of track at road crossing	38	19	11.3	85	45	04.6			
Cementville station, 0.7 mile south of, road crossing, center of track	38	20	23.4			52.5			
Cementville station, 200 feet north of, pike crossing, center of main						.,			
traek	38	20	59.4	85	44	45.6			
Cementville, 1.5 miles north of, road crossing, center of track	38	22	13, 8	85	44	46. 0			
Sellersburg station, 150 feet south of, street crossing, eenter main track.	38	23	40. 9	85	45	01. 2			
Sellersburg, at south end of station, iron post stamped "Prim. Trav.									
Sta. No. 1, 1905'			42. 5	85	45	-01.6			
Speeds station, 250 feet south of, road crossing, center of track.	38	24	40. 5	85	45	08, 8			
Speeds station, 1 mile north of, eenter of track at second-class road									
erossing.	38	25	36, 1	85	45	-17.9			
Milepost "L 14," 500 feet south of, road crossing and east-west town-									
ship line, center of track.			34. 9	85	45	-46.8			
Milepost "L 15," 800 feet north of, road crossing, center of track	38	27	39. 0	85	46	-00, 6			
Milepost "L 16," 400 feet south of, second-class road crossing, center of									
track			18, 4		45	52. 5			
Memphis station, 475 feet north of, Main street erossing, eenter of track.	38	29	00.8	85	45	42. 1			
Chaney station, road crossing, center of track	38	30	24. 6	85	45	53. 7			
Changes station, in northeast corner of intersection of public crossroads,									
90 feet east of Chaney station signal tower, 95 feet northeast of road									
crossing, iron post stamped "Prim. Trav. Sta. No. 2, 1905"	38	()ر	25, 2	85	45	-52.9			

# Geographic positions along highways on north border of quadrangle (Indiana).

Station.	Lat	itu	de.	Long	gitu	de.
Chaney, 1.7 miles northeast of station, in southeast corner of intersec-						
tion of four corners, township line between Monroe and Union townships.	38	, 31	50, 2	0	4.5	00.0
Three corners at top of hill, public T road to northeast, 30 feet south-			∂0. Z	85	45	26, 6
east to telephone pole, 20 feet southwest to telephone pole	38	31	41.7	85	44	17. 6
oak, 12 feet north to old gatepost.  Church and cemetery, 1 mile east of, three corners, T road northwest,	38	31	49, 6	85	43	31. 1
Church and cemetery, 1 mile east of, three corners, T road northwest, center of triangle	38	30	59, 0	85	42	26. 3
Three corners, public T road to southwest, 40 feet south to walnut, 40						
feet northwest to walnut.  Three corners at white house, 50 feet southeast to apple tree, 30 feet	38	30	15. 2	85	41	42. 2
west to corner front yard fence.	38	29	41. 2	85	40	49, 8
Three corners at small two-story house, about 3 miles north of Charlestown. T road to northwest, telephone pole at corners.	38	29	09. 0	85	40	06. 1
Hughes milk station, 1 mile east of, four corners, 40 feet north to post, 40 feet south to post.	38	90	54. 8	85	20	03, 5
Hughes milk station, 1.25 miles east of, four corners, 560 feet northeast	00	20	0.27 ()	(31)	+1;7	(10), (1
of, stone set at west edge of road, carved on top "N R' and on east face "139".	38	28	58. 0	85	38	57. 8
Greens Mill, 1.25 miles northwest of, three corners, public T road east,					38	19.
stone planted. Greens Mill, three corners, T road west up hill, 50 feet east to iee house,	38	29	19. 6	85	-58	19.
30 feet west to sycamore.  Runyan, store and post-office, 300 feet northeast of, at west edge of	38	28	52. 4	85	37	35. ()
main road at second-class road to west and bend of main road to east,						
iron post stamped "Prim. Trav. Sta. No. 3, 1905". Runyan, 1.5 miles northeast of, three corners, T road to southeast, 40	38	29	21. 4	85	36	29. 0
feet south to elm, 30 feet northwest to sweet gum	38	30	17. 2	85	35	09. S
Vesta post-office, 2.1 miles northwest of, four corners, 20 feet south to corner post of wire fence, 40 feet west to corner of garden	38	30	41. 6	85	34	30. 8
Vesta post-office, 1 mile northwest of, four corners, intersection of sees.	38	00	50. 2	85	33	43. 0
103, 104, 123, and 124, Owens Township, stone planted	58	29	50. Z	(50)		
feet west to telephone pole			06, 6 06, 1	85 85	33	02. 4 32. 8
Solon post-office, well at four corners.  Solon post-office, 0.9 mile southeast of, forks of public roads southeast						
and east, 30 feet south to corner of fence, 20 feet north to locust Bull Creek, center of covered bridge over		29 29	26. 6 22. 7	85 85	30	56. 1 06. 3
Bull Creek, bridge, 0.6 mile southeast of, T road south, 40 feet southeast					90	32. 8
to locust, 60 feet west to sycamore	38	29	01. 8	85		
States Army engineers	38 :	29	()(), ()	85	28	42. 4

NEW ALBANY AND RIVERVIEW QUADRANGLES (FLOYD AND HARRISON COUNTIES, IND.;
BULLITT AND JEFFERSON COUNTIES, KY.).

The following geographic positions on the United States standard datum were obtained by primary traverse run in 1905 by C. B. Kendall, field assistant. The line starts with an adjusted position at Jeffersonville and follows the Pennsylvania Interurban Railroad to New Albany, thence west along the Southern Railway to a point 1.6 miles west of Georgetown, where the line turns south and follows public highways along the west border of the Riverview quadrangle and is tied to a primary-traverse position at West Point.

# New Albany Quadrangle (Floyd County, $\mathbf{Ind}_{\bullet}$ ).

 $Geographic\ positions\ along\ Pennsylvania\ Interurban\ Railroad.$ 

Station.	La	titu	de.	Long	gitu	de.
Jeffersonville, crossing Baltimore and Ohio Southwestern and Penn-	0	,	"		,	"
sylvania Interurban R. Rs., center of tracks	38	16	26, 6	85	44	52. 6
Jeffersonville, Beekett street crossing, center of tracks	38	16	38. 8	85	45	27. 3
miles east of, road crossing, north rail of south track New Albany, near Baltimore and Ohio Southwestern Rwy, station,	38	17	41. 6	85	47	06, 6
eenter of railroad intersection of Main and Vincennes streets New Albany, at end of Penrsylvania Interurban R. R., State street	38	17	21. 9	85	48	16. 1
erossing, center of north main track	38	16	57. 0	85	49	21. 4

### Geographic positions along Southern Railway.

Station.	Latitude			Lon	gitu	de.
	0	,	"		,	"
New Albany, at west edge of, Budd road crossing, center of track	38	16	23. 9	85	50	19. 4
New Albany, Southern Rwy, station, 2 miles west of, road crossing, center of track.	38	16	38. 9	85	51	17. 6
Duncan Hill tunnel, 1.6 miles southeast of, pike crossing, center of track.	38	17	04. 6	85	52	32, 2
Duncan Hill tunnel, 0.4 mile southeast of, pike crossing, ecnter of track Duncan station, 0.25 mile southwest of, Duncan post-office and store of			11. 4			47. 6
J. B. Nichols, at southeast corner of store, on north edge of Edwards-						
ville-Georgetown pike and 300 feet south of center of main track of Southern Rwy., iron post stamped "Prim. Trav. Sta. No. 4, 1905".	38	17	12. 9	85	55	27. 9
Duncan post-office, 100 feet east of, public-land survey corner, 229 feet south of Southern Rwy.		17	13. 5	95	5.5	27. 6
Georgetown station, 1.6 miles southeast of, pike crossing, center of						
track		17 17	34, 3			45. 8 20. 8
Georgetown station, 1.6 miles west of, road crossing, center of track.			12. 3	85		55. 2

# $Geographic\ positions\ along\ highways.$

Station.	La	titu	de.	Long	gitu	de.	
	0	,	,,	0	,	,,	
Georgetown, about 1.25 miles west of, T road south.  Georgetown, 1.25 miles west of, 0.2 mile south of Southern Rwy., T road south on T. 3 S., R. 5 E., north-south county and section line between secs. 5 and 6, in southeast corner of junction, iron post stamped	38	17	06. 1	85	59	32.	9
"Prim. Trav. Sta. No. 5, 1905".	38	17	05. 9	85	59	32.	6
T. 3 S., R. 5 E., corner secs. 5, 6, 7, and 8, stone at bend of road to west.	38	16	21. 6	85	59	33.	0
Three corners, public T road to south, stone on north edge of road Four corners, crossing of Georgetown-Lanesville road and New Albany-Corydon old stage road, 20 feet northwest to corner shop, 60			21. 7	86	00	06,	7
feet southeast to walnut tree	26	1.5	40 4	86	OO	06	0

Riverview Quadrangle (Harrison County, Ind.; Bullitt and Jefferson counties, Ky. .

Geographic positions along Louisville and Nashville Railroad between Louisville and Highland Park (Kentucky).

Station.	Latitude.	Longitude.
Louisville, Oak street crossing Louisville and Nashville R. R. Louisville, crossing of Louisville and Nashville R. R. and Southern Rwy., Park avenue, west track South Louisville, station Highland Park, station Highland Park, road crossing I mile south of	38 12 52.6 38 11 58.1 38 11 15.2	85 46 06, 2 85 45 50, 2 85 45 35, 6 85 45 24, 0 85 45 12, 9

Geographic positions along highways from Shepherdsville to Riverview, in Kentucky.

Station.	Latitude.			Lon	gitu	de.
Shepherdsville, road northwest 1.25 miles west of, 68 feet southwest to		,	"	-	,	,,
cross on pine tree, 42 feet northeast to cross on post-oak tree	37	59	54. 0	85	44	16, 0
Bullitts Lick, crossroads, 33f eet north to cross on corner fence post, 42						
feet east to cross on board fence.	38	(1)	05. 9	85	45	18. 0
Crossroads, at store and blacksmith shop, 70 feet southwest to front gate to church, 36 feet north to post with horseshoe nails in it.	38	00	02. 8			FO H
Forks of rood, at southeast corner of J. T. Martin's orchard, 25 feet to	- 98	UU	02. 8	80	40	52. 7
cross on small pine tree, 36 feet north to cross on telephone pole	38	00	24. 3	85	46	55, 9
Miller (George) house, arrow painted on gatepost at entrance to lane.	38	01	33. 8		48	26, 9
Barrallton, 1.5 miles southwest of, in yard to R. D. Snellen's residence:						2011
southeast corner of house bears N. 75° 15′ W., distant 121.5 feet; nail						
in blaze on south face of sycamore tree 30 inches in diameter bears N.						
42° 10′ E., distant 130.8 feet; iron post stamped "Prim. Trav. Sta.						
No. 33''		01	38, 6			12. 1
Miller (Harden) farm, arrow on gatepost to entrance	38	01	09. 2	85	50	42. 7
Moore's store, T road south, 18 feet south to northwest corner of porch						
to store, 32 feet north to cross on gatepost			28, 2		51	36, 2
Cupio, center of small bridge 0.25 mile northeast of, at road southwest.	38	00	31. 2		52	29 1
Griffin (John) residence, cross on telephone pole on south side of road.		01	00. 1			38. 9
Road crossing, under trestle to new railroad.	38	00	59. 4	85	54	17. 6

Geographic positions along Louisville and Nashville Railroad, Riverview to West Point (Kentucky).

Station.	Latitude.			Longitude		
Riverview, road crossing. Riverview, private road crossing 1 mile south of. West Point, in northwest corner of public school grounds, northwest corner of brick foundation to schoolhouse bears S. 27° 10′ E., distant 26.9 feet; southwest corner of stone foundation to Christian Church bears N. 13° 35′ E., distant 13.6 feet; iron post stamped "Prim. Trav. Sta. No. 34". West Point, center of crossing of Bach and Carter streets.	38	01 00 59	28. 4 45. 5 52. 7 55. 5	85 85 85	54 55 56	

Geographic positions along highways (Indiana).

Station.	Latitude.			Latitude. Longi			Latitude. Longitude.		
Lanesville, 1.3 miles north of, forks second-class road to southeast, 40	0	,	"	0	,	"			
feet east to oak tree at gate.	38	14	52. 2	85	59	44.9			
Lanesville, 0.8 mile north of, iron gas pipe driven in ground at bend of road to south, 250 feet southeast of ford of small creek	38	14	35, 9	85	59	33. 3			
Lanesville, crossing of New Albany-Corydon pike (main street), and Georgetown-Black Creek road, 25 feet southwest to northeast cor- ner of Jacob Facfingor's store, 30 feet southeast to maple tree at corner.			14. 2	85		09, 8			
Lanesville, 1.2 miles south of, at top of hill, forks, public roads southwest and southeast, 20 feet west to walnut, 60 feet south to old	00		11.2	00	00	00.0			
stump.  Fellow sehoolhouse, three corners at, public T road to west, 20 feet	38	13	03, 8	85	59	03, 7			
northwest to corner wire fence, 50 feet south to corner schoolhouse Buck Creek ford, 300 feet north of, forks, roads north and northeast,	38	11	57. 5	85	58	52.8			
20 feet north to maple, 50 feet south to maple	38	11	04. 5	85	58	35.8			
Black Creek post-office, 300 feet east of, at foot of hill, forks of roads southeast and west	38	10	41.7	85	58	49. 3			
Kerr schoolhouse, No. 3, Posey Township, four eorners, 30 feet south to gate, 40 feet northeast to telephone pole	38	10	13, 6	85	58	27. 2			
Kerr schoolhouse, 0.6 mile south of, stone at three corners, second-									
class T road to west	38	09	48. 9	85	58	35. 8			
northeast, 25 feet north to telephone poie	38	08	47. 2	85	58	36.0			
Elizabeth, 0.5 mile northwest of, three corners, T road north, 30 feet east to locust, 30 feet north to locust.	38	07	36, 7	85.	58	36. 9			
Elizabeth, street crossing 250 feet east of public school building, center of intersection.	38	07	15. 4	85	58	27. 0			
Elizabeth, 250 feet west of Main street crossing, at southeast corner of public school, iron post stamped "Prim. Tray. Sta. No. 6, 1905"					58	30, 1			
Elizabeth, 1 mile south of, large oak at three-corner public T road to	38	07	15.8	85					
west. T. 5 S., R. 5 E., corner secs. 8, 9, 16, and 17, also east-west township line between Posey and Taylor townships (civil), corner is stone in	38	06	22.9	85	58	34. 4			
center of road 200 feet south of three-corner public T road to west  Convenience, 1 mile north of, forks of public roads south and west, 60	38	04	56, 6	85	58	33, 4			
feet south to maple, 20 feet west to rail fenee	38	04	14.8	85	58	25. 3			
Convenience, Catholic Church, 200 feet west of, four corners, public crossroads, 40 feet south to corner garden, 100 feet east to oak	38	03	30. 7	85	58	47.8			
Convenience, 1.2 miles south of, three corners, second-class T road west,	38	02	35, 7	85	58	51, 8			
two mail boxes. Convenience, 1.7 miles south of, Rosehill schoolhouse, 1,150 feet northeast of, stone planted in center of road.	38	02	18.1	85	- 58 - 59	02. 6			
Rosehill schoolhouse, 1 mile southwest of, forks of public roads north-									
east and north, 10 feet south to mail box, 35 feet north to mail box. Evans Landing post-office, 0.6 mile west of, forks, public roads north-	38	01	35. 7	85	59	35. 7			
west and west, center of triangle at forks.  Evans Landing post-office, small stream, center of iron bridge over	38 38	00	27. 8 11. 6	85 85	59 59	35. ( 04. 3			
Evans Landing post-office, 1.1 miles northeast of, three corners, sec-									
ond-class road to south, 50 feet west of barn	38	00	25. 6	85	58	01.8			

#### KENTUCKY.

#### PRIMARY TRAVERSE.

CALDWELL, CRITTENDEN, HOPKINS, AND WEBSTER COUNTIES.

#### CLAY QUADRANGLE.

The line starts from primary traverse station No. 10, 1904, at Sullivan, Ky., follows the Illinois Central Railroad to Repton, thence southerly along highways through Tribune and Starr to Enon, thence easterly over county roads through Creswell to Dalton, thence north over highways to Providence, thence to Lisman railroad station, connecting with road crossing at that place; located by primary traverse in 1904. The field work was done by J. R. Ellis in 1906.

Magnetic declination, east border,  $3^{\circ}$  47' east; south border,  $4^{\circ}$  13' east; west border,  $4^{\circ}$  27' east.

### Geographic positions along Illinois Central Railroad, Sullivan to Repton

Station.	Latitude.			Latitude. Longi			Latitude. Lon		
Sullivan, primary traverse station No. 10, 1904. Sullivan, road crossing 0.75 mile southeast. Road crossing under trestle at milepost 69. Blackford railroad station, road crossing. Blackford, 1.25 miles south of, road crossing north and south. Gladstone post-office, road crossing Hood siding, road crossing at south end of. Road crossing 150 feet north of milepost 62. Repton, railroad station. Repton and Tribune, crossroads half way between, in northwest corner of R. Newcomb's farm, nail in blaze on walnut tree bears S. 819 457 E., distant 11.29 feet; nail in blaze on small oak bears S. 899 W., distant 34 feet; iron post stamped "Prim. Trav. Sta. No. 15, 1906".	37 37 37 37 37 37 37 37	29 29 28 27 26 25 25 24 23	58. 8 21. 5 03. 9 02. 6 15. 9 46. 6 23. 2 22. 0 24. 8	87 87 87 87 87 88 88 88	56 56 56 56 56 58 00 00	37, 1 14, 4 47, 8 04, 1 59, 1 06, 0 03, 2 34, 0 56, 0			

Geographic positions along highways from Repton through Tribune and Starr to Enon, thence easterly over county road; through Creswell to Dalton.

Station.	Latitude.	Longitude.
Crossroads on top of hill, 15 feet west to blaze on black oak, 33 feet east to blaze on sapling	0 / // 37 21 37.9	° ' '' 87 59 38.8
Tribune, crossroads, 16 feet northwest to store, northeast corner, 24 feet northeast to corner of coal house.	37 20 56.8	87 59 26, 0
Widow Brantley's residence, crossroads, 16 feet northwest to walnut tree, 38 feet north to mulberry tree.	37 19 55.4	87 59 37.0
Wilsons Creek, 0.66 mile south of, T road southeast, 15 feet east to corner fence post, 22 feet southeast to corner orehard fence	37 18 53.2	88 00 22.4
Starr, crossroads, 32 feet east to Brueher's mail box, 21 feet southeast to west corner of shed to blacksmith shop.	37 17 36.0	88 00 10.2
Crittenden-Caldwell county line stone, center of road opposite, 18 feet southwest to stone.	37 16 21.8	88 59 31.0
Enon, Walnut Grove Church, at corner of old Polk farm at T. lane northeast, about 0.75 mile northeast of Enon, nail in small black oak bears S. 79° 25′ E., distant 13.3 feet; T road northeast bears S. 28° 30′		
E., distant 35 feet, iron post stamped "Prim. Trav. Sta. No. 16, 1906".  Oliver (L. L.) residence, at road northwest, arrow painted on tree	37 15 34.1 37 15 56.5	87 58 43, 9 87 57 40, 6
How Ridge schoolhouse, forks of road, 19 feet south to W. R. Briggs's mail box, 27 feet northwest to cross on elm tree.  Forks of road, arrow cut on black-oak tree.	37 16 32.7 37 16 19.4	87 57 19.5 87 55 30.2
Creswell, forks of road, 18 feet northwest to J. T. Brown's mail box, 20 feet southwest to arrow on rail fence.	37 16 13.3	87 54 40.6
T lane northwest.  Junction of branches at point where road crosses.	37 16 25.2 37 16 54.8	87 53 29, 4 87 52 44, 1
Walnut Hill school grounds, southeast corner of foundation to school- house bears N. 85° W., distant 18.6 feet; nail in blaze on east face of		
walnut tree bears S. 25° 45′ W., distant 23.5 feet; iron post stamped "Prim. Trav. Sta. No. 17, 1906"  J. N. Castleberg's barn, forks of road, 31 feet northeast to stump, 24	37 17 11. 4	87 52 09.2
Quinn, T road south at blacksmith's shop, 18 feet southwest to north-	37 17 28.3	87 51 19.7
east corner of shop, 58 feet east to hickory tree.  Quinn, forks of road about 1 mile east of, 22 feet southeast to mulberry	37 17 43.6	87 50 07.9
tree, 24 feet north to west end of bridge	37 17 40.0 37 18 00.4	87 48 56.8 87 48 25.8
Crossroads, stump.  Dalton, in front of public school, 3 feet from school building, iron post		87 46 39.5
stamped "Prim. Trav. Sta. No. 18, 1906".	37 17 49.7	87 45 55, 6

Geographic positions north along highways to Providence, thence to Lisman railroad station, connecting with road crossing at that place, located by primary traverse of 1904.

Station.	Latitude.			ude. Long			de.
Dalton, T road 0.5 mile north of, 21 feet northwest to cross on post, 27	0	,	//		0	,	"
feet northeast to end of picket fence	37	18	28.	2	87	45	31.0
Dalton, T road 1.5 miles north of, 19 feet southeast to gum tree, 35 feet southwest to cross on rail fence.  Stony Ridge Church, T road west 0.33 mile north, 28 feet northwest to	37	19	38.	1	87	45	13. 1
corner fence post, 21 feet northeast to telephone pole	37	20	18.	0	87	45	29.6
Providence, T road south about 3.5 miles south of, 24 feet southeast to corner fence, 45 feet southwest to elm tree	27	91	52.	2	97	4.4	55, 5
Hopkins-Webster county line, bridge			04.		87		53. 5
Providence, in retaining wall of T. B. Paine's front yard, aluminum							
tablet stamped "Prim. Trav. Sta. No. 19, 1906"			57.				41.5
Road east and west under bridge.	37	24	51.	0	87	45	25. 8
Crab Orchard Creek, T road west 0.75 mile south of, 25 feet northwest to corner of rail fence, 18 feet southwest to corner fence post	37	26	01.	5	87	45	10.6
Road southeast, 6 feet west to stump, 27 feet southwest to south end of							
bridge.			56.				40.4
Lisman railroad station, road crossing 120 feet west of	37	28	13.	5	87	43	45. 3

#### JEFFERSON COUNTY.

#### LOUISVILLE CITY SURVEY.

In the spring of 1906 J. R. Ellis, assistant topographer, was detailed to the commissioners of sewerage of the city of Louisville, for the purpose of extending lines of primary control throughout the city. The area of the city was divided into 12 rectangular blocks approximately 1.5 by 2 miles, around the borders of which lines of primary traverse were run. Particular care was taken to have the work done accurately, the deflection angles being measured four times, and distances being measured twice with a steel tape under a constant tension, the temperature also being noted. At intervals of 2,000 feet along the route of traverse a permanent station mark, consisting of a bronze tablet 3.5 inches in diameter, was countersunk and cemented into the top of a stone post 3 feet in length, dressed 6 inches square on top, set in the ground flush with surface.

Positions are given on the United States standard datum and are based on North Base and Blind Asylum triangulation stations of the United States Coast and Geodetic Survey.

# Geographic positions at Louisville.

Station.	Latitude	Language
Louisville north base triangulation station, on the land of Joseph Lee. The station is situated in the field lying immediately south of the place of Mr. Murray, who knows the location of the station; so does Mr. Beutel, who rents Mr. Lee's place. The station is in an opeu, cultivated field with no trees near it. Station mark; An earthenware pyramid base 6 by 6 inches, height 5 inches, placed 3 feet 7 inches below surface as underground mark. The apex of the pyramid marks the exact center of the station. The letters U. S. C. S. are cut in the face of the pyramid. Above this was placed a granite post 4 feet 10 inches long, rough at bottom and drest to 10 inches at top, the south side of which the following is cut:  U. S. C. & G. S. North Base		
The top of the post is in the form of a pyramid, in the apex of which a copper bolt was driven in a hole drilled in the post, and the intersection of the rectangular cross lines cut in the top of the bolt marks center of station. Reference marks: Three other stones, 2 feet 6 inches long, rough at bottom and drest to 4 by 4 inches at the top, were used as additional surface marks, one in prolongation of base line to the north of the station, one on the base line to the south of the station, and the other at right angles to this line to the cast of the station. Each of these posts has cross lines cut in the top, with an arrow pointing to the station. The intersection of these cross lines		
enter post projects 1 foot 6 inches above ground, the others 4 inches.	38 27.84	85 49 47.29
B. M. 1, on south side of Bell's lane 3 feet north of east-west fence, nail in blaze of tree, azimuth 174°, distance 173.8 feet; gatepost, azimuth 3° 03′, distance 62.1 feet.	38 13 22.02	85 49 34.37
B. M. 2, in top of bank on south side of road in Bell's lane, 1,100 feet west of Cane Run road, Louis Plochner's house, azimuth 242° 27′. distance 144.1 feet; tree, azimuth 212° 16′, distance 46.6 feet.	38 13 17.41	85 49 06,11
B. M. 3, on east side of Cane Run road, 820 feet northeast of Bell's lane, 9 feet west of fence, 41.7 feet southwest to nail in telephone pole, 37.4 feet south to cross on north end of stone culvert, nail in telephone		
feet south to cross on north end of stone culvert, nail in telephone pole, azimuth 112° 18′, distance 41.7 feet.  B. M. 4, at intersection of Cane Run road and Beech street, pump, azimuth 113° 32′, distance 19.5 feet; Cramer's saloon, azimuth 177° 49′,	38 13 20.97	85 48 38.77
distance 26.5 feet.  B. M. 5, at northwest corner of Beech street and Woodward avenue, gas pipe on corner, azimuth 280° 07′, distance 50.6 feet; house, azimuth 250° 07′, distance 50°	38 13 40.54	85 48 20.54
muth 117° 32′, distance 39 fect.  B. M. 6, at southwest corner of Danesville and Amber streets at foot of Twenty-eighth street; drug store azimuth 139° 00′, distance 80.2	38 14 02.91	85 48 17.68
feet; corner of store, azimuth 205° 26′, distance 43.3 feet. B. M. 7, at northeast corner of Twenty-eighth and Kentucky streets, northwest corner grocery store, azimuth 1° 53′, distance 62.1 feet; corner bakery, azimuth 212° 12′, distance 20 feet. B. M. 8, at southeast corner of Twenty-eighth street and Broadway.	38 14 10.83 38 14 35.89	85 48 01.82 85 47 57.40
B. M. 8, at southeast corner of Twenty-eighth street and Broadway, corner of post-office station II, azimuth 192° 13′, distance 85.6 feet; northwest corner of curb, azimuth 144° 04′, distance 61.8 feet.	38 14 56.89	85 47 53.69
B. M. 9, at southeast corner of Twenty-eighth and Madison streets, grocery store, azimuth 310° 29′, distance 7 feet; corner residence No. 1600, azimuth 91° 36′, distance 60,9 feet.	38 15 14.43	85 47 50.00
B. M. 10, on north side of Market street at head of Twenty-eighth street; grocery store, azimuth 355° 22′, distance 66.9 feet; corner of saloon, azimuth 52° 04′ distance 79.1 feet	38 15 34.26	85 47 47.22
B. M. 11, at northeast corner of Twenty-sixth and Rowan streets. corner of saloon. azimuth 227° 00′, distance 9.1 feet; south end of fence, azimuth 135° 22′, distance 61.9 feet.	38 15 42.43	85 47 36.13
B. M. 12, at northeast corner of Twenty-sixth and Slevin streets, corner of Ohlman's exchange, azimuth 100° 28′, distance 47 feet; Hochstrass azimuth 258° 28′, distance 9.8 feet	38 15 55.83	85 47 34.62
B. M. 13, at southeast corner of Twenty-sixth street and Portland avenue, grocery store, azimuth 108° 09′, distance 46.6 feet; Struby's pump, azimuth 352° 46′, distance 7.9 feet.	38 16 14.26	85 47 23.93
B. M. 14, on Portland avenue, 65 feet west of west curb to Thirtieth street, and S feet east of center of Kentucky and Indiana Bridge R. R. B. M. 15, at northwest corner of Thirty-third and Rudd streets, gro-	38 16 22.60	85 47 47.27
eery store, azimuth 136° 45′, distance 9.3 feet; pump. azimuth 260° 08′, distance 81.5 feet.  B. M. 16, at southeast corner of Thirty-fifth and Water streets, corner	38 16 34.11	85 48 04.77
of saloon, azimuth 317° 50′, distance 15.5 feet; manhole in Water street, azimuth 199° 03′, distance 10.7 feet.  B. M. 17, at southwest corner of Thirty-fifth and High streets, south	38 16 42.91	85 48 17.85
corner of wall of academy grounds, azimuth 130° 15′. distance 129 feet; cement foundation, azimuth 55° 48′, distance 13.7 feet.  B. M. 18, on south side of High street, 446 feet west of west curb to Thirty-eighth street, comer of brick house, azimuth 191° 33′. dis-	38 16 27.26	85 48 16.03
tance 91.9 feet; corner of warchouse, azimuth 132° 03′, distance 131 feet.	38 16 25.53	85 48 41.81

Station.	Latitude.	Longitude.
<ul> <li>B. M. 19, on south side of Bark street extended and on north side of Mrs. Annie Findlay's farm, 300 feet from Ohio River, nail in sycamore tree, azimuth 207° 40′, distance 59.5 feet; nail in tree, azimuth 132° 27′, distance 73.4 feet.</li> <li>B. M. 20, at southwest corner of Fountain Ferry road and boulevard at northwest corner of Fountain Ferry Park nail in pole azimuth</li> </ul>	° ' '' 38 16 22.75	° ' '' 85 49 23.34
northwest corner of Fountain Ferry Park, nail in pole azimuth, 255° 26'; nail in tree, azimuth 258° 56'.  B. M. 21, at junction of east-west road and road north in west part of	38 15 53.13	85 49 33.09
Shawnee Park, water plug azimuth, 47° 35′, distance 46 feet; lamppost, azimuth 324° 28′, distance 4.5 feet.	38 15 29.25	85 49 46.42
B. M. 22, on West Broadway, nail in tree, azimuth 120° 09′, distance 72.8 feet; urn, azimuth 303° 55′, distance 174 feet.  B. M. 23, on Broadway at head of Forty-second street, telephone pole, azimuth 219 41′, distance 71 feet; telephone pole, azimuth 210° 10′, distance 71 feet; telephone pole, azimuth 210° 20′.	38 15 01.34	85 49 50.25
azimuth 314° 44′, distance 71 feet; telephone pole, azimuth 48° 28′, distance 76 feet.  B. M. 24, on northeast corner of Broadway and Thirty-seventh street, corner of red brick house, azimuth 220° 49′, distance 47.9 feet; south-	38 15 00.30	85 49 19.70
east corner of yellow brick house azimuth 104° 31′, distance 188.5 feet. B. M. 25, on north side of Broadway at Thirty-second street south, corner of church, azimuth 317° 47′, distance 164.9 feet, post, azimuth	38 14 59.35	85 48 51.64
19° 45′, distance 81.5 feet.  B. M. 26. on south side of Greenwood avenue and just east of Spring Bank Electric Rwy, station, nail in cherry tree, azimuth 87° 07′, dis-	38 14 58.30	85 48 20.76
tance 18.3 feet; nall in gum tree, azimuth 205° 46′, distance 64.5 feet B. M. 27, on Dr. B. A. Garr's farm, in northeast corner of barn lot, corner house, azimuth 203° 28′, distance 77.4 feet	38 14 41.00 38 14 21.50	85 49 54.53 85 49 57.96
B. M. 28, on south side of Gibson's lare, just east of Little Paddys Kun, nail in sycamore tree, azimuth 146° 24′, distance 75.5 feet; nail in cherry tree, azimuth 260° 13′, distance 81.7 feet.	38 13 56.72	85 49 47.16
B. M. 29, on south bank of Little Faddys Kun, about 400 feet southwest of house rented by Frank Meyers.  B. M. 30, in Bell's lane about 300 feet east of bank of Obio River, 4 feet	38 13 41.77	85 50 09.89
north of fence, nail in walnut tree, azimuth 272° 12′, distance 203.1 feet; tree, azimuth 75° 52′, distance 46.2 feet.  B. M. 31, on north side of Bell's lane, just east of entrance to Christ Gil-	38 13 23.91	85 50 34.80
christ's farm. corner of his house, azimuth 168° 13′, distance 101.2 feet; nail in gum tree, azimuth 62° 27′, distance 82.1 feet B. M. 32, on east side of Cane Run road, just north of Woodlawn ave-	38 13 22.99	85 49 56.91
nue, nail in tree, azimuth 81° 59′, distance 107.6 feet; southeast corner of house, azimuth 121° 38′, distance 52.7 feet. B. M. 33, on east side of Eighteenth street at Ormsby avenue west; wa- ter plug, azimuth 27° 53′, distance 21.8 feet; southeast corner of sa-	38 14 00.46	85 47 50.02
loon, azimuth 125° 52′, distance 57.5 feet. B. M. 34. on southeast corner of Sixteenth street and Ormsby avenue, center of manhole, azimuth 206° 02′, distance 5.2 feet; southeast cor-	38 14 03,65	85 47 16.21
ner of house No. 1545, azimuth 147° 43′, distance 99.5 feet  B. M. 35, on southeast corner of Twelfth street and Ormsby avenue, northeast corner of house, azimuth 83° 52′, distance 56.3 feet; south-	38 14 03, 27	85 46 50, 29
west corner of box factory, azimuth 190° 52′, distance 67.6 feet B. M. 36, on southeast corner of Seventh street and Ormsby avenue, water plug, azimuth 249° 59′, distance 22.9 feet; northeast corner of	38 14 01.05	85 46 26, 26
Kentucky Heating Co.'s borch, azimuth 48° 51′, distance 62.5 feet B. M. 37, on southwest corner of Third street and Ormsby avenue, corner fence post, azimuth 169° 54′, distance 69.9 feet; north point of gate post at No. 1400, azimuth 46° 08′, distance 38.2 feet	38 13 58.32	85 45 56.73 85 45 33.09
gate post at No. 1400. azhinde 40 05 distante 35. Retter, southesat corner Ormsby avenue and Preston street, southesat corner McGee's drug store, azimuth 155° 23′, distance 101.9 feet; northwest corner store building southeast corner Ormsby avenue and Preston street, azimuth 2° 29′, distance 54.6 feet.  M. 20 porthwest corner Ormsby avenue and Shelby street southesate and Preston street, azimuth 2° 29′, distance 54.6 feet.	38 13 56, 21	85 45 33.09
and Preston street, azimuth 2° 29′, distance 54.6 feet. B. M. 39, northwest corner Ormsby avenue and Shelby street, south- west corner of Kentucky Refining Co.'s office, azimuth 211° 15′;	38 13 50, 49	85 44 59.78
west corner of Kentucky Refining Co.'s office, azimuth 211° 15'; northeast corner of car barn, azimuth 12' 05', distance 56.5 feet.  B. M. 40, west side of Shelby street, opposite St. Catherine street east, southwest corner of residence No. 1741, azimuth 248° 28', distance 77.9 feet; center of pump, azimuth 324° 42', distance 64 feet.	38 13 47.58	85 44 31.69
corner of drug store, azimuth 272° 10′, distance 54.4 feet; southeast	38 14 06.07	85 44 28.47
corner of grocery store and saloon, azimuth 137° 16′, distance 7.4 feet. B. M. 42, northwest corner of Broadway and Shelby avenue, southeast corner of saloon, azimuth 168° 46′, distance 15.8 feet; southwest corner of saloon, azimuth 168° 46′, distance 15.8 feet; southwest corner of saloon, azimuth 250°, 46′, distance 40.5 feet.	38 14 22.62	85 44 25.62
ner of Neider Bros.' groeery store, azimuth 259° 46', distance 42.5 feet. B. M. 43, northwest corner Shelby and Green streets, southeast corner of Scott's hardware store, azimuth 135° 47', distance 6.9 feet; southwest corner of Horman's select a zimuth 272° 37', distance 53.3 feet.	38 14 40.03 38 15 00.62	85 44 22.63 85 44 19.08
west corner of Herman's saloon, azimuth 273° 37′, distance 53.3 feet. B. M. 44, northwest corner Main and Shelby streets, southwest corner of Methodist Church corner stone, azimuth 201° 32′, distance 6.3 feet; southeast corner of roofing store, azimuth 140° 07′, distance 6.4 feet.	38 15 00.62 38 15 15.58	85 44 19.08 85 44 16.47
B. M. 45, north corner of Story avenue and Louisville and Nashville R. R. crossing, north corner of post-office, station A, azimuth 7° 29′, distance 75 fect; south corner National Leather Co.'s building, azi-	90 19 19.98	00 44 10,47
muth 189° 57′, distance 7.8 feet	38 15 18.77	85 43 45.09

Station.	Latitude.			Lot	ude	
B. M. 46, north side of Story avenue and Frankfort avenue southeast,		,				
northwest corner of grocery store, azimuth 300° 17′, distance 62.9 feet; corner of saloon, azimuth 226° 48′, distance 12.9 feet.	38	15	30, 71	Sin	43	17, 64
B. M. 47, west corner of Frankfort avenue and Haldeman street north, northeast corner of store, azimuth 53° 18′, distance 86.6 fcet; corner						
post to B. I. grounds, azimuth 137° 08′, distance 10.7 feet. B. M. 48, southwest corner of Frankfort avenue and Keats street south.	38	15	18, 90	85	42	46, 00
water plug, azimuth 105° 20′, distance 5.9 feet; northwest corner of house, azimuth 272° 15′, distance 30.2 feet.	38	15	10.95	85	42	07. 29
B M 49 southeast corner Frankfort avenue and Park avenue south						
corner Crescent Hill Pharmacy, azimuth 74° 24′, distance 55.8 feet; corner Crescent Drug Co., azimuth 32°, orf', distance 8.6 feet. B. M. 50, south side Frankfort avenue, norf', or wall to waterworks.	38	15	15.25	85	41	34, 47
B. M. 50, south side Frankfort avenue, north of wall to waterworks, water tank nearest corner, azimuth 57° 18′, distance 42.5 feet; corner of stone wall at waterworks, azimuth 348° 28′, distance 7 feet	38	15	14. 75	85	fo.	57 99
B M. 51 northwest corner of crossing of Brownshoro road and Pine 1	Oct	10	13. 10	(%)	417	57, 28
Line avenue, north corner of westernmost gate post to entrance to reservoir grounds, azimuth 332° 02′, distance 68.8 feet; center of water plug, azimuth 299° 09′, distance 48.2 feet.  B. M. 52, west side of Pipe Line avenue or einder road 3,750 feet south	20	1.5	90.07			
B. M. 52, west side of Pipe Line avenue or einder road 3,750 feet south	90	10	38, 87	85	41	03, 75
of Prospect Electric R. R. and 950 feet north of T road east; nail in locust tree, azimuth 18° 37′, distance 21.8 feet; nail in locust tree, azimuth 126° 06′, distance 26.7 feet.	00		F-2 - 11 m			
B. M. 53 west side of Pipe Line avenue or cinder road just north of	38	15	52, 37	85	41	21, 81
Prospect Electric R. R., tree, azimuth 217° 45′, distance 28.7 feet; tree, azimuth 86° 22′, distance 22.1 feet. B. M. 54, south side of River road about 600 feet west of entrance to	38	16	23, 97	85	41	46, 82
B. M. 54, south side of River road about 600 feet west of entrance to golf links, nail in tree, azimuth 78° 32′, distance 92.6 feet; nail in hol-						
golf links, nail in tree, azimuth 78° 32′, distance 92.6 feet; nail in hollow tree, azimuth 154° 12′, distance 40 feet.  B. M. 55, south side of River road opposite G. Hooper's residence, iron	38	16	30. 93	85	42	06, 65
pump, azimuth 125° 29', distance 55 feet; north corner of brick house, azimuth 356° 59', distance 58.6 feet.	38	16	16, 59	85	42	31. 21
B. M. 56, east side of River road 678 feet northeast of Louisville and Nashville R. R., nail in telephone pole, azimuth 94° 55′, distance 69.4					-	
feet; north corner of house, azimuth 15° 50′, distance 64.1 feet B. M. 57, north corner Van Buren and Marion streets, east corner of	38	16	03, 59	85	43	00, 24
house, azimuth 82° 54′, distance 60.3 feet; center of pump, azimuth 23° 33′, distance 58.8 feet	38	15	55, 69	85	43	24. 64
R M 58 north corner Kulton and Adams streets corner of select and 1	en	10	00.00	Oil	40	24.09
grocery, azimuth 337° 11′, distance 11.9 feet; northwest corner of sawmill office, azimuth 205° 08′, distance 68.8 feet.  B. M. 59, nortee, as corner fulton and Shelton streets, center of fire	38	15	48. 27	85	43	49.17
plug, distance 61.1 feet; center of westernmost boiler, distance 42.5	200	1.5	20.04	0=		01 41
feet Story street crossing of Louisville and Nashville R. R. (Ellis, 1904)	38 38	15 15	36, 24 18, 43	85 85	44	21. 41 45. 03
B. M. 60, southwest corner of Seventh and Shipp streets, center of pump, azimuth 121° 33′, distance 6.4 feet; northwest corner of sa-	0.0	10	00.07	0.4		00.00
P. M. 61 west side of Seventh at root road about 720 feet couth of South	38	13	32. 85	85	46	09. 39
ern Rwy., nail in small tree, azimuth 64* 427, distance 48.9 feet; nail in telephone pole, azimuth 353° 24′, distance 54.1 feet.	38	13	19. 50	85	46	26, 21
B. M. 62, on west side of Seventh street road, 680 feet south of Thompson's road, northeast corner of Jacob Schafflin's residence, azimuth						
57° 17′, distance 97.1 feet; nail in telephone pole, azimuth 259° 14′, distance 67.6 feet	38	13	05.72	85	46	44. 69
B. M. 63, west side of Seventh street road, at Arcade avenue southeast.						
northeast corner of brick dwelling, azimuth 132° 01′, distance 65.9 feet; southwest corner of G. J. Schmidt's saloon and grocery, azmuth 316° 33′, distance 63 feet.	38	12	33. 56	85	47	13. 71
muth 316° 33′, distance 63 feet.  B. M. 64, on west side of Sand River road opposite entrance to Bohemian farm, pail in telephone pole, azimuth 171° 34′, distance 30.4 feet.						
mian farm, nail in telephone pole, azimuth 171° 34′, distance 30.4 feet; nail in large beech tree, azimuth 266° 33′, distance 79.1 feet. B. M. 65, on east side of Eighteenth street or Sand River road, at	38	12	34. 57	85	47	52, 61
schoolhouse lane west, center of stone post at corner of schoolhouse lane, azimuth 108° 31′, distance 47.2 feet; southwest corner of school-						
house, azimuth 254° 04′, distance 80.7 feet.  B. M. 66, on south side of schoolhouse lane just west of entrance to W.	38	12	51. 66	85	47	45, 27
T. Hartledge's farm, nail in west gate post of Hartledge road, azi-						
muth 276° 46′, distance 54.4 feet; nail in pear tree, azimuth 33° 25′, distance 5.3 feet	38	12	53. 49	85	48	14.52
B. M. 67, on west side of road 0.33 mile south of intersection of Cane Run road and Bell's laue, nail in gate post south side of schoolhouse	90	10	56.04	85	48	46, 72
lane, azimuth 324° 36′, distance 22 feet.  B. M. 68, on east side of Taylor boulevard at Arcade avenue northwest,	38	12	56,94	80		46, 73
B M 69 on Taylor boulevard at junction with Berry boulevard south-	38	12	06, 07	80	46	53, 36
east corner of saloon, azimuth 123° 10′, distance 98 feet; northeast corner of blacksmith shop, azimuth 64° 55′, distance 108.4 feet  B. M. 70, on east side of Taylor boulevard, at Woodland Grove, south-	38	11	45, 42	85	46	58, 49
B. M. 70, on east side of Taylor boulevard, at Woodland Grove, southeast corner of grocery store, azimuth 106° 41′, distance 79.2 feet; nail in elm tree, azimuth 265° 19′, distance 79.6 feet			4 7 00	0.5		00 =
in elm tree, azimuth 265° 19', distance 79.6 feet	38	11	15.09	85	47	00.76

Station.	Lat	titude.	Lor	ngit	ide.			
B. M. 71, on east side of Taylor boulevard, nail in locust tree, azimuth		, ,,	0					
130° 57′, distance 63.8 feet; nail in small sycamore tree, azimuth 57° 04′, distance 43 feet	38	10 52.77	85	47	00. 79			
04', distance 43 feet M. 72, on west side of Taylor boulevard at Joseph App's house, northeast corner of house, azimuth 61° 16', distance 94.8 feet; mil in								
telephone pole, azimuth 351° 54′, distance 10.6 feet	38	10 28, 95	85	46	57. 78			
B. M. 73, on south side of Taylor boulevard, at Third street boulevard northeast, south corner of Boone cabin, azimuth 203° 25'; south cor-								
ner of arch, azimuth 316° 35′, distance 139.5 feet	38	10 10.06	85	46	53. 16			
east of end of boulevard, center of lamp-post, azimuth 39° 06′, dis-								
tance 56.8 feet; nail in box-elder tree, azimuth 118° 31' distance, 55.2 feet.	38	10 26, 86	85	46	30. 51			
D. M. 15, OH West side of parking to 1 mild street, 512 feet south of street								
car line, nail in blaze on tree, azimuth 188° 11′, distance (9 feet; center of lamp-post, azimuth 295° 03′, distance 54.7 feet	38	10 47.75	85	46	14. 79			
B. M. 76, on west side of parking at milepost 1½, northeast corner of porch to residence opposite milepost, azimuth 112° 18′, distance 123.8 feet; center of lamp-post, azimuth 192° 58′, distance 102.4 feet								
feet; center of lamp-post, azimuth 192° 58′, distance 102.4 feet B. M. 77, on west side of Third street boulevard at milepost 2, blaze on	38	11 08,50	85	46	02.70			
sycamore tree, azimuth 102°02′, distance 42.7 feet; eenter of lamp-post,	90	11 94 46	0.5	40	00.00			
azimuth 289° 54′, distance 54.7 feet  B. M. 78, on west side of boulevard, southeast corner of mottled brick	38	11 34.46	0.0	, 40	00.89			
residence, azimuth 147° 41′, distance 108.9 feet, eenter of lamp-post, azimuth 240° 09′, distance 61 feet	38	11 53.65	85	46	01. 35			
B. M. 79, on west side of Third street, 229 feet south of south curb of P street, nail in poplar tree, azimuth 198° 49′, distance 11.8 feet;								
Christain Mission, southwest corner of, azimuth 268° 07', distance								
B. M. 80, on southwest corner of Third avenue and L street west,	38	12 14.05	85	45	51.02			
southeast corner of Gass's drug store, azimuth 164° 47', distance 114.1 feet; center of water plug, azimuth 286° 59', distance 58 feet	38	12 5.02	85	45	47. 34			
B. M. 81, on north end of Triangle Park, south west corner of Confeder-	00 .	12 60.02	Oil	30	41.04			
ate monument, azimuth 195°50′, distance 127.8 feet; Louisville reform school, center of tablet, azimuth 243° 19′, distance 19 feet. B. M. 82, on northwest corner of Third and Hill streets, northeast cor-	38	13 05, 30	85	45	42. 01			
B. M. 82, on northwest corner of Third and Hill streets, northeast corner of residence No. 1700, azimuth 59° 49′, distance 80.5 feet; north-								
ner of residence No. 1700, azimuth 59° 49′, distance 80.5 feet; north- west corner of residence No. 1801, azimuth 303° 33′, distance 113.2 feet.	38	13 - 31, 89	85	45	37. 35			
B. M. 83, on southwest corner of Main and Jackson streets, northeast corner of retaining wall to yard, azimuth 43° 40′, distance 13.7 feet;								
northwest corner of American machine shops, azimuth 290° 14′, distance 52.4 feet	38 :	15 17. 24	85	44	38, 32			
B. M. 84, on southeast corner of Main and First streets, northeast corner of Bill Dryer Co.'s building, azimuth 93° 34', distance 53.3 feet;								
northwest corner of James Thompson & Bros.' liquor store, azimuth								
299° 30′, distance 10.2 feet B. M. 85, on northwest corner of Main and Seventh streets, northwest	38	15 20.14	85	45	05.61			
corner of post-office station 23, azimuth 340° 03′, distance 105 feet; southwest corner of drug store, azimuth 282°, distance 49.2 feet	38	15 24.98	85	45	41.70			
B. M. 86, on northeast corner of Main and Eleventh streets, southeast		10 24.00	(3)	-14)	31. 10			
eorner of Doyle's saloon, azimuth 99° 04′, distance 50.1 feet; northeast corner of J. V. Reed & Co.'s store, azimuth 37° 30′, distance								
B. M. 87, on northeast corner of Main and Fifteenth streets, southeast	38	15 27, 50	-85	46	05. 04			
corner of R. F. Avery & Sons' store, azimuth 109° 11′, distance 52.8 feet; northwest corner of J. B. Gibson's store, azimuth 1° 56′, dis-								
tance 80.2 feet  B. M. 88, on northeast corner of Main and Nineteenth streets, pump at	38	15 30.08	85	46	28, 88			
B. M. 88, on northeast corner of Main and Nineteenth streets, pump at southwest corner, azimuth 37° 56′, distance 87.3 feet; saloon at north-	}							
southwest corner, azimuth 37° 56′, distance 87.3 feet; saloon at northwest corner, azimuth 100° 53′, distance 50.5 feet.  B. M. 89, on northeast corner of Main and Twenty-fourth streets, drygoods store, southeast corner, azimuth 108° 56′, distance 53.6 feet; northwest corner of American Tobacco Co.'s warehouse, azimuth 2° 5′′, distance 50.6 feet; northwest corner of American Tobacco Co.'s warehouse, azimuth 2° 5′′′, distance 50.6 feet; northwest corner of American Tobacco Co.'s warehouse, azimuth 2° 5′′′′′, distance 50.6 feet; northwest corner of American Tobacco Co.'s warehouse, azimuth 2° 5′′′′′′ distance 50.6 feet; northwest corner of American Tobacco Co.'s warehouse, azimuth 2° 5′′′′′′′′′′′′′′′′′′′′′′′′′′′′′′′′′′′	38	15 32. 82	85	46	52. 69			
goods store, southeast corner, azimuth 108° 56', distance 53.6 feet;								
45', distance 80.2 feet.	38	15 36.08	85	47	22. 47			
45', distance 80.2 feet B. M. 90, on southeast corner of Preston and Burnett streets, crossing gate Louisville and Nashville R. R., azimuth 91° 31', distance 42.2								
feet; switch block to railroad, azimuth 218° 22′, distance 35.3 feet B. M. 91, on south corner of Preston and Vandise streets, United	38	13 32, 58	85	45	02. 87			
Brethren Church, north corner, azimuth 50° 01', distance 142.6 feet;								
R. Nussbaum's saloon, southeast corner, azimuth 135° 29′, distance 52.9 feet	38 ]	3 09, 55	85	44	52, 82			
B. M. 92, on southwest corner of Jackson and F streets, southwest corner of Williams's store, azimuth 220° 04′, distance 105.4 feet; north-								
east corner of residence No. 536 F street, azimuth 86° 31', distance 50	0.0	10 51 00			00.0			
feetB. M. 93, on east side of Ash Bottom road, 515 feet north of Southern	38	12 54.21	85	40	03. 09			
Rwy.; nail in fence post, elevation 483 feet, azimuth 113° 17′, distance 38.7 feet; nail in blaze on west face of locust tree, azimuth 184° 28′,								
distance 121.9 feet	38	12 33, 23	85	45	04. 07			

Chables		
Station.	Latitude	Longitud
B. M. 94, on east side of Ash Bottom road just south of entrance to		
Henry Harphage's farm, nail in blaze on locust tree, azimuth 79° 19′, distance 46 feet; cross on top of corner stone, azimuth 215° 20′, dis-	0 /	
B. M. 95, on east side of Ash Bottom road, just south of bridge, nail in	38 12 14.14	85 45 02.70
ner of foundation to bridge, azimuth 205° 46′, distance 22 feet.	38 11 53, 96	85 45 03, 20
B. M. 93, on west side of Ash Bottom road, small frame house, azimuth 191° 50′, distance 180.2 feet; nail in blaze on wild cherry tree, azimuth		
317° 54′, distance 53.7 feet	38 11 30.88	85 45 03.71
B. M. 97, on east side of Ash Bottom road at Wanona avenue, southeast corner of frame house, azimuth 104° 34′, distance 51.8 feet; mail in blaze on water oak tree, azimuth 217° 10′, distance 48.3 feet.	38 11 07.78	85 45 01.90
B. M. 98, on sidewalk at southeast corner of Pocahontas avenue and	71 01.10	10 10 01.31
Louisville and Nashville R. R. right of way, southeast corner of retaining wall of culvert abutment, azimuth 76° 51′, distance 38 feet; southwest corner of C. T. Johns's saloon, azimuth 170° 53′, distance		
71 feet B. M. 99, on north side of Woodlawn street at top of hill, elm tree, nail	38 10 52, 39	85 45 16, 42
in blaze, azimuth 143° 32′, distance 18 feet; nail in small cottonwood tree, azimuth 67° 02′, distance 73.7 feet	38 10 50,08	85 45 36, 23
B. M. 100, on north side of Phillips lane, about 200 feet southeast of old	00 10 00.00	00 40 00.20
feet; n.il in apple tree, azimuth 131° 06′, distance 10.3 feet.  B. M. 101, a reast side of Preston street road at Phillips lane west pail	38 11 35, 28	85 44 23, 17
feet; n. il in apple tree, azimuth 131° 06′, distance 10.3 feet.  B. M. 101, o least side of Preston street road at Phillips lane west, nail in elm tree, azimuth 182° 06′, distance 67.4 feet; nail in locust tree, azimuth 321° 04′, distance 49.9 feet.	38 11 50, 48	t 40 - 50 - 54
B. M. 102, on west side of Preston Street road, at Hess lane northeast, southeast corner of schoolhouse, azimuth 30° 54′, distance 63.4 feet;	38 11 50, 48	85 43 53, 74
southeast corner of culvert at junction of Hess lane, azimuth 258° 48′, distance 35.3 feet.	38 12 16, 48	95 44 10 PF
B. M. 103, on east side of Hess lane at Prindell avenue northwest, nail	38 12 16, 48	85 44 10, 87
in telephone pole at corner, azimuth 186° 47′, distance 45.3 fcet; nail in blaze of wild cherry tree, azimuth 144° 47′, distance 140.6 fcet	38 12 27.56	85 43 46.03
B. M. 104, on southwest corner of Hess lane and Poplar level pike, nail in eorner of fence post, azimuth 312° 52′, distance 51.2 feet; nail in	00 10 11 10	
in corner of fence post, azimuth 312° 52′, distance 51.2 feet; nail in blaze on locust tree, azimuth 280° 27′, distance 103.5 feet.  B. M. 105, Poplar level pike and Gray's lane, nail in blaze on small elm	38 12 41.80	85 43 16.13
more tree, azimuth 272° 25′, distance 54.7 feet, nell in blaze on large syca-	38 12 22.22	85 42 48, 56
B.M. 106, on south side of Newburg pike at lane south at bridge, northeast corner of stone culvert, azi:nuth 152° 40′, distance 2.9 feet; nail in	00 10 80 00	07 42 20 00
blaze on sycamore tree, azimuth 336° 15′, distance 17.5 feet	38 12 56, 66	85 42 20, 96
B. M. 107, south side of Newberg pike at Ropewalk lane north, nail in blaze on maple tree, azimuth 212° 20′, distance 75.9 feet; nail in blaze on locust tree, azimuth 144° 17′, distance 37.4 feet.	38 13 21.31	85 42 38.66
B. M. 108, on north side of Taylorsville road at Ropewalk lane south, nail in blaze on large sycamore tree, azimuth 129° 41′, distance 71.4	00 40 44 %3	45 09 00
feet; nail in blaze on maple tree, a imuth 56° 04′, distance 78.4 fcet B. M. 109, on southeast corner of Baxter and Edmunds avenues, center	38 13 41.52	85 42 03, 90
of hydrant, azimuth 96° 50′, distance 57.1 feet; center of manhole, azimuth 295° 40′, distance 10 feet	38 13 56, 42	85 42 38.76
B. M. 110, on southeast corner of Baxter and Lucia avenues, corner of grocery store, azimuth 42° 55′, distance 20.8 feet; center of hydrant, azimuth 29° 40′, distance 8.9 feet.	00 14 11 70	o= 49 Oc 59
	38 14 11.72	85 43 06, 53
ner of saloon, azimuth 141° 20′, distance 15.1 feet; J. E. Kirchdorfer's hardware store, azimuth 331° 27′, distance 55.2 feet	38 14 30.34	85 43 33, 23
B. M. 112, on southwest corner of Baxter avenue and Underfull street, corner of saloon, azimuth 141° 19′, distance 9.2 feet; corner of brick	00 11 50 00	07 49 40 99
building, azimuth 329° 20′ B. M. 113, north end of parking of Cherokee parkway at Willow avenue	38 14 50, 90	85 43 49, 32
west, northeast corner of porch of Belvoir apartments, azimuth 113	38 14 10.84	85 42 35, 21
B. M. 114, on Cherokee Park and Longest avenue, northwest corner of drive along west side of, corner of Cherokee Park, nail in elm tree, azimuth 54° 37′, distance 64.9 feet; eorner of stone wall, azimuth 132°		
II' distance 19 9 feet	38 14 24.04	85 42 23.68
B. M. 115, on Workhouse road and Long Cliff avenue north, on southeast corner, center of fire plug, azimuth 214° 19′, distance 47.2 feet: southeast corner of warehouse, azimuth 147° 33′, distance 62.6 feet		
southeast corner of warehouse, azimuth 147° 33′, distance 62.6 feet B. M. 116, on Long Cliff and Peterson avenues, on northwest corner,	38 14 42.30	85 42 05, 54
B. M. 116, on Long Cliff and Peterson avenues, on northwest corner, nail in elm tree, azimuth 144° 28′, distance 52.2 feet; nail in blaze on small sycamore tree, azimuth 274° 21′, distance 56.5 feet.	38 14 53.86	85 41 49, 50
B.M. 117, on Shelbyville road at Cannon's lane, south, on south side, nail in blaze on locust tree, azimuth 141° 55′, distance 162.6 feet; center of pump, azimuth 293° 63′, distance 60.6 feet.		( T
B. M IIX at east corner of Workhouse and Shelly vine loads, at Di-	38 15 13.11	85 40 13,76
Matthews, southwest corner of brick foundation to house, azimuth 147° 24′, distance 49.2 feet; center of millstone No. 5, azimuth 34° 58′,	00 15 00 50	v= 90 95 95
distance 32.6 feet	38 15 09.50	85 39 25, 38

Station.	Latitude.		atitude.		gitu	ıde			
o wordin							1101	igitt	iac.
B. M. 119, on Workhouse road and Cannon's lane, at southwest corner, nail in blaze on large tree, azimuth 68° 16′, distance 104.4 feet;	0	,	,,	0	,	"			
southwest corner of stone culvert, azimuth 337° 30′, distance 11 feet. B. M. 120, on Workhouse road, south side of, 1,335 feet west of Cannon's lane, nail in blaze on large tree, azimuth 81° 42′, distance 67.8 feet: nail	38	14 5	7.04	85	40	01.13			
in telephone pole, azimuth 126° 46′, distance 86.4 feet. B. M. 121, south side of Workhouse road, 400 feet west of Stiltz lane, telephone post, azimuth 54° 43′, distance 25.9 feet; nail in tree, azimuth		14 5		85		24.93			
285° 12′, distance 39 feet B. M. 122, on J. M. Atherton's farm, at gate about 700 feet south of his house, center of stone lot monument, azimuth 162° 38′, distance 130.9		14 5		85		54.57			
feet; nail in small hackberry tree, azimuth 111° 25′, distance 12.5 feet. B. M. 123, on north end of road near Alexander's residence and about on Alexander and Cown's property line, nail in blaze on locust, azimuth 136° 41′, distance 67 feet; west corner of Alexander's porch, azimuth		14 2		85		56, 51			
26.5° 01', distance 146.9 feet B. M. 124, on Woodbourne avenue, 2,770 feet northeast of Baxter avenue, nail in blaze on hackberry tree, azimuth 110° 46'; nail in blaze on			0.11	85	40	40. 25			
hackberry, azimuth 239° 06′. B. M. 125, on Taylorsville road at Woodbourne avenue northeast, south side, nail in blaze on cottonwood, azimuth 153° 18′, distance 72.4 feet; nail in blaze on cottonwood tree, azimuth 242° 10′, distance 03.7 feet.			10. 25 25, 33	85 85	40	59, 56 28, 68			
B. M. 126, on Taylorsville road, north side, at east end of siding to electric railroad, telephone pole on Taylorsville road, azimuth 70° 46′; tree, azimuth 132° 36′, distance 44 feet		13 2		85	40	45. 11			
B. M. 127, on farm of Doctor Dermatt, north end of private lane, 0.5 mile southeast of Duck's Point, nail in blaze on maple tree, azimuth 40° 36′, distance 101.1 feet; nail in blaze on beech tree, azimuth 3° 15′, distance 73.7 feet	38	13 (	NG 21	85	40	55, 90			
distance 73.7 feet B. M. 128, on Adams place, south side of road, northwest at entrance to, north corner of stone gatepost, azimuth 41° 29′, distance 8.9 feet; nail in blaze on small cherry tree, azimuth 162° 48′, distance 38.2 feet			3, 32	85		18, 02			
B. M. 129, on Newburg pike at lane north to Adams place, north side of, west corner of barn, azimuth 254° 10′, distance 121.1 feet; west corner of stone gatepost, azimuth 316° 24′, distance 64.9 feet.			87. 91	85	41	40.79			
B. M. 130, on Newburg pike, south side at Mrs. Wilder's private road, northeast, nail in blaze on locust tree, azimuth 259° 48′, distance 59.6 feet; nail in blaze on ehn tree, azimuth 331° 94′, distance 32.2 feet.	38	12 4	15. 81	85	42	00, 79			
B. M. 131, on southwest corner of Gass avenue and Hoertz street, southeast corner of retaining wall, azimuth 263° 31′, distance 77.4 feet; store No. 1200, azimuth 349° 31′, distance 9.2 feet.	38	13 3	38. 62	85	44	11. 11			
B. M. 132, north side of Poplar level road, 700 feet southeast of Texas street, nail in loeust tree, azimuth 334° 28′, distance 100.6 feet; small loeust tree, azimuth 50° 53′, distance 41.2 feet	38	13 2	28. 14	85	43	53.06			
corner of stone culvert, azimuth 306° 42′, distance 59.8 feet; nall in blaze on white-oak tree, azimuth 66° 08′, distance 37 feet.  B. M. 134, south side of Poplar level pike, tree, azimuth 335° 18′, dis-	38		11.38	85	43	45, 45			
tance 31.6 feet; tree, azimuth 112° 52', distance 13.5 feet	38	12 - 5	54. 70	85	43	31.69			
"South Stone" North meridian stone, 1,227.3 feet north of south stone, same size and marked "North Stone"	38	15 (	04.80	85	49	48.09			
marked "North Stone"	38	15 1	16.93	85	49	48.09			

#### RUSSELL AND WAYNE COUNTIES.

### MONTICELLO QUADRANGLE.

The following geographic positions were determined by primary traverse run in the spring of 1906 by J. R. Ellis, topographic aid. The line starts at Jacks Knob triangulation station and follows highways around the borders of the quadrangle, closing on Jacks Knob:

Geographic positions along highways.

Station.	Lati	tude.	Loi	gitı	ide.
Jacks Knob triangulation station, 1.5 miles southwest of Cartwright post-office, best ascended from the divide on Monticello road, about 1 mile west of post-office, on land of Nathan Ballenger, who lives northwest of Knob on main road. Station mark: A stone post with	0 /	"		,	"
brass plug inserted, stamped "U.S.G.S" Cartwright post-office, forks of road 400 feet west of Cartwright post-office, I mile east of arrow on gate to field on south	36 44 36 45	17. 46 05. 0	85 85	05 04	25.96 46.7
side of road. Schoolhouse No. 1, T road north, just east of Alpha post-office, T road north, in southwest corner of H. T. Denny's field, northeast corner of drug store and post-office, bears S. 56° 20′ W. distant 58 feet; nall in small walnut tree bears N. 19° 00′ W., distant 8.7 feet; in limestone 30 by 8 by 10 inches, aluminum tablet stamped	36 45 36 45	37.6	85 85	03 02	37. 6 26. 9
"Prim. Trav. Sta. No. 2, 1906".  Alpha post-office, 600 feet east of Denny's store and post-office, stone	36 46	01.4	85	00	34.6
between Clinton and Wayne counties, on south side of road	36 45		85	00	29.0
yard fence. Zula post-office, 300 feet north of, 58 feet west to telephone pole, cross	36 46		84	59	13. 2
eut in blaze on northeast face of cedar tree south side of road	36 46 36 46		84	58 57	52. 8 29. 8
west to cross on fence post, 21 feet southeast to corner rail fence  Turkey Ridge schoolhouse, No. 28, large cross cut on gum tree about					
200 feet north of .  Shearer Valley post-office, 0.2 mile north of, just south of church at Troad west, north azimuth mark, 6 feet northwest of mark cross		06.9	84	55	49, 4
cut on tree; 10.4 feet northwest, nail in blaze on tree.  Forks of road on top of riage, 7 feet due east to cross on small cedar	36 46 36 45		84 84	55 54	20.8 17.6
Cooper, crossroads at Hurt's farm, 1 mile west of, 20 feet south to corner rail fence.	36 46	30.0	84	52	56.9
Cooper, in northeast corner of foundation of public school, aluminum tablet stamped "Prim. Trav. Sta. No. 3, 1906".  Sumpter post-office, 0.5 mile north of, cross on gatepost to farm owned	36 46	16.8	84	51	44.6
by George Coffee, in Sumpter's lane	36 45	31, 2	84	50	49.7
Harriman oil lease, arrow painted on northeast corner of tool house at crossroads on top of Coffee Hill.  Coffee Hill, forks of road on east side of, 22 feet northwest to stump.	36 45	35. 5	84	49	03.4
11 feet east to cross on small tree. Oil Valley post-office, large white-oak tree near center of road and	36 45	42.6	84	48	32.4
about 40 feet west of blacksmith shop.  Barrier post-office, forks of road 0.2 mile northeast of, in limestone	36 46	31.8	84	48	05.4
bowlder near northwest corner of triangle formed by forks of road, aluminum tablet stamped "Prim. Trav. Sta. No. 4, 1906"	36 46	07.8	84	45	57.2
feet southeast to guidepost	36 45 36 45		84 84	44	29.3 52.2
Ash tree, top of hill, arrow painted on tree (blazed on four sides) Pilot Rock, T road north, I mile west and 0.5 mile south of, 27 feet	36 46		84	43	17.4
south to cross on rail fence, 52 feet west to arrow on rail fence Dick & Lovell's store, forks of road, cross cut on northwest side of	36 47	44.9	84	42	40.5
oak tree.  Gregory post-office, forks of road 500 feet east of, 21 feet southeast to	36 48	44.6	84	42	17.7
cross on rail fence, 25 feet west to arrow painted on stone	36 -49	47.4	84	42	02.9
55 feet west to southeast corner of board fence. Sawmill site, arrow painted on telephone pole southeast of	36 49 36 49		84 84	43 45	$58.4 \\ 03.4$
Smith's store, 700 feet east of, road east, 9 feet southwest to large stump.	36 50		84	45	51.6
Spann post-office, 0.5 mile west of, north side of crossroads on top of ridge, nail in blaze on black gum tree bears N. 79° 45′ E., distant 5.7 feet; nail in blaze on black gy tree bears N. 11° 3′ W. distant 5.7 feet.					
Tray, Sta. No. 5, 1996".	36 51	08, 2	84	46	18, 0
Sawmill and spring, T road west, 29 feet southwest to cross and arrow on small sycamore, 42 feet southeast to southwest corner sawmill	36 52	13. 6	84	46	38, 6

# Geographic positions along highways—Continued.

Station.	Latitu	de.	Long	gitu	de.
Steubenville post-office, 700 feet north of, T road east at Monticello	0 /	,,		,	//
and Burnside pike. 16 feet northwest to telephone pole, 27 feet northeast to post at correr fence.	36 53	16.3	84	48	08.6
Steubenville post-office, 1 mile northeast of, southwest corner of porch to tollgate house	36 53	39.3	84	47	24.0
Shepherd's store, road southeast about 600 feet northeast of, 25 feet north to cross on telephone pole, 45 feet northwest to large black-					
oak tree Metcalf (G. C.) residence, T road west, 18 feet northeast to large wal-	36 54	12. 2	84	46	55. 8
nut tree, 21 feet southeast to corner yard fence	36 55	03. 7	84	46	42.4
ier's store.  Beechwood schoolhouse, private road south, 7 feet west to cross on	36 55	59. 9	84	46	43.8
small black-oak tree.  Millsprings and national-cemetery road, about 100 feet south of cross- roads at corner of Shepherd, Rousseau & Marcum's farm, nail in walnut tree at crossroads bears N. 1° 45′ E., distant 111.2 feet; nail in walnut tree bears N. 37° 30′ W., distant 104.6 feet; cemented in ton of blue limestone 26 by 9 by 9 inches, aluminum tablet stamped	36 57	42. 2	84	46	49.7
top of blue limestone 26 by 9 by 9 inches, aluminum tablet stamped "Prim. Trav. Sta. No. 6, 1906"	36 58	15. 2	84	46	51.4
mill.  Trimble and Merrick's store, T road northwest about 400 feet south-	36 58	11.6	84	47	31. 4
west of, 15 feet east to arrow on stump, 30 feet northwest to cross on small walnut.	36 58	14.3	84	48	56, 3
Richardson's residence, cross on small cedar tree at road	36 57	58. 5	84	49	56, 8
ford on . Dell post-office (formerly Ferris), 300 feet south of, in large bowlder in	36 = 58	08.7	84	50	30. 4
southwest corner of field of M. H. Hatfield, aluminum tablet stamped "Prim. Trav. Sta. No. 7, 1906"	36 57	55. 3	84	52	26.0
Dell and Jabez, T road east halfway between, 18 feet southwest to cross on white-oak sapling, 15 feet northeast to cross on white-oak					
sapling	36 58 36 59	38. 7 14. 2	84 84	53 53	09. 5 35. 8
Military Springs, Baptist Church, T road south 0.25 mile southwest of, 21 feet west to cross on white-oak tree, 19 feet northwest to cross on					
board fence Jamestown road and Wolf Creek crossing, forks of road just east, 33 feet north to cross on cottonwood tree, 53 feet west to cross on tele-	36 58	53, 8	84	54	34. 7
phone pole. Ono, crossroads, cross and arrow painted on corner of yard fence McFarland Creek, 350 feet above junction with Caney Fork, in east face	36 58 36 59	59. 0 21. 2	84 84	57 57	03. 2 59. 4
of ledge of stone on west side of, aluminum tablet stamped "Prim- Tray. Sta. No. 8, 1906"	36 59	18. 9	84	59	33, 3
on	36 58	15. 6	85	00	14. 0
Caney Fork and Wolf Creek, junction of T road west just north of, 24 feet north to post with auger hole, 24 feet southwest to cross on corner fence post	36 57	12.7	85	00	05.0
McFall's store, at mouth of Wolf Creek, north side of Cumberland River, cross and "U. S. G. S." cut on northwest corner of large					
stone. Stokes post-office, south gatepost to gate across road about 450 feet	36 56	29. 1	85	00	33. 1
east of. Clyde post-office, just west of, center of road where Russell-Wayne	36 55 36 53	44. 1 56, 3	85 84	01 59	32. 3
county line crosses Stringer's store, road east Stephen Sullivan's residence, road west, cross painted on chestnut	36 53	24.8	84	59	38. 5 54. 0
tree	36 53	04.6	84	59	52. 9
Road southwest, 12 feet east to stump	36 52 36 52 26 59	48. 4 55. 9	84 84	58 58	39. 7 08. 0
Old store building, center of road opposite.  Parnell post-office, 0.5 mile west of, northwest corner of foundation to schoolhouse, aluminum tablet stamped "Prim. Trav. Sta. No. 9, 1906".	36 52 36 51	37. 1	84	57 57	27. 3
Beaver Creek, forks of road, 500 feet north of Cooper residence, 27 feet southeast to blaze on large cottonwood tree, 21 feet west to large		54. 8	84		07.41
stump. Wild Goose road at road north, 1 mile south of Cooper farm, 30 feet west to cross on dogwood tree, 27 feet southeast to arrow on rail	36 50	25. 6	84	58	18.8
fence. Susje post-office, road southwest, 9 feet south to ring nailed to tree, 42	36 49	14. 1	84	58	15. 3
feet northeast to center of yard gate. Otter Creek, at Dug Ford, middle of.	36 47 36 47	49. 2 23. 3	84 84	57 58	55. 8 33. 3
Wait post-office, 1 mile north of, crossroads 50 feet south of gate, 45 feet northeast to stone corner at gate, 34 feet south to large white-oak tree.	36 46	55. 2	84	59	02. 2

#### FRANKLIN AND OWEN COUNTIES

#### SADIEVILLE QUADRANGLE.

The line starts from the railroad crossing at Switzer and follows highways north near the west border of the Sadieville quadrangle and the east border of the Lockport quadrangle to the intersection of the Monterey, Overton, and Georgetown pikes, at Hesler. The field work was done by J. R. Ellis, assistant topographer, in May, 1906.

Geographic positions along highways.

Station.	Latitude.		Station. Latitude.		Latitude.			Long	gitu	de.
T road up branch, 20 feet southwest to J. Stafford's mail box, 27 feet	0	/	//	0	/	//				
northwest to corner of rail fence			07.3	84		49.0				
Franklin-Scott county line, large sugar-maple tree on	38	16	43.9	84	44	04.0				
Yates schoolhouse, pike southwest at, 24 feet southeast to corner fence										
post, 24 feet southwest to mail box	38	17	22.7	84	42	47.8				
Hall's store, T road southwest, on Franklin-Scott County line, 33 feet										
northwest to corner of store, 54 feet north to W. Baldwin's mail box.	38	18	32. 7	84	44	15, 5				
Elmville, center of pike just west of road, up creek, 27 feet west to										
Wash's shop, 24 feet north to corner of fence			28.3			40.8				
Corner Franklin, Scott, and Owen counties, corner stone	38	21	08.4	84	44	25. 3				
Major Anderson's house, east corner of bridge over branch southwest	0									
just north of			37. 6			16, 1				
Sleterville, post on Scott-Owen county line near.	38	22	12.0	84	42	21.7				
Mr. Bender's house, pike west at, 20 feet southeast to corner of porch,	1343		41.0	4						
30 feet west to cross on hickory tree	38 3	22	41.2	84	42	31.0				
North corner of W. T. Watson's barn, aluminum tablet stamped	00.	212	00.0		410	00.0				
"Prim. Trav. Sta. No. 1, 1906".	38	23	22.0	84	43	00.8				
Beechwood, T pike east, 21 feet northeast to corner of store and post-	1200 4	30	00.0	0.4	412	15.0				
office, 42 feet southeast to corner of garden fence.	- 38 - 3	23	38. 9	84	43	15. 3				
J. A. Watson's house, T pike southwest to Bethany, 21 feet northeast										
to southwest corner of barn, 69 feet northwest to center of small	90 (	3.4	50.7	0.4	412	40.0				
bridge			50.7			42.8				
Old toll gate, pike northeast, 10 feet northwest to corner of yard fence.	38	25	21.0	84	4.5	45. 1				
Fairbanks store and post-office, pike west, 27 feet west to southeast	20.	>=	EO E	51.4	49	e= 0				
corner of store, 25 feet southeast to cross on fence post.	38	20	58. 5	84	45	57. 3				
East Eagle post-office, dirt road southwest about 450 feet south of, 24	90 1	1/1	E 4 O	0.4	4.5	30. 9				
feet northwest to cross on tree, 30 feet northeast to stump	38				45	36. 7				
Hesler, intersection of pikes	38	-1	48.0	0.4	.3()	00. 7				

#### ANDERSON, JEFFERSON, SHELBY, AND SPENCER COUNTIES.

#### SHELBYVILLE AND TAYLORSVILLE QUADRANGLES.

The following geographic positions on the United States standard datum were determined by primary traverse in 1905 by C. B. Kendall, field assistant. The north line begins with an adjusted position at Hatton and follows the Chesapeake and Ohio Railway, public roads, and the Louisville and Nashville Railroad west along the north border of the quadrangles to Anchorage. The south line starts from an adjusted position at Smithville and follows highways via Taylorsville to an adjusted position at Gudgel.

Bull. 310-07-4

SHELBYVILLE QUADRANGLE (SHELBY, SPENCER, AND ANDERSON COUNTIES).

Geographic positions along Louisville and Nashville Railroad between Hatton and Bagdad.

Station.	Latitude.			. Longitud		
Hatton, in front yard of G. W. Stockton's tenement house, opposite Roberts & Wright's general store on north side of Louisville and Nashville R. R., southeast corner brick chimney to house bears N. 39 10′ E., distant 78.5 feet; nail in syeamore tree on railway property bears S. 33° E., distant 29.8 feet; lower hinge to front-yard gate bears S. 86° 30′ W., distant 23.5 feet, iron post stamped "Prim. Trav. Sta. No. 24″.  Hatton, 1.1 miles west of, second-class road crossing, center of track Hatton, 1.7 miles west of, second-class road crossing, center of track. Consolation station, 0.9 mile southeast of, second-class road crossing, center of track. Consolation station, overhead-pike crossing, center of track.  Bagdad station, 250 feet south of, pike crossing, center of track.	38 38 38	13 13 14 15	35. 4 45. 8 47. 5 41. 3 25. 5 43. 2	85 85 85	01 02	16. 5

Geographic positions along public highways between Bagdad and Shelbyville.

Station.	Latitude.			Lon	de.	
Bagdad station, 1.6 miles northwest of, T road south, 15 feet southwest to corner post of wire fence, 25 feet southeast to corner post of wire fence.			53, 6	0		06.0
Christiansburg station, 1 mile south of, at junction of Shelbyville- Christiansburg pike and pike leading east, at old toll gate, in north- west corner of junction; iron post stamped "Prim. Trav. Sta. No. 3,						
1905". Shelbyville-Christiansburg pike crossing Chesapeake and Ohio Rwy., eenter of track. Blacksmith shop, three corners, T road north, 40 feet north to ear			00. 3 58. 1			19. 4 22. 8
shop, 10 feet south to wire fenee. Four corners, seeond-elass crossroads, 60 feet southeast to Chesapeake and Ohio Rwy. 25 feet northwest to red gate			56. 0 08. 4			40. 9 36. 6
T road to southeast, 60 feet southeast, to railroad crossing, 25 feet south to walnut tree  Shelbyville, 2.1 miles east of, T road south, 25 feet southwest to corner	38	14	15. 4	85	10	31.8
post of wire fence, 30 feet southeast to corner post of wire fence Shelbyville, Shelby County court-house, 10 feet east of southeast corner, iron post stamped "Prim. Trav. Sta. No. 2, 1905"	38	12	50.0 39.2	85	12	21.3 57.1
shop, 10 feet south to wire fenee. Four corners, second-class crossroads, 60 feet southeast to Chesapeake and Ohio Rwy. 25 feet northwest to red gate. Chesapeake and Ohio Rwy. milepost "Lou 34", 900 feet northeast of T road to southeast, 60 feet southeast, to railroad crossing, 25 feet south to walnut tree. Shelbyville, 2.1 miles east of, T road south, 25 feet southwest to corner post of wire fenee, 30 feet southeast to corner post of wire fenee. Shelbyville, Shelby County court-house, 10 feet east of southeast cor-	38 38 38	15 14 13 12	08. 4 15. 4 50. 0	85 85 85	09 10 11	36. 6 31. 8 21. 3 57. 1

Geographic positions along Louisville and Nashville Railroad between Shelbyville and Anchorage.

Station.	Latitude.	Longitude.
Shelbyville, 1.3 miles west of; Smithfield pike crossing of Louisville and Nashville R. R. at milk station, eenter of track.	38 13 11.4	85 14 06.3

# Geographic positions along highways on south border of quadrangle.

Station.	Latitude.	Loughten
Little Mount, four corners, 30 feet south to telephone pole, 36 feet north-	2 / /	1 7
west to stonewall, 90 feet east to corner of blacksmith shop	38 03 40.	1 85 45 46 3
Big Beech Creek, east end of covered bridge over, roads northeast, east,		
and southOld Marrattoy post-office, three corners, T road to east	38 03 15.	
Old Marrattoy post-office, in forks of road, in northwest corner of front	38 02 33,	7 85 13 00,6
yard to residence of W. M. Welch; iron post stamped "Prim. Trav.		
Sta. No. 5, 1905''	38 02 33.	4 85 13 00, 4
Briar Ridge Reformed Church, three corners at, three trees in triangle.	38 01 14.	
Briar Ridge Reformed Church, 1.4 miles southcast of, T road to north-		
east, junction of Van Buren and Mount Eden roads, 12 feet east to	00 00 55	0 (5 1) 04 5
gate, 18 feet northwest to corner of rail fence.  Little Beech Creek, center of, at second-class fork up valley.	38 00 55, 38 01 36,	
Mount Eden, about 1.25 miles southwest of, four corners, center of	90 UI 90.	5 85 10 40.6
road opposite barn, 20 feet west to barn door, 25 feet east to step at		
rock wall	38 02 06,	1 85 09 34.4
Mount Eden, about 2 miles south of, forks of roads south, southeast,		
and east, 60 feet northwest to old stump, 30 feet west to sycamore, 90		
feet southeast to dead tree	38 01 48.	7 85 08 31.4
southwest 25 feet southwest so gate, 10 feet north to barn	38 01 01.	0 85 08 15.5
Wycoff's old mill place, forks at roads northwest up hill and north-	00 01 01.	0 00 00 10.0
east of Crooked Creek, center of triangle at forks.	38 00 31.	2 85 07 27.1
Wycoff's old mill place, 1.2 miles southeast of, forks of roads north-		
west and southeast, 50 feet north to oak in yard, 15 feet southwest to		
rail fence.	37 59 48.	5 85 97 29, 2
Vandyke post-office, 0.5 mile east of, junction of Pleasant Grove Ridge road and Vanburen-Lawrenceburg pike, 375 feet west of, in north-		
east corner of front yard to residence of J. T. Edwards, iron post		
stamped 'Prim. Trav. Sta. No. 6, 1905'	37 59 05.	7 85 06 40, 4
Vandyke post-office, 0.5 mile east of, junction of Pleasant Grove Ridge		
road and Vanburen-Lawrenceburg pike, south edge of pike at junc-		
tion	37 59 08.	5 85 06 37.2
Vandyke post-office, about 2.5 miles east of, junction of Vanburen-		
Lawrenceburg and Mount Eden Lawrenceburg pikes, 20 feet north- west to stone wall, 50 feet southwest to large elm	38 00 22.	4 85 05 12.6
Timber Creek, center of covered bridge over.	38 00 15	
Glensboro, three corners at blacksmith shop, pike to south, 40 feet	00 00 10	
south to corner of yellow store, 40 feet southwest to corner of yellow		
dwelling	38 00 16.	.1 85 93 35, 5
Glensboro, 1.4 miles east of, forks of second-class road to northeast, 30	200 00 00	0 0 10 1
feet northwest to corner of stonewall, 50 feet east to apple tree Petty post-office, 0.25 mile north of, T road south, 50 feet southeast to	38 00 29.	6 85 02 10.4
telephone pole, 35 feet southwest to corner post of wire fence, 350		
feet south to covered bridge	38 00 30.	.8 85 01 31.0
Petty, 1 mile west of, forks of second-class road to southeast, 15 feet		
north to telephone pole painted "682," 60 fect east to oak tree	38 00 33.	4 85 00 30.5
Gudgel, blue-limestone post 28 by 6 by 6 inches, with hole drilled and		
"U. S. G. S." cut in top, in front yard of Lizzie Burgess's house, 1.2 feet from front fence, 19 feet west of gate, corner of buggy shed bears		
N. 77° 30′ W., distant 26.6 feet	38 00 34	7   84 59 27.6
2 do, dibutit solo icco		

TAYLORSVILLE QUADRANGLE (JEFFERSON, SHELBY, AND SPENCER COUNTIES).

Geographic positions along Louisville and Nashville Railroad between Shelbyville and Anchorage.

Station. Latitud			Latitude.			de.
	0	,	,,	0	,	
Milk station, second-class road crossing, center of track			52.8	85		11.1
Scotts station, pike crossing, eenter of track.	38	14	01.3	85		08.9
Seotts station, 1.3 miles west of, second-class road crossing, center of	90	1.4	01. 0	00	11	00. 9
track	38	13	29.6	85	18	24.5
Simpson ville station, 0.7 mile east of, second-elass road crossing, eenter	00	10	20.0	OO	10	24.0
of track.	38	13	33.6	85	20	35.9
Simpsonville, in southeast corner of grounds of Simpsonville Masonie	-		0.51 ()	( ( )	20	00.0
lodge, iron post stamped "Prim. Trav. Sta. No. 1, 1905"	38	13	20.8	85	21	33.4
Simpsonville, at west edge of, State pike crossing of Louisville and						
Nashville R. R., center of track. Connors station, road crossing, center of track.	38	13	21.4	85	21	44.7
Connors station, road crossing, center of track.	38	13	23.8	85	23	26.7
Longrun station, road erossing, center of main track.	38	13	48.0	85	25	30.0
Floyds Fork, 0.25 mile east of, road erossing, center of main track	38	14	25.8	85	27	37.0
Beekleys station, road erossing, center of track	38	15	02.6	85	28	32.3
Avoca station, road erossing, north rail, main track	38	15	22.1	85	30	01.0
Anchorage, 1 mile east of, road erossing at milepost "Lou 13," eenter of						
track	38	15	38.3	85	31	24.7

Geographic positions along highways on south border of quadrangle.

Station.			Latitude.			Latitude.			de.
Smithville, 0.9 mile southeast of, junction of Sal' River road and pike,	°	,	//	0	,	//			
10 feet northeast to rock wall, 90 feet south to crooked oak tree Smithville, 1.7 miles east of, three eorners, seeond-class T road to		00	41.3	85	29	53.3			
south, 10 feet south to gate.  Lueas ford of Sait River, 0.75 mile west of, T road to south, 35 feet	38	00	29.8	85	29	10.3			
south to red gate.  Lucas ford of Salt River, 600 feet north of, forks of road south and west.	38	00	40.6	85	28	14.7			
10 feet north to eorner of crib, 40 feet southwest to fence	38	01	19.2	85	28	11.1			
Waterford, 1.7 miles southwest of, loop in main road, second-class road to south at white barn, 70 feet north to large oak, 40 feet west to lot									
gate	38	01	07.6	85	27	06.6			
east, seeond-elass T road to southwest, 15 feet southwest to gate, 20									
feet south to corner of house	38	01	50.1	85	26	56. 4			
Elk Creek pikes, at blacksmith shop, 70 feet north to center of small	9.0	00	00.9	0,**	0.0	10.0			
bridge, 130 feet east to center of Plumb Creek			20.3	85		13.9			
feet north to mail box, 40 feet southwest to corner of wire fence Waterford, 2 miles west of, four corners near top of hill, second-class	38	02	03.9	85	25	22.5			
erossroads, 5 feet north to wire gate, 40 feet south to white gate	38	01	47.6	85	24	16.8			
Taylorsville, 2.4 miles west of, forks, roads east and south, 30 feet west to corner of wire and rail fence, 35 feet northeast to farm gate, 90 feet									
southeast to two walnut trees.  Taylorsville, 1.4 miles west of, forks, second-class road to northwest,	38	01	49.3	85	23	18.9			
15 feet north to wire fence, 35 feet south to board and wire fence, 60									
feet southeast to telephone pole.  Taylorsville, at west edge of, forks of pike north and west, 15 feet	38	01	42.2	85	22	29.8			
south to stonewall, 40 feet north to telephone pole	38	01	48.0	85	21	09.4			
post stamped "Prim. Trav. Sta. No. 4, 1905".	38	01	51.0	85	20	41.8			
Taylorsville, 1.6 miles east of, forks, second-class road to south Taylorsville, 2.1 mile east of, T road south, 35 feet southeast to eorner	38	02	00.5	85	19	00.8			
post of wire fence, 35 feet west to corner post of wire fence		01 02	$57.0 \\ 22.7$	85 85	18 17	23.2			
Three corners, second-class T road to north, 15 feet north to gate Little Mount, 17 miles west of, three corners, second-class road to	38					31.3			
northwest, 25 feet northwest to gate, 40 feet east to locust tree	38	02	55.3	85	16	24.6			

#### LOUISIANA.

#### PRIMARY TRAVERSE.

ASCENSION, EAST BATON ROUGE, AND IBERVILLE PARISHES.

#### BATON ROUGE QUADRANGLE.

The following geographic positions were determined by primary traverse in November, 1905, by C. B. Kendall, field assistant.

The line starts at Baton Rouge and runs northeasterly via high-ways to Comite post-office, thence southerly via Foreman, Hopevilla, and Dutchtown to Geismar, on the Yazoo and Mississippi Valley Railroad, thence northwesterly along said railroad to St. Gabriel.

Positions are based on the Baton Rouge astronomic datum as given in the report of the Chief of Engineers, United States Army, for 1887, Part IV, page 2783.

Geographic positions along highways.

Station.	Lat 'ude.		Lor	gitu	de.
	0	, ,,		,	//
Baton Rouge, brick tower on penitentiary		27 04. 2	91	10	55, 6
Cowboys' Exchange, road north		27 14. (		10	00.8
Three corners, road north		28 11. (		07	38.9
Three corners, road north	30	29 - 04. (	91	05	21.8
6 by 3 inches set 28 inches in ground, "G. S." cut in top of post	30	30 29. 3	91	01	55, 6
Comite, store and post-office, 300 feet southwest of, marble post 30 by	- OU	N) 29. c	91	UL	()(), ()
6 by 3 inches set 28 inches in ground, "G. S." cut in top of post; the					
two posts are 453 feet apart, azimuth between them is 34° 25′ 35″	30	30 25. 6	91	01	58, 6
Rosehill Baptist Church, T road south	30 :	29 41. 2	91	0.3	37. 2
Rosehill Baptist Church, 1.5 miles south of, four corners, township					
line, 20 feet northeast to corner of wire fence, 45 feet west to oak tree.	30	28 28, 0	91	03	28. 2
Harclson's store, 1.25 miles northwest of, road forks, second-class road   northwest, 40 feet northeast to bush, 50 feet southeast to bush	30	27 12. 0	91	04	15, 3
Harelson's store, three corners, T road north, 60 feet northeast to	- OG .	21 12.0	91	0/4	10.0
corner of store porch, 60 feet east to T road south	30	26 08. 0	91	03	56, 8
Jones Creek Church, 250 feet southeast of, three corners		25 56. 1		02	25. 6
Jones Creek Church, 1.75 miles southeast of, three corners near J. B.					
Cooper's mail box, 80 feet northwest to large oak, 90 feet south to					
corner wire fence.	30	25 40. 1	. 91	00	50.7
Phillips's (F. M.) mail box, three corners near, 20 feet northcast to cedar,	30	24 34. 2	91	00	56, 6
20 feet northwest to mail box.  Clay Gut road, three corners at junction with T road north, 35 feet	- OG .	24 04. 2	. 91	UU	.)O. O
northwest to corner of wire fence, 60 feet southeast to large live oak.	30	23 32.8	91	01	05.7
Foreman post-office, 1.5 miles north of, three corners, T road south, 40					
feet southwest to rail fence, 35 feet south to sweet gum		23 26. 4		()()	25. 6
Foreman post-office, 1,000 feet east of, three corners, T road north	30 :	22 12. 0	91	00	34. 0
Foreman post-office, 1,000 feet southeast of, at northeast corner of					
St. Luke's Baptist Church, iron post stamped "Prim. Trav. Sta.	30	22 09.	91	00	35. 1
No. 1, 1905''.  Hopevilla, 1 mile northwest of, three corners, T road northeast, 15	5U .	22 00. 9	191	()()	00. I
feet northeast to small bridge, 90 feet west to oak tree	30	21 23, 4	90	59	33, 3
Hopevilla, center of Bayou Manchat at Hampton Ferry		20 42.0			58. 0
Hopevilla, 0.75 mile south of, three corners, T road west, 25 feet south-					
west to corner of yard fence, 25 feet northwest to corner of rail fence.	30	20 - 07.2	90	58	54.2
Three corners, 200 feet southeast of store, T road east, 25 feet northeast				F-13	00.0
to corner of fence, 30 feet southwest to front-yard gate	30	19 17. 5	90	58	32. 9
Forks of road, north and northeast, 30 feet southwest to thorn tree,	30	18 48. 9	90	58	21. 4
110 feet northeast to locust tree		17 58. 2			28. 9
Township line, three corners on, T road east.  Forks of road at store, north and northeast, 70 feet east to store, 20	90				
feet west to wire fence.	30	17 29.0		58	42.0
Goodhone four corners at second-class road crossing.	30	16 20.0	90	59	02, 6
T. 9 S., R. 2 E., corner of sees. 14, 15, 22, and 23, 5 feet south of, four				W C	10.0
corners at Dutchtown	30	15 20. 2	90	59	19. 9
Dutchtown, southeast corner of intersection of public roads, in north					
face of corner of brick foundation of Picard, Geismar & Co.'s ware-	30	15 - 19, 8	90	59	19. 5
house, aluminum tablet stamped "Prim. Trav. Sta. No. 2, 1905" Dutchtown, 1.25 miles south of, center of Moore's bridge over New	()()	21/4 (	1		
River.	30	14 23.8	90	- 59	19.2
Three corners. T road west, 40 feet west to large oak, 60 feet northwest					
to geto		13 23. 9		- 00	13. 0
Three corners, T road southeast	30	12 32.8	91	01	05. 8

Geographic positions along Yazoo and Mississippi Valley Railroad, Geismar to St. Gabriel.

Station.	La	titu	de.	Long	de.	
	0	,	"	0	,	,,
Geismar station, road crossing 150 feet southcast of. Geismar, 125 feet southcast of station, 50 feet south of center of Yazoo and Mississippi Valley R. R., main track, in angle between railway and public road, Mississippi River Commission bench mark post "1891 P. B. M.," stamped "Prim. Trav. Sta. No. 3, 1905." A United States Geological Survey iron post was also set 1 foot west of Mississippi River Commission bench mark and stamped "Prim. Trav. Sta.	30	12	18. 4	91	01	21.0
No. 3, 1905 ''. Southwood station, 50 feet northwest of, center of main track, at road	30	12	18.3	91	01	21.9
crossing.			09. 9			56. 9
Ascension-Iberville parish line, center of track	30	13	22. 6	91	03	20. 7
100 feet northwest of cotton gin.	30	13	40, 4	91	03	53, 8
Bruns, 50 feet southeast of, road crossing	30	13	44. 9	91	04	02. 3
Bruns. 1.25 miles northwest of, second-class road crossing, point 10 feet west of.  St. Gabriel station, 150 feet west of center of main track, on south edge of sidewalk leading west from station, Mississippi River Commission bench mark marked "U. S. P. B. M. 1891." A United States	30	14	23, 3	91	05	13. 8
Geological Survey iron post was set near and stamped "Prim. Trav. Sta. No. 4, 1905"	30	15	30. 7	91	05	58, 0
St. Gabriel, 0.75 mile southwest of, chimney on old Bagatelle sugar			32, 3			22, 3
house	30	14	02, 0	91	00	22. 3

ASCENSION, ASSUMPTION, IBERVILLE, AND WEST BATON ROUGE PARISHES.

#### GROSSETETE AND WHITECASTLE QUADRANGLES.

The following geographic positions were determined by primary traverse run by C. B. Kendall, field assistant, in December, 1905. For the control of the Whitecastle quadrangle the line begins with the position of the east tower of the old Catholic Church at Donaldsonville and follows the Texas and Pacific Railway to Plattenville, thence along public roads west and northwest to the Whitecastle Lumber Company's railroad at Lake Natchez, thence along this railroad and public roads northeast to Whitecastle, thence along Texas and Pacific Railway to Plaquemine, where it is tied to the position of the Catholic Church spire

For the control of the Grossetete quadrangle the line begins with the position of the Catholic Church spire at Plaquemine and follows Bayou Plaquemine to its junction with Bayou Grossetete, thence along Bayou Grossetete northwest to Grossetete, thence along the Texas and Pacific Railway to Old Rosedale station, where it turns east along the old Louisiana Central Railroad grade to Baton Rouge and is tied to the position of the northwest tower of the Louisiana statehouse, also to primary traverse position as determined by E. L. McNair, topographer, in 1903.

A checked spur line was run from Old Rosedale station northwest along the Texas and Pacific Railway to Maringouin station.

Positions are based on the Baton Rouge datum, as given in the report of the Chief of Engineers, United States Army, for 1887, pages 2779–2784.

# GROSSETETE QUADRANGLE (BATON ROUGE AND IBERVILLE PARISHES).

# Geographic positions along highways.

Station.	Latitude.			Longitude.				
Plaquemine, west edge of, junction of Court street and Bayou road, 25 fect southwest to center of small bridge, 20 feet northwest to corner of store porch. Plaquemine, 2.2 miles southwest of, 600 feet east of oil-pumping sta-		, 17	05. 2	91	14	40, 0		
tion, three corners, second-class T road to south, 40 feet south to railroad.  Le Blanc's store, 1.1 miles northeast of, three corners T road to south	30	16	23. 1	91	15	30, 9		
10 feet south to gate, 40 feet southwest to oak tree, 50 feet north to center of railroad.  Le Blanc's store, three corners, T road to south, 30 feet south to gate.	30	15	52. 4	91	15	55. 8		
30 feet southwest to corner store porch. Cockleburr lumber mill, center of water tank. Crescent post-office, 0.7 mile southwest of, three corners, T road to south, 20 feet southwest to corner of yard fence, 40 feet southeast to	30 30		00. 8 51. 6	91 91	16 16	17. 3 54. 8		
corner of yard fence.  Ferguson's private ferry, three corners, road north to south landing	30	14	54. 1	91	17	17. 9		
of, 35 feet south to store door, 30 feet northeast to telephone pole Seymour Ferry across Bayou Plaqueminc, east landing of. Seymour Ferry, 150 feet north of east landing, at bend of road to south, at southwest corner of front-yard fence to residence of Frank	30 30	15 15	15. 1 30. 2	91 91		03. 7 10. 3		
Seymour, iron post stamped "Prim. Trav. Sta. No. 10, 1905" Seymour Ferry, 0.6 mile northwest of, three corners, T road east to Joe Carter's ferry, 40 feet northeast to sweet gum. 50 feet south to	30	15	31. 6	91	19	09. 7		
sycamore stump Seymour Ferry, 1.7 miles northwest of, center of bridge over small	30		55. 7	91		21. 6		
bayou.  Seymour Ferry, 2.6 miles northwest of, point of land at junction of bayous Choctaw and Grossette.	30	16 17	50. 7 30. 1	91 91	19	09. 3 56. 4		
Bayou William, 0.4 mile southeast of, three corners, second-class T road to west, at northeast corner of clearing, stake at west edge of								
road, marked "9-10".  Bayou William, center of bridge over.  Bayou William, 0.9 mile northwest of, three corners, second-class T road to west, 100 feet south of southeast corner of clearing, 100 feet		18 18	01. 5 23. 2	91 91	19 19	29. 6 39. 3		
north of northeast corner of clearing.  Bayou Catfish, 1.3 miles southeast of, scond-class road to south, 10	30	19	05. 2	91	19	53. 4		
feet west to locust, 90 feet north to edge of Bayou Grossetcte Bayou Catfish, 1.6 miles northwest of, three corners, second-class T road west, 150 feet south of southeast corner of clearing, 25 feet south-	30 30	19 20	49, 6 23, 9	91 91	20 21	45. 4 49. 5		
west to gum tree, 50 feet east to edge of Bayou Grossetete	30	21	33.6	91	22	29. 3		
tete. Grossetete, about 4.3 miles southeast of, at bend of bayou to north- west, forks of roads northwest and southwest, 60 feet southeast to	30	22	09.8	91	22	46, 9		
maple tree, 50 feet north to edge of Bayou Grossetete. Grossetete, 3 miles southeast of, three corners, second-class T road to southwest, 30 feet southwest to chinaberry tree, 30 feet south to	30	22	08.0	91	23	52, 5		
corner of wire fence, 15 feet northeast to top of levee. Grossetete, 1.6 miles southeast of, three corners, second-class T road leading over old drawbridge, 50 feet northwest to large live oak, 20	30	22	48.8	91	24	42.8		
feet west to end of fence.  Grossetete, 0.6 mile east of station, road crossing Texas and Pacific Rwy., 125 feet northwest of bridge over Bayou Grossetete, center of	30	23	48. 7	91	25	02. 2		
track	30	24	28. 9	91	25	26. 6		

# Geographic positions along Texas and Pacific Railway near Grossetete.

Station.	La	Latitude.			Latitude.			Longitude.				
Grossetete station, 100 feet northeast of, at edge of railroad right of way at corner of street, 50 feet north of center main track Texas and Pacific Rwy., iron post stamped 'Prim. Trav. Sta. No. 11, 1905'' Grossetete station, 0.9 mile northwest of, railroad crossing, Texas and Pacific Rwy. and lumber road leading west, center of track.  Old Rosedale station at crossing Texas and Pacific Rwy. and Old Louisiana Central R. R. grade, public road crossing, center of track	30 30	24 25	38. 9 08. 1 04. 9	91 91	26	03. 0 48. 3 51. 1						

# Geographic positions along old Louisiana Central Railroad grade.

Station.	Latitude.			Lor	ngitı	ide.
Rosedale post-office, four corners, 60 feet northwest to corner store, 30 feet southeast to corner of old platform, 180 feet east to center of bridge over Bayou Grossetete.  Rosedale post-office, 1.2 miles east of, small bayou, center of bridge over Rosedale post-office, 2.5 miles east of, center of bridge.  Lake Crocodile, center of iron bridge over.  Lake Crocodile, 1.6 miles east of, small bayou, center of bridge over	30 30	, 26 27 27 28 28	34. 5 12. 0 46. 8 41. 2 17. 0	91 91 91 91 91	, 27 26 25 23 21	08.1 06.1 01.5 15.1 48.3
Lake Crocodile, 2.6 miles east of, second-class wood road to north, center of old grade.	30	28	10.5	91	20	50. 5
Four corners at old sawmill place, 2.6 miles west of, three corners, second-class T lane to south, 10 feet south to small bridge. Four corners at old sawmill place, 2.1 miles west of, three corners, second	30	28	11.5	91	19	21.8
ond-class T road to south, 40 feet south to dead oak, 10 feet west to small bridge	30	28	11.0	91	18	49. 6
class T road to south, cane-field road to north, 20 feet south to corner of wire fence, 40 feet southwest to gum tree. Old sawmill place, on Selvy plantation, about 5 miles west of Port Allen, four corners, crossroads, 15 feet north to small bridge, 35 feet	30	28	09. 1	91	17	45. 3
South to wire fence.  Port Allen, about 5 miles west of, four corners at west end of old plank road on Savoy plantation, in southwest corner of intersection, from	30	28	10.0	91	16	44.0
post stamped "Prim. Trav. Sta. No. 13, 1905".  Port Allen, 3.8 miles west of, forks, roads southwest and southeast at schoolbouse, center of old grade, 100 feet southwest to front door of	30	28	09.6	91	16	44. 5
schoolhouse.  Port Allen, about 3 miles west of, second-class road crossing, center of	30	27	44. 1	91	15	46.1
old grade.  Port Allen, 1.5 miles west of, second-class road crossing, 50 feet east of	30	27	35, 6	91	14	56, 8
old trestle across three streams, center of old grade at road crossing	30	27	39, 5	91	13	27.3
Port Allen, at west edge of, crossing of Texas and Pacific Rwy, and old grade of Louisiana Central R. R., center of track.  Port Allen, West Baton Rouge court-house, in angle formed by east	30	27	42.0	91	12	35. 8
wall and north wall of porte-cochêre, iron post stamped "Prim. Trav. Sta. No. 14, 1905"	30	27	40.7	91	12	21. 2
Baton Rouge, intersection of Main and Lafayette streets, center of car track.	30	27	08.6	91	11	20.9
Baton Rouge, northwest tower of Louisiana statehouse, United States Engineers' triangulation station	30	26	51. 56	91	11	20, 29
Baton Rouge post-office, 150 feet east of, in park at foot of Church street, Mississippi River Commission P. B. M.	30	26	52. 87	91	11	15. 28
Baton Rouge, intersection of North boulevard and Dufrocq street, center of street-car track.	30	26	55. 6	91		07. 9
Baton Rouge, Cowboys' Exchange, three corners, T road to northwest.	30	27	14.9	91	10	00.7

### Geographic positions along Texas and Pacific Railway, Rosedale to Maringouin.

### [Checked spur line.]

Station.	Latitude.			Latitude.			Longitud		
New Rosedale station, 1,000 feet northwest of, road crossing, center of	0	,	"	0	,	"			
track	30	26	30. 9	91	28	19.6			
New Rosedale, 1.7 miles northwest of, at cotton gin, crossing of West Oak lane, center of track.	30	27	30. 1	91	29	21. 9			
Slack's cotton gin, 400 feet northwest of, road crossing, center of track.		27	56. 0	91		45. 5			
Maringouin, 1 mile southeast of, road crossing, center of track			44. 2	91		29.3			
track	30	29	30.5	91	31	11.4			
Maringouin station, 200 feet north of, at south corner of Joseph Wolf's department store, iron post stamped "Prim. Trav. Sta. No. 12, 1905"	30	29	32.0	91	31	09.9			

# WHITECASTLE QUADRANGLE (ASCENSION, ASSUMPTION, AND IBERVILL® PARISHES)

Geographic positions along Texas and Pacific Railway between Donaldsonville and Plattenville.

Station.	L	Latitude.			Longitue.		
Donaldsonville, east tower of old Catholic Church			18, 05			58, 25	
Donaldsonville, cross on Catholic convent.			14. 36			05, 25 05, 47	
Donaldsonville, freight station, 50 feet south of, Texas and Pacific Rwy.	0.0	()()	1 1. 1907	.70	+ 7.7	()-). 11	
main line, overhead crossing of St. Patrick street.	30	65	54.1	90	5.1	21.9	
Donaldsonville, 1.7 miles south of, second-class road crossing at trestle							
over small stream	30	05	12.1	90	5.1	35. 9	
Sugarhouse, 400 feet west of, eenter of track at road crossing.	30	()4	11.9	91	()()	16.8	
Belle Alliance, 0.75 mile north of, at Halfway station, road crossing,	0.0						
center of track			36, 9			47. 3	
Belle Alliance station, 100 feet south of, road crossing.  Belle Alliance, 1.1 miles south of, eenter of track; crossing signpost	30	US	08. 6	91	0.1	12.0	
stands 15 feet west of track.	20	0.9	14.8	0.1	0.1	32. 1	
Belle Alliance station, 1.8 miles south of, at sugarhouse, road crossing,	00	(12	14 0	17.1	OI	02.1	
center of track.	30	0.1	37.3	91	0.1	38. 9	
Sweet Home sugarhouse, tramroad erossing, 550 feet south of, road							
crossing, center of track	30	0.0	47.5	91	()]	38.9	
Plattenville, 100 feet north of station, road erossing, center of main							
track	29	- 59	41.9	91	01	06.4	

### Geographic positions along highways.

Station.	Latitude.			Longitude		
Plattenville, Catholic Church, in south face at southeast corner, alu-			//	0	,	"
minum tablet stamped "Prim. Trav. Sta. No. 5, 1905". Paincourtville, at junction of Bayou Lafourche and Lake Natchez roads, 400 feet northeast of Catholic Church, brick warehouse in	29	59	29. 4	91	01	23, 3
northwest corner of intersection, east corner.  Paincourtville, 0.6 mile north of, at Magnolia store, three corners, pub-	29	59	38, 3	91	03	14.9
lic T road to west, 60 feet southwest to corner of fence, 40 feet north to corner of store, 80 feet east to Bayou Lafourehe levee.	30	00	07.8	91	03	12.0
Paincourtville, 1 mile northwest of, Texas and Pacific and Southern Rwys. crossing, center of track.————————————————————————————————————	30	00	10.3	91	03	50.8
class road to south at bend of main road to northwest, 10 feet south to small bridge, 40 feet northeast to telephone pole	30	00	16.6	91	05	31. 5
Paincourtville, about 3.75 miles northwest of, three corners, second- class T road to west, at bend of main road to north	30	00	24. 2	91	06	32.0
at bend of main road to north, at corner of fence at northeast corner of intersection, iron post stamped "Prim. Trav. Sta. No. 6, 1905"	30	00	24. 4	91	06	31.7
Grand Bayou, at old bridge site (1905), about 700 feet north of store, center of stream	30 30	00	59, 5 56, 8	91 91		51. 1 14. 7
Bayou Corne, center of bridge over. Small bayou, center of bridge over. Bayou Pierrepas, east end of bridge over.		-00	48. 7 37. 2	91	09	56. 9 16. 1
Bayou Pierrepas, bridge over, 0.6 mile southwest of, three corners, see- ond-class T road west to Lake Natehez, 25 feet northeast to small						
bridge, 70 feet west to corner plank and wire fence, 35 feet east to hickory.  Bayou Pierrepas, bridge over, 0.6 mile southwest of three corners, see	30	00	16. 2	91	11	40, 8
ond-class T road west to Lake Natchez, at fonce corner at southwest corner of intersection, iron post stamped "Prim. Trav. Sta. No. 7,						41. ()
1905".  Bayou Natchez, 0.75 mile east of, forks, second-class roads west to	30	00	16.1	91	11	41. 6
Bayou Natchez and north to Whiteeastle Lumber Co.'s railroad, 35 feet south to live oak, 25 feet west to beech tree.  Whiteeastle Lumber Co.'s railroad, dwelling of Mr. Blanchard, on east	30	00	42.8			04.0
edge of Lake Natchez, chimney at south end of dwelling	30	01	51.8	91	13	06, 4

Geographic positions along Whitecastle Lumber Company's railroad.

Station.	La	titu	de.	Longitude			
Lake Natchez, east edge of, center of railroad, at edge of lake, 25 feet north to cypress tree with cross cut on face, 25 feet south to cypress tree with cross cut on face.  Second-class road crossing, 1,400 feet north of end of long trestle  Branch railroad northwest, 250 feet east of, road crossing, center of track.	30 30 30	05	42. 4 06. 7 20. 8		13	07. 3 10. 4 42. 3	

# Geographic positions along highways.

Station.	La	titu	de.	Lon	gitu	de.
Richland lane, junction of railroads about 1,000 feet north of store, bridge over small stream crossing lane, center of bridge	0 30	, 06	56. 1	o 91	11	27. 7
Three eorners, T road west, 20 feet west to field gate, 260 feet north to second-class T road east.			06. 0			44. 1
Three corners, T road northwest, 30 feet west to corner of wire fence, 80 feet northeast to gum tree.  Cane railroad crossing, center of track.	30		34. 2			26. 5
Cane railroad crossing, center of track.	30	09	19 5	91	09	57.8

### Geographic positions along Texas and Pacific Railway between Whitecastle and Plaquemine.

Station.	L	titi	ude.	Lo	ıde.	
Whitecastle station, 0.36 mile northwest of, road crossing, north rail. Whitecastle station, 0.36 mile northwest of, at crossing of Richland lane and Texas and Pacific Rwy., at corner of fence, 65 feet west of crossing, 30 feet south of center of Texas and Pacific Rwy., iron post stamped "Prim. Trav. Sta. No. 8, 1905".  Dorseyville station, 1.25 feet southeast of, road crossing, center of track. Dorseyville station, 1.2 miles northwest of, road crossing, center of track. Bayou Goula, 50 feet southeast of, road crossing at platform at trestle No. 80 D, center of track.  Seymourville station, 1.4 miles southeast of road crossing and cane railroad crossing Texas and Pacific Rwy., center of tracks.  Seymourville, road crossing, center of tracks.  Seymourville, road crossing, center of tracks.  Plaquemine station, 50 feet south of, main street crossing, center of main track.  Plaquemine, in north face at northwest corner of Iberville Parish court-house, aluminum tablet stamped "Prim. Trav. Sta. No. 9, 1905".  Plaquemine, Catholic Church spire, United States engineers' triangulation point.	30 30 30 30 30 30 30 30 30	10 10 10 11 12 13 15 16 17	23. 9 35. 7 22. 7 22. 9 36. 1 34. 8 42. 1 30. 6 33. 8 31. 97	91 91 91	09 09 10 11 11 13 13 14	17. 1 17. 8 43. 8 30. 5 06. 2 49. 8 00. 5 40. 6 12. 0 01. 3 02. 85

# BOSSIER, CADDO, AND DE SOTO PARISHES.

#### MANSFIELD AND SHREVEPORT QUADRANGLES.

The following geographic positions were obtained by primary traverse run by Sledge Tatum in 1905, incidental to the primary-traverse control in northeastern Texas. These positions form a portion of the circuit extending from Marshall, Tex., via Shreveport, La., to Atlanta, Tex., and are given on the United States standard datum.

### MANSFIELD QUADRANGLE DE SOTO (PARISH)

# Geographic positions along Texas and Pacific Railway near Greenwood.

Station.	TARREST CONTRACTOR CON				Longitude				
		1	11						
Louisiana-Texas State line, road north and south	32	28	22. 6	94	02	33.2			
Road crossing.			55. 9			36. 7			
Road crossing	32	27	25, 6	94		30. 1			
Cattle guard	32	27	10.2	93	59	05.0			
Greenwood, 30 feet east of station, road crossing	32	26	56. 0	93	58	24.7			
	32	26	54.9	93	58	18.2			
guard, iron post	32	26	53. 4	93	-58	11.4			
Road crossing.	32	26	53. 1	93	- 57	13. 2			
Missouri, Kansas and Texas Rwy. crossing.	32	26	39.6	93	56	16. 4			
Gattle guard.  Greenwood, 30 feet east of station, road crossing.  Greenwood, 600 feet east of station, in concrete abutment, Coast and Geodetic Survey bench-mark tablet.  Greenwood, 0. 25 mile east of, 36 feet south of track, east side of cattle guard, iron post.  Road crossing.  Missouri, Kansas and Texas Rwy. crossing.	32 32 32 32 32 32	27 26 26 26 26 26	10. 2 56. 0 54. 9 53. 4 53. 1	93 93 93 93 93	59 58 58 58 58 57	05 24 18 11 13			

### Geographic positions along Missouri, Kansas and Texas Railway between Flourney and Jewella.

Station.	Latitude.			Latitude.			Longitude.				
Flourney flag station, road crossing	32 32	26 27	52. 2 01. 0	9.	3 5	4 2	04. 8 30. 2				
Road crossing.  Jewella flag station, road crossing.  Shreveport, near Kansas City Southern Rwy, crossing.  Cattleguard, Kansas City Southern Rwy, 40 feet east of ttack, iron post stamped "Prim. Tray. Sta. No. 153".	32 32	28 29	26. 8 19. 5 34. 9	9	3 4	17 15	33. 2 47. 6 36. 2				

### SHREVEPORT QUADRANGLE (BOSSIER AND CADDO PARISHES).

### Geographic positions along Kansas City Southern Railway, Shreveport to Bloomsburg.

Station.	Latitude.			Longitude.		
		/	11		/	//
Road crossing.	32	31	22.6	93	40	04. 8
Milepost 552, road crossing		32	35. 5	93	50	
Milenost 550	32	33		93	52	11.8
Milepost 550. Milepost 549, road crossing 500 feet north of.		34		93	52	
Blanchard, 1,900 feet north of, 35 feet west of track, at south side of	-					
wagon road crossing, iron post stamped "Prim. Trav. Sta. No. 184".	32	35	12.4	93	53	43.1
Road crossing.	32	37	04.0	93	54	46.2
Milepost 544, road crossing.	32	38	05. 4	93	55	32.3
Milepost 542.	32	39	21.4	93	56	54.6
Thirty-six feet east of track, 340 feet north of road crossing, iron post						
stamped "Prim. Trav. Sta. No. 213"	32	40	39. 3	93	57	15. 2
Mooringsport, 100 feet north of station, road crossing	32	41	37.7	93	57	27.6
Caddo flag station, road crossing, 30 feet west of track, south of road,						
iron post stamped "Prim. Trav. Sta. No. 234"	32	45	28. 9	93	58	25. 8
Ananias flag station, road crossing	32	41	40.1	93	58	14.7
Milepost 532.	32	47	52. 5	93	58	
Milepost 530	32	49	37. 1	93		51.8
Road crossing	32	51	40.5	93	59	09. I
Vivian station, 500 feet south of, road crossing, 30 feet west of track, on						
east side of wagon road, iron post stamped "Prim. Trav. Sta. No.						
259"			15. 4	93	59	
Milenost 594	32	54	38. 9	93	58	50. 3
Myrtistown, 32 feet west of track, 8 feet south of milepost 523, iron post						
stamped "Prim. Trav. Sta. No. 273"	32	55	23. 4	93	59	23. 1
•						

#### MICHIGAN.

#### PRIMARY TRAVERSE.

#### LIVINGSTON COUNTY.

#### HOWELL QUADRANGLE.

The line begins at an adjusted position near the northwest corner of the Milford quadrangle, follows highways west and south near the borders of the quadrangle, and is tied to the end of a spur line at Anderson run in 1901 by Mr. G. T. Hawkins.

### Geographic positions along highways.

Station.	Latitude.		Longitude.			
	0	,	,,	0	,	"
T. 4 N., R. 6 E., corner sees. 19, 20, 29, and 30, erossroads	42	43	17.9	83	46	59.3
T. 4 N., R. 6 E., west eorner sees. 19 and 30.	42	43	15.6	83	48	08, 5
T. 4 N., R. 5 E., east corner secs. 24 and 25	42	43	15.2	83	48	08.5
T. 4 N., R. 5 E., eorner secs. 23, 24, 25, and 26, crossroads	42	43	13.0	83	49	18.9
T. 4 N., R. 5 E., eorner secs. 22, 23, 26, and 27, T road east	42	43	10.5	83	50	29.6
T. 4 N., R. 5 E., eorner secs. 21, 22, 27, and 28, crossroads	42	43	08.2	83	51	40.6
T. 4 N., R. 5 E., corner secs. 21, 22, 27, and 28, 20 feet southwest of; iron	10		0 = =			
post stamped "Prim. Trav. Sta. No. 16, 1905, Mich."	42	43	05.5	83	52	51.4
Sehoolhouse, four eorners T. 4 N., Rs. 4 and 5 E., eorner sees. 19, 30, 25, and 24	42 42	43 43	03.9 $00.5$	83 83	54 55	$02.8 \\ 08.9$
Railroad, T road east 0.25 mile west of	42	43	10.8	83	56	55.2
Cemetery, crossroads 0.25 mile west of	42	42	30.0	83	58	04. 0
Autcliff (E. D.), house, 140 feet west of; on west side north-south road;	12	12	00.0	00	00	01.0
iron post stamped "Prim. Trav. Sta. No. 17, 1905, Mich."	42	42	14.7	83	59	49.8
T. 4 N., R. 4 E., eorner sees. 28, 29, 32, and 33, crossroads	42	42	02.2	83	59	49.0
T. 4 N., R. 4 E., south corner secs. 32 and 33, T road north	42	41	09.6	83	59	46.4
T. 3 N., R. 4 E., quarter corner between secs. 8 and 9, crossroads	42	39	55.2	83	59	41.6
T. 3 N., R. 4 E., eorner sees. 16, 17, 20, and 21, crossroads	42	38	35.7	83	59	38.6
T. 3 N., R. 4 E., quarter eorner between sees. 28 and 29, erossroads	42	37	17.5	83,	59	36.7
Corner secs. 4, 5, 32, and 33, 1,025 feet north of, east side of north-south						
road, large oak across road bears S. 80° W., distant 46 feet; iron post	40	0.0	00.0	0.9	20	24.0
stamped "Prim. Trav. Sta. No. 18, 1905, Mich".	42 42	36 35	$09.0 \\ 58.9$	83 83	59 59	$34.8 \\ 34.7$
Tps. 2 and 3 N., R. 4 E., corner sees. 4, 5, 32, and 33, erossroads Troad north, large house 100 feet northwest, large barn 150 feet north-	42	99	58.9	86	99	34. 1
east	42	35	21.9	84	00	22.1
T. 2 N., R. 4 E., quarter corner between secs. 6 and 7, T road south	42	34	56.2	84	01	13. 4
T. 2 N., R. 4 E., quarter corner between secs. 7 and 18, T road east	42	34	03. 7	84	01	09.0
Church and store, crossroads.	42	32	45. 7	84	01	21.4
	42	32	06.9	84	01	07.9
T road east. Tps. 1 and 2 N., R. 4 E., quarter corner between secs. 6 and 31, cross-						
roads	42	30	36.3	84	01	08.7
Quarter corner between sees. 6 and 7, T road east at, 40 feet southeast						
of, on cast side of north-south road; iron post stamped "Prim. Trav.	467	00	10.0	0.1	0.1	0.4.0
Sta. No. 19, 1905, Mich."	42	29	46.9	84		04.6
T. 1 N., R. 4 E., quarter corner between secs. 7 and 18, crossroads	42 42	28 28	54.5	84 84	01	00.4
Anderson station	42	28	02.6	84	00	40.2

### LAPEER, MACOMB, AND OAKLAND COUNTIES.

#### LEONARD QUADRANGLE.

This line starts from an adjusted position near the northwest corner of the Rochester quadrangle and follows highways north to Oxford, thence along the Michigan Central Railway to Hunters Creek, thence east and south along highways to an adjusted position near the northeast corner of the Rochester quadrangle.

# Geographic positions along highways.

Station.	Latitude.	Longitude.		
T. 4 N., R. 10 E., quarter corner between sees. 14 and 23, crossroads Orion, crossroads 1 mile south of Orion, crossroads at Commercial Hotel Orion, railway crossing under track 1 mile northwest of	42 46 02.5 42 47 04 1	83 14 48.7 83 14 22.3 83 14 24.0 83 14 47.8		

# Geographic positions along Michigan Central Railway, Oxford to Hunters Creek.

Station.	Latitude.		Longitude.			
Oxford, crossing Michigan Central Rwy. and Pontiae, Oxford and Northern R. R. Oxford, railway crossing 1.25 miles north of. Thomas, 0.75 mile south of, railway crossing east and west. Thomas, 0.25 mile north of, railway crossing east and west, on county line. Thomas, 0.25 mile north of, on west edge of railway right of way, north side of east-west road; iron post stamped "Prim. Trav. Sta. No. 6,	42 42 42 42	49 50 52	39. 4 32. 5 07. 5	83 83	16 17	49.4
1905, Mich." Milepost 59, east-west road crossing 800 feet south of Milepost 58, east-west road crossing overhead 800 feet south of Matamora, crossing just north of station Matamora, 1 mile north of, east-west crossing Township line, east-west road crossing on Hunters Creek, east-west road crossing.	42 42 42 42 42 42	55 56 57 58		83 83 83 83 83 83 83	18 18 17 17	51. 4 09. 1 03. 9 17. 4 02. 2 07. 9 33. 4

# Geographic positions along highways near north and east borders of quadrangle.

Station.	Latitude.	Longitude.
	0 / //	0 / //
T. 7 N., R. 10 E., corner sees. 27, 28, 33, and 34, T road north	42 59 07.9	83 16 53.0
T. 7 N., R. 10 E., corner secs. 26, 27, 34, and 35, erossroads	42 59 09.1	83 15 42.5
Corner secs. 26, 27, 34, and 35, 120 feet east and 20 feet north of, north		
side of east-west road, iron post stamped "Prim. Trav. Sta. No. 7,		
1905, Mich."	42 59 09.1	83 15 40.8
T. 7 N., R. 10 E., corner secs. 25, 26, 35, and 36, crossroads	42 59 11.0	83 14 32.3
T. 7 N., R. 10 E., corner secs. 25 and 36, T road west at east corner of		83 13 21.3
T. 7 N., R. 11 E., corner sees. 28, 29, 32, and 33, three corners		83 11 00.3
T. 7 N., R. 11 E., corner secs. 27, 28, 33, and 34, T road east	42 59 17.9	83 09 50.2
T. 7 N., R. 11 E., corner sees. 27, 28, 33, and 34, 875 feet east of, on		
south side of east-west road; iron post stamped "Prim. Trav. Sta.	42 59 18.1	83 09 38.5
No. 8, 1905, Mich." T. 7 N., R. 11 E., corner secs. 26, 27, 34, and 35, T road east.		83 08 39.5
T. 7 N., R. 11 E., corner secs. 25, 26, 35, and 36, crossroads		83 07 29.0
T. 7 N., R. 12 E., west corner secs. 30 and 31, T road east		83 06 18.2
T. 7 N., R. 12 E., corner sees. 29, 30, 31, and 32.		83 05 08.5
T. 7 N., R. 12 E., south corner secs. 33 and 34, erossroads.		83 02 44.2
T. 7 N., R. 12 E., south corner secs. 33 and 34, west side of north-south		
road 600 feet south of, 50 feet southeast of E. Harrington's house;		
iron post stamped "Prim. Trav. Sta. No. 9, 1905, Mich."	42 58 37.1	83 02 44.1
T. 6 N., R. 12 E., corner secs. 3, 4, 9, and 10, crossroads	42 57 46.8	83 02 51.8
T. 6 N., R. 12 E., corner sees, 9, 10, 15, and 16, crossroads		83 02 49.1
T. 6 N., R. 12 E., corner secs. 15, 16, 21, and 22, crossroads	42 56 05.0	83 02 46.4
T. 6 N., R. 12 E., corner secs. 21, 22, 27, and 28, crossroads	42 55 11.2	83 02 42.8
T. 6 N., R. 12 E., corner secs. 27, 28, 33, and 34, crossroads	42 54 18.7	83 02 40.0
Tps. 5 and 6 N., R. 12 E., corner secs. 3, 4, 33, and 34, crossroads	42 53 21.7	83 02 36.5
Almont, 3 miles south of, 1,050 feet south of Karl Schroder's house, 250		
feet south of fork to southeast, east side of north-south road; iron	40 50 95 1	83 02 32.0
post stamped "Prim. Trav. Sta. No. 10, 1905, Mich.".	42 52 35.1 42 52 25.2	83 02 32.0 83 02 31.8
T. 5 N., R. 12 E., corner secs. 3, 4, 9, and 10, crossroads		83 02 28.9
T. 5 N., R. 12 E., corner sees. 9, 10, 15, and 16, crossroads		83 02 26.9
T. 5 N., R. 12 E., corner sees. 15, 16, 21, and 22, T road north		83 02 22.8
T. 5 N., R. 12 E., corner secs. 27, 28, 33, and 34, crossroads		83 02 21.1
T. 5 N., R. 12 E., south corner sees, 33 and 34, T road north		83 02 19.8
T. 4 N., R. 12 E., north corner sees. 3 and 4, 1 load soddi		83 02 18.4
T. 4 N., R. 12 E., corner secs. 9, 10, 15, and 16, crossroads		83 02 16.5
T. 4 N., R. 12 E., corner secs. 15, 16, 21, and 22, crossroads	42 45 22.8	83 02 14 7

#### LIVINGSTON AND OAKLAND COUNTIES.

#### MILFORD QUADRANGLE.

This line starts from an adjusted position at New Hudson, follows highways west, north, and east near the borders of the quadrangle, and is tied to an adjusted position near the northwest corner of the Pontiac quadrangle.

# Geographic positions along highways.

Station.	Latitude.	Longitude.		
New Hudson station County line, road south ½ mile east of County line, north road on Church, crossroads.  Tps. 1 and 2 N., R. 6 E., quarter corner secs. 3 and 34 T. 2 N., R. 6 E., quarter corner between secs. 27 and 34, three corners. T. 2 N., R. 6 E., corner secs. 21, 22, 27, and 28, crossroads. T. 2 N., R. 6 E., corner secs. 20, 21, 28, and 29, T road east. Schoolhouse, five corners East side of north-south road, Mr. Bucck's house bears northwest,	0 / " 42 30 31.4 42 30 58.8 42 31 01.4 42 30 59.5 42 31 52.1 42 32 44.0 42 32 44.0 42 32 44.3 42 34 53.8	83 36 43.4 83 39 34.7 83 40 14.4 83 41 25.4 83 43 11.1 83 43 14.8 83 43 53.6 83 45 04.6 83 45 12.2		
distant 250 fect, and his barn bears northeast, distant 100 feet; iron post stamped "Prim. Trav. Sta. No. 13, 1905, Mich."  Schoolhouse, T road west.  Hartland, crossroads 1.5 miles south of.  Hartland, T road east at hotel.  T. 3 N., R. 6 E., corner sees. 4, 5, 8, and 9, crossroads.  T. 4 N., R. 6 E., south corner sees. 32 and 33, T road north.  T. 4 N., R. 6 E., corner sees. 28, 29, 32, and 33, crossroads.  T. 4 N., R. 6 E., corner sees. 20, 21, 28, and 29, crossroads.  T. 4 N., R. 6 E., corner sees. 16, 17, 20, and 21, crossroads.  T. 4 N., R. 6 E., corner sees. 16, 17, 20, and 21, crossroads.	42 36 31.5 42 37 05.1 42 37 58.2 42 39 24.1 42 40 36.4 42 41 34.5 42 42 27.5 42 43 20.3 42 <sub>e</sub> 44 12.8	83 44 53.2 83 45 00.6 83 45 10.8 83 45 16.4 83 45 37.7 83 45 42.6 83 45 45.9 83 45 45.9 83 45 52.1		
side of cast-west road; fron post stamped "Prim. Trav. Sta. No. 14, 1905, Mich."  7. 4 N., R. 6 E., corner sees. 15, 16, 21, and 22, crossroads.  7. 4 N., R. 6 E., corner sees. 14, 15, 22, and 23, crossroads.  7. 4 N., R. 6 E., corner sees. 13, 14, 23, and 24, T road west.  7. 4 N., R. 6 E., quarter corner between sees. 13 and 14, T road cast  County line, crossroads.  County line, crossroads 1 mile east of.  On south side of road 1 foot north of cemetery fence and 30 feet east of	42 44 12.8 42 44 15.0 42 44 17.3 42 44 19.5 42 44 45.9 42 44 40.4 42 47 42 47 47 48 48 48 49 49 49 49 49 49 49 49 49 49 49 49 49	83 45 48.1 83 44 40.1 83 43 29.7 83 42 17.2 83 42 18.6 83 41 07.0 83 39 58.6		
cemetery gate; iron post stamped "Prim. Trav Sta. No. 15, 1905, Mich." Rose Center, railway crossing north of station T. 4 N., R. 7 E., quarter corner between sees. 14 and 23, T road south. T. 4 N., R. 7 E., quarter corner between sees. 13 and 24, crossroads T. 4 N., R. 7 E., cast sixteenth corner sees. 13 and 24 T. 4 N., R. 8 E., center see. 20, T road north.	42 44 18.4 42 43 53 7 42 44 28.6 42 44 30.5 42 44 32.2 42 44 09.5	83 38 47.8 83 37 03.4 83 35 48.9 83 34 37.8 83 34 02.6 83 32 13.2		

#### OAKLAND COUNTY.

#### PONTIAC QUADRANGLE.

The following geographic positions were determined by primary traverse in 1905 by George T. Hawkins, topographer. The line starts from a point near the northeast corner of the quadrangle, follows highways west and south, and connects with an adjusted position on a line determined by J. R. Ellis in 1903.

# Geographic positions along highways.

#### MACOMB AND OAKLAND COUNTIES.

#### ROCHESTER QUADRANGLE.

The following geographic positions were determined by primary traverse in 1905 by George T. Hawkins, topographer. The line starts from an adjusted position determined by J. R. Ellis in 1903, follows highways north, west, and south near the borders of the quadrangle, and is connected with a position on the same adjusted line as starting point.

Station.		titu	ide.	Longitude.				
T. 1 N., R. 12 E., corner secs. 10, 11, 14, and 15. T. 1 N., R. 12 E., corner secs. 2, 3, 10, and 11, crossroads. Tps. 1 and 2 N., R. 12 E., corner secs. 2, 3, 34, and 35. Tps. 1 and 2 N., R. 12 E., corner secs. 3, 4, 33, and 34, crossroads. T. 2 N., R. 12 E., corner secs. 27, 28, 33, and 34 crossroads. T. 2 N., R. 12 E., corner secs. 21, 22, 27, and 28 crossroads. T. 2 N., R. 12 E., corner secs. 15, 16, 21, and 22, T road west at schoolhouse. T. 2 N., R. 12 E., corner secs. 9, 10, 15, and 16, crossroads. Utica, 1.5 miles south of, at August Gash's residence, on west side of north-south road, 5 feet from fence; iron post stamped "Prim. Trav. Sta. No. 2, 1905" Tps. 2 and 3 N., R. 12 E., corner secs. 2, 3, 33, and 34, T road north. T. 3 N., R. 12 E., corner secs. 27, 28, 33, and 34 crossroads. T. 3 N., R. 12 E., corner secs. 21, 22, 27, and 28, crossroads.	42 42 42 42 42 42 42 42 42 42 42 42 42 4	30 31 32 32 33 33 34	16. 7 13. 3 10. 9 03. 4 55. 9 48. 4 41. 2	83	00 00 01 01	25. 1 27. 6 30. 1 46. 0 44. 5 46. 9		

Geographic positions along highways—Continued.

Station.	Latitude.	Longitude.			
T. 3 N., R. 12 E., corner secs. 9, 10, 15, and 16, crossroads at Disco T. 3 N., R. 12 E., corner secs. 3, 4, 9, and 10, crossroads. Tps. 3 and 4 N., R. 12 E., corner secs. 3, 4, 93, and 34, crossroads T. 4 N., R. 12 E., corner secs. 27, 28, 33, and 34, T road east T. 4 N., R. 12 E., 18 feet southeast of southeast corner sec. 21, two mail boxes at southeast corner of square, marked "Mary Keeler" and	42 41 01.6 42 41 53.8 42 42 48.7 42 43 40.3	83 02 04.3 83 02 05.4 83 02 07.3 83 02 10.2			
"Fred G. Bravnier," 36 feet from bench-mark, iron post stamped "Prim. Trav. Sta. No. 3, 1965".  T. 4 N., R. 12 E., corner secs. 20, 21, 28, and 29.  Mount Vernon crossroads, T. 4 N., R. 12 E., quarter corner between	42 44 33.1 42 44 31.6	83 02 12.3 83 03 24.7			
secs. 19 and 30. T. 4 N., R. 11 E., quarter corner between secs. 23 and 26, T road south. T. 4 N., R. 11 E., corner secs. 22, 23, 26, and 27, crossroads. T. 4 N., R. 11 E., secs. 22, 23, 26, and 27, 100 feet west and 15 feet south	42 44 28.9 42 44 26.3 42 44 25.6	83 05 12.7 83 07 34.7 83 08 10.0			
of corner, iron post stamped "Prim. Trav. Sta. No. 4, 1905". T. 4 N., R. 11 E., crossroads between secs. 21 and 28. T. 4 N., R. 11 E., corner secs. 19, 20, 29, and 30, crossroads. T. 4 N., R. 10 and 11 E., corner secs. 19, 30, 24, and 25, T road east T. 4 N., R. 10 E., crossroads between secs. 23 and 24. T. 4 N., R. 10 E., in sec. 23, 660 feet north of T road west, in front of George Porritt's house, on west side of north-south road, iron post	42 44 25.4 42 44 23.6 42 44 20.6 42 44 19.2 42 44 33.0	83 08 11.2 83 09 41.8 83 11 49.2 83 12 55.4 83 14 07.5			
George Formitt's nouse, on west side of north-south road, fron post stamped "Prim Tray. Sta. No. 5, 1905"?  T road west. T. 4 N., R. 10 E., quarter corner between secs. 26 and 35, crossroads T road west. Schoolhouse, road east. Schoolhouse, crossroads 0.75 mile south and 0.25 mile west of. Large brick house, three corners. Brick schoolhouse, crossroads T. 3 N., R. 10 E., corner secs. 23, 24, 25, and 26, T road north. Auburn, T road south, 1 mile northeast of. T. 3 N., Rs. 10 and 11 E., corner secs. 1, 6, 31, and 36, crossroads T, 2 N., Rs. 10 and 11 E., corner secs. 1, 6, 7, and 12, corssroads. Birmingham, 4 miles north of, T. 2 N., Rs. 10 and 11 E., corner secs. 1, 6, 7, and 12 bears N. 39 30' W., distant 420 fect; oak tree on west side of road bears N. 80' W., distant 450 fect; oak tree on west side of road bears N. 80' W., distant 450 fect; oak tree on west side of	42 44 16.7 42 44 08.0 42 43 22.1 42 42 30.8 42 41 23.0 42 49 41.2 42 38 56.5 42 38 57.6 42 38 47.5 42 38 01.4 42 37 14.4 42 37 16.8	83 14 43.2 83 14 41.5 83 14 33.0 83 14 29.0 83 14 46.1 83 14 52.6 83 13 45.4 83 12 38.1 83 12 38.3 83 12 38.5 83 12 30.8			
iron post stamped "Prim. Trav. Sta. No. 1, 1905" T. 2 N., Rs. 10 and 11 E., corner secs. 7, 18, 13, and 12. T road east T. 2 N., Rs. 10 and 11 E., corner secs. 13, 18, 19, and 24, crossroads T. 2 N., Rs. 10 and 11 E., corner secs. 24, 25, 19, and 30, crossroads	42 36 12.4 42 35 23.4 42 34 32.0 42 33 37.5	83 12 30.5 83 12 28.6 83 12 26.1 83 12 23.6			
T. 2 N., Rs. 10 and 11 E., corner secs. 25, 30, 31, and 36, crossroads 0.5 mile east of Birmingham.  Tps. 1 and 2 N., R. 10 E., corner secs. 1, 2, 35, and 36.  T. 1 N., R. 10 E., corner secs. 1, 2, 11, and 12, crossroads.  T. 1 N., R. 10 E., corner secs. 11, 12, 13, and 14.	42 32 47.9 42 31 52.0 42 31 00.5 42 30 07.8	83 12 21.2 83 13 26.5 83 13 24.2 83 13 21.4			

#### MISSISSIPPI.

#### PRIMARY TRAVERSE.

COPIAH, HINDS, MADISON, RANKIN, SIMPSON, AND WARREN COUNTIES.

BRANDON, EDWARDS, FLORENCE, JACKSON, RAYMOND, TERRY, AND VICKSBURG QUADRANGLES.

The following geographic positions were determined from primary traverse by J. R. Ellis in 1902 and 1903. The line between Vicksburg and Jackson was run and duplicated, giving a checked value for Jackson which was based on United States Mississippi River Commission triangulation station Trinity Church spire, as given on page 2805 in the report of the Chief of Engineers, United States Army, 1887. This line follows the Alabama and Vicksburg Railway. A spur line was run northward from Jackson along the Yazoo and Mississippi Valley Railroad to Pocahontas. A spur line was also run southward from Jackson, following the Illinois Central Railroad to the line

between Hinds and Copiah counties. Another line was run eastward from Jackson along the Alabama and Vicksburg Railway to the range line between Rs. 3 and 4 E.

In 1905 C. B. Kendall, field assistant, extended lines around the borders of the Florence, Jackson, Raymond, and Terry 15' quadrangles, starting at Pocahontas, tying to the positions at Bolton, county-line post near Crystal Springs and Brandon, and closing at Pocahontas.

### BRANDON QUADRANGLE (RANKIN COUNTY).

Geographic positions along Alabama and Vicksburg Railway from Brandon station to T. 5 N., Rs. 3 and 4 E., sees. 7 and 12.

Station.	Latitude.	Longitude.				
Road crossing north and south T. 5 N., Rs. 3 and 4 E., quarter corner between secs. 7 and 12	32 17 28.6 32 17 25.4	89 58 39.3 89 56 15.4				

### Geographic positions along highways.

· Station-	La	titu	ide.	Lon	gitu	de.
Brandon, 1 mile south of, forks of roads south and southwest, 30 feet	c	,	//	0	,	"
north to double oak and signboard "Brandon 1 mile"			27.1			23.1
Brandon, four corners at church, street crossing.  Brandon, Rankin County court-house, set in southwest corner of iron picket fence around, iron post stamped "Prim. Trav. Sta. No. 12.	32	16	06.9	89	59	22.8
1905''	32	16	22.5	89	59	13.6
Brandon, at northwest edge of, public roads north and west, 30 feet southwest to telephone pole, 20 feet northeast to plank walk	20	1.0	35.9	00	50	37.6
Brandon, Alabama and Vicksburg Rwy., center of main track oppo-	-02	10	50.9	89	99	31.0
site telegraph office	32	17	08.0	89	59	44.4
Brandon, 0.5 mile north of station; three corners, public T road to	200	177	97 0	0	50	F1 C
northwest, 40 feet northwest to gate, 50 feet south to persimmon tree. Brandon, 1.7 miles north of station, forks of roads north and northwest, 30 feet north to oak and signboard "Fanning 8 mi.," 20 feet	32	17	37.9	89	99	51.6
west, 30 feet horth to oak and signboard Familing 8 mil., 20 feet west to oak.	32	18	31.2	89	59	28.6
Brandon, 2.6 miles north of station, forks of second-class roads to east.			07.4	89	59	56.7

#### EDWARDS QUADRANGLE (WARREN COUNTY).

Geographic positions along Alabama and Vicksburg Railway from Bovina station castward.

Station.	Latitude.	Longitude.
Bovina station.  Road crossing east and west T. 6 N., R. 5 W., corner sees. 22, 23, 26, and 27  Smith station.  Road crossing north and south. Road crossing north and south. Edwards, Main street, crossing of. Road crossing northwest and southeast T. 6 N., Rs. 4 and 3 W., corner sees. 19, 24, 25, and 30 T. 6 N., R. 3 W., quarter corner between sees. 20 and 21	32 20 31.7 32 20 21.1 32 20 07.3 32 19 51.6 32 19 46.3 32 19 55.1 32 20 29.0	90 42 52.0 90 41 23 3 90 40 24.9 90 39 19 7 90 38 06.3 90 36 21.7 90 31 58.2

# FLORENCE QUADRANGLE (HINDS, RANKIN, AND SIMPSON COUNTIES).

# Geographic positions along highways.

Station.	La	tituo	de.	Long	gitu	de.
Mohaffeys Ferry, Pearl River, 350 feet west of, three corners, public T road to south, 30 feet south to gate	° 31	59	44.5	90	13	32.7
and Pearl-Crystal Springs roads, at northeast corner of store of Barron & Co., iron post stamped "Prim. Trav. Sta. No. 8, 1905"	32	00	05.1	90	11	56.4
oak Top of low hill, forks of second-class road to northeast, 10 feet north to	31	59	46.8	90	11	30.7
pine, 10 feet south to two pines. Forks in small hollow, second-class road to northwest, 10 feet south-	31	59	50.6	90	10	20.3
east to pine, 30 feet southwest to oak.  Harrisville, 3.2 miles northwest of, at east edge of pine forest, four corners, 25 feet south to corner of front-yard fence, 15 feet north to	31	59	34.9	90	08	49.2
pine stump Harrisville, 2 miles northwest of, at junction of Harrisville-Barrows Ferry and Harrisville-Mohaffeys Ferry roads, near southeast corner sec. 29, T. 2 N., R. 2 E., in angle at junction of roads, iron post stamped "Prim, Trav. Sta. No. 9, 1905"	31	59	20.8	90	07	33.8
stamped "Prim. Trav. Sta. No. 9, 1905". Harrisville, 1.25 miles north of, four corners, public roads, 30 feet south	31	58	47.9	90	06	41.8
to oak stump, 30 feet west to oak.  Four corners, public crossroads, 40 feet north to dead pine, 10 feet	31	59	10.4	90	05	43. [
southwest to dead pine. Big Creek, 0.6 mile west of, four corners, public crossroads, 30 feet northwest to signboard "Braxton 6.5 miles," 15 feet southeast to	31	59	32.7	90	04	26.8
corner rail fenceBig Creek, 1,140 feet west of, on north edge of road, stake, T.2 N., R.2	31	59	26.9	90	03	51.(
E., corner sees. 23, 24, 25, and 26. Touchstone post-office, store of L. M. Kelly, 1,500 feet south of, T. 2 N., Rs. 2 and 3 F. corner sees. 13, 18, 19, and 24, at southwest corner of	31	59	24.7	90	03	27.3
store, iron post stamped "Prim. Trav. Sta. No. 10, 1905"	32	00	03.5	90	02	22.7
corner sees. 13, 18, 19, and 24. Touchstone post-office, 1 mile north of, four corners second-class eastwest crossroads, 10 feet southwest to corner of wire fence, 35 feet	32	00	18.1	90	02	22.
northeast to black gum. Big Creek, center of bridge over	32 32	00 01	$\frac{58.2}{34.1}$	90 90	02 03	31.0
Rexford, 1 mile southeast of, forks of roads north and northeast, 15 feet south to oak, 15 feet west to oak.	32	02	05.0	90	03	19.
Rexford, 1.25 miles northeast of, Tps. 2 and 3 N., R. 2 E., sees. 1, 2, 35, and 36, one-sixteenth corner east of Rankin-Simpson county line	32	02	55.5	90	03	08.
Star, 2 miles southwest of, forks of roads south and west to pine, 50 feet east to pine	32	01	00.4	90	03	17.
road to west, 20 feet west to gate, 10 feet northeast to corner of old house	32	01	47.2	90	03	07.
Star station, 700 feet west of, road crossing, center of main track Gulf and Ship Island R. R. T. 3 N., Rs. 2 and 3 E., sees. 7, 12, 13, and 18, corner of, 1.6 miles north of	32	05	34.9	90	02	47.
1. 3 N., 163. 2 and 3 E., sees. 1, 12, 15, and 18, corner of, 1.6 mues north of Star, second-class T road to east.  T. 3 N., R. 3 E., see. 6, southwest corner of; 2.25 miles north of Star, 2.7	32	06	26.1	90	02	19.
miles south of Thomasville, in northwest corner of intersection of crossroads, iron post stamped "Prim. Trav. Sta. No. 11, 1965"	32	07	25.8	90	02	03.
10 feet north to corner post of fence.  Thomasyille, 0.25 mile west of, at old store, four corners, crossroads, 40	32	08	03.1	90	01	35.
feet northwest to corner of old store, 40 feet northeast to oak Pat post-office, 0.25 mile northeast of, four corners, 35 feet west to	32	09	26.9	90	01	10.
pine, 40 feet east to double pine.  Tumballs Creek, east prong, center of bridge over.	32 32	10 11	$\frac{41.0}{15.3}$	90	00	36.
Tumballs Creek, 1.9 miles northeast of three corners, public T road to	32	12	38.4	90 89	59	02.
east, 40 feet south to oak, 50 feet east to oak.  Brandon, 3 miles south of, three corners, T road to northwest, 30 feet	02	12	90. T	(19)	0:7	17.

# Geographic positions along Illinois Central Railroad between Pearl and Byram.

Station.	Lati	Latitude.		Longitude.				
Road crossing east and west. Pearl, road crossing east and west. Road crossing east and west. Byram station	32 32 32 32 32	13 1 11 4	12.2 45.3	90	12 13 13 14	38. 12. 47. 41.		

# Geographic positions along Alabama and Vicksburg Railway from Pearson authornt

Station.	Latitude.	Longitude
Pearson, road crossing. Road crossing north and south Road crossing north and south Road crossing north and south Greenfield, road erossing east and west	32 14 48.8 32 14 33.1 32 14 06.0 32 14 09.5 32 14 53.9	90 07 56 1 90 06 17 4 90 05 33 1 90 04 22 5 90 03 14 7

# JACKSON QUADRANGLE (HINDS, MADISON, AND RANKIN COUNTIES.)

Station.		titu	de.	Long	gitu	de.
Union Church, 2.1 miles south of ,forks of second-elass road to south,		,				//
35 feet west to oak, 40 feet south to oak. Union Church, 1.4 miles south of, forks of roads north and north west	32		03. 4	90	00	47. 3
30 feet northwest to double oak, 40 feet northeast to oak	32	20	47. 6	90	01	()4. ()
Sta. No. 13, 1905''. Union Church, 0.7 mile north of, forks, second-class road to east. Union Church, 2.1 miles north of, four corners public crossroads, 50 feet southwest to oak and signboard "Jackson 12.25 mi.," 15 feet	32 32	21 22	50, 5 30, 1	90 90		03, 4
west to oak stump	32 32	23 23	14. 2	90	02 02	03. 4
Pelahatchee Creek, eenter of iron bridge over. Pelahatchee Creek, 1.5 miles north of, T. 7 N., R. 3 E., secs. 31 and 32,			56. 1	90		04. 4
section line between, three corners, T road to north. T. 7 N., R. 3 E., corner of secs. 29, 30, 31, and 32 Johnsons Ferry, 3.2 miles east of, four corners, erossroads, T. 7 N.,   R. 3 E., quarter corner between sees. 29 and 30, 40 feet northeast to	32 32	24 24	25. 4 48. 8	90		17. 0 16. 7
oak pointer with + carved, 30 feet northwest to oak pointer with square ( ) carved.	32	25	15. 0	90	01	16, 7
Johnsons Ferry, 2 miles east of, forks of roads west and north, 10 feet north to oak, 30 feet southwest to live oak.	32	25	36, 5	90	()2	37. 9
Johnsons Ferry, 0.5 mile east of, forks of road east and south of log pen, 30 feet northeast to oak, 25 feet west to pine Pearl River, Johnsons Ferry, top of bank at east landing of	32 32	$\frac{25}{25}$	42. 6 48. 5	90		32. 4 09. 8
Johnsons Ferry, 1.1 miles west of, three corners, T road to east, 12 feet west to double oak, 40 feet northeast to telephone pole.	32	26	04, 3	90	05	12. 1
Madison station, 2 miles southeast of, three corners. T road to west, 30 feet northeast to oak, 30 feet southeast to hickory. Madison station, 1.5 miles east of, in southwest corner of intersection	32	26	46. 9	80	()5	22. 9
of crossroads, iron post stamped "Prim. Trav. Sta. No. 14, 1905"  Madison station, 0.5 mile northeast of, three corners, T road to north	22	27	52. 2	90	0.5	30.0
10 feet north to small bridge, 12 feet southwest to telephone pole Madison station, 200 feet south of, road crossing, center of main track	32	27	52. 7	90	06	24. 9
Illinois Central R. R. Madison station, 1.7 miles west of, forks of road west and southwest,	32	27	40. 3	90	06	56, 7
30 feet northeast to two sweet gums, 70 feet southwest to telephone pole.  "Madison station, 2.25 miles west of, forks of roads west and northwest, 40 feet northwest to telephone pole, and signboard "Madison	32	28	19. 5	90	08	25. 3
station 2 mi.," 30 feet northeast to oak. Small stream, center of bridge over. Ahina Grove Church, 400 feet southeast of, at junction of Jacksou-Canton and Madison Station-Poeahontas roads, set in sandstone	32 32	28 28	41. 8 48. 5	90	08 09	41. 7 44. 1
slab at north edge of road, aluminum tablet stamped "Elevation 415, Prim. Trav. Sta. No. 15, 1905"	32	28	59. 8	90	10	35. 4
second-class north-south road, 25 feet north to gate 30 feet south to oak.  Robinsons Springs, 1.7 miles east cf, three corners, T road to south,	32	29	00, 6	90	11	52, 6
Colmsons Springs, 1.7 miles east c1, three corners, T road to soluth, second-class road to east	32	29	19. 3	90	12	35, 3
15 feet south to oak	32	29	39. 5	50	13	37. 3
class road to southwest, 30 feet northeast to corner of store, 60 feet southwest to corner of fence	32	29	40, 9	90	14	59, 8

Geographic positions along Alabama and Vicksburg Railway near Jackson.

Station.	La	titu	de.	Lon	gitu	de.	
T. 6 N., R. 1 E., corner sees. 29, 30, 31, and 32.  Jackson, north-south road crossing 1 mile northwest of	32 32	, 19 19	37. 1 05. 9	90 90	, 13 12	43. 39.	

### Geographic positions along Illinois Central Railroad near Jackson.

Station.	La	Latitude.		Lon	de.	
Jackson station.	0 20	19	01. 3	00	,	30. 6
Jackson, crossing of Illinois Central R. R., and Alabama and Vicksburg Rwy.	32	17	54. 9	90	11	30. 0
T. 5 N., R. 1 E., corner of sees. 3, 4, 9, and 10. Road crossing east and west.			48. 2 19. 3		11 12	35. 6 26. 3

#### Geographic positions along Alabama and Vicksburg Railway.

Station.	Latitude.	Longitude.
Road crossing east and west. Road crossing north and south Rice, station board. Road crossing north and south.	32 16 31.6 32 15 33.3 32 15 59.0 32 16 43.5	90 09 59.21 90 09 12.0 90 02 18.77

# Geographic positions along Yazoo and Mississippi Valley Railroad in the vicinity of Cynthia.

Station.	Latitude.	Longitude.
Road crossing east and west. Road crossing northeast and southwest. T. 6 N., R. 1 E., corner sees. 16, 17, 20, and 21 Road crossing northeast and southwest. Road crossing north and south Cynthia, road crossing.	32 21 19.3 32 21 59.9 32 23 09.8	90 11 15.1 90 11 54.1 90 12 37.1 90 13 15. 90 14 01. 90 14 55.1

#### RAYMOND QUADRANGLE (HINDS COUNTY).

Geographic positions along Yazoo and Mississippi Valley Railroad from Greene Crossing to Hinds-Madison county line.

Station.	Latitude.	Longitude.							
Greene Crossing, road east and west. Road crossing east and west. Hinds-Madison county line, crossing of. Tps. 7 and 8 N., R. 1 W, corner secs. 2, 3, 34, and 35.	32 27 22.3 32 29 12.9	90 16 00. 90 16 46. 90 17 19. 90 16 43.							

and the second s						
Station.	La	Latitude Longitud				
Pocahontas station, road crossing 80 feet north of, center of main		,				
track Illinois Central R. R.	32	28	19. 3	CKV	17	16, 11
Poeahontas, 1.75 miles west of, at bend of main road to north at gate, second-class road forks to west	32	28	25. 8	90	17	44. 5
Poeahontas, 1.75 miles west of, bridge over small stream 800 feet west	0.1					
of, second-class T road to south Bogue Chitto Creek, 1 mile cast of, four corners, 40 feet west to large	32	28	47. 4	5()	15	30, 8
live oak.	32	28	48. 2	90	20	19. 2
Bogue Chitto Creek, bridge over, center of	32	28	59. 7	90	21	14. 1
southwest to oak tree	32	28	53. 5	90	22	23. 5
Lula Church, Hinds-Madison county line, center of road crossing Lula Church, 300 feet north of, in angle at junction of Poeahontas-	32	29	14. 7	90	22	49, 6
county line and Vieksburg-Canton roads iron post stanned "Prim						
Trav. Sta. No. 1, 1905''. Lula Church, 1.4 miles southwest of, at bend of main road to south,	32	29	17. 6	90	22	50, 6
second-elass T road to west thru farm lot, 40 feet northeast to dead	00					
peach tree, 25 feet south to wire fence.  Lula Church, 1.75 miles west of, at forks of public road northeast and	32	28	38. 7	90	23	48. 5
southwest, second-class road southeast at erossing of Madison-						
Hinds county line, county-line tree on east edge of road	32	29	14. 6	90	24	34. 1
northwest, 30 feet west to dead oak, 50 feet southeast to old dwelling.	32	28	58, 3	90	25	28. 2
Brownsville, 1 mile north of, four corners, 15 feet south to two old gateposts.	32	, ,	50, 5	90	26	21. 4
Brownsville, 1.75 miles northwest of, forks of road north and north-					2.17	2
west, 60 feet west to dead oak tree, 40 feet south to corner of wire fence	32	28	14.2	90	26	49. 4
Hinds-Madison county-line corner, forks of road north and west, 90						
feet northwest to large oak, 30 feet north to sweet-gum tree	32	29	15. 1	90	27	01.1
north to large dead oak, 50 feet west to willow.  Orangeville post-office, 1 mile north of, T. 7 N., R. 3 W., near corner of secs. 1, 2, 11, and 12, at junction Coxs Ferry-Bolton road and T	32	29	15. 2	90	27	56.2
Orangeville post-office, 1 mile north of, T. 7 N., R. 3 W., near corner of sees, 1, 2, 11, and 12, at junction Coxs Ferry-Bolton road and T.						
road east, from post stamped "Prim, Trav. Sta. No. 2, 1905"	32	29	19.8	90	29	11.7
Orangeville Post-Office, second-class T road to east, 20 feet northeast to large oak, 50 feet southwest to small building	32	28	36, 9	90	29	09. 4
Orangeville, 0.25 mile cast of, forks of road south and southeast, 30						
feet west to wire fence.  Orangeville, 1.6 miles south of, at top of hill, 0.25 mile south of small	32	28	22. 0	90	28	51. 3
stream crossing, four corners, second-class erossroads, 30 feet north	0.0	0.11	0/1 4	(.()	00	05.0
to oak stump	32 32	27 26	26, 4 36, 9	90 90	29 29	05. S 06. 1
Brownsville, 3 miles southwest of, forks of road southwest and south-						
east, eenter of triangle at, 30 feet south to cedar tree, 50 feet east to oak tree.	32	25	40, 5	90	29	06, 2
Three corners, T road east at top of hill, 25 feet west to wire fence, 30	00	0.1	00 4		00	0.1. 1
feet southwest to water oak Bolton, 3.6 miles north of, four corners, crossroads, 25 feet east to gate.	32 32	24 23	39. 1 30. 7	90	29 28	06. 1 58. 4
Bolton, 2.5 miles north of, second-class T road southwest, 20 feet north-	20	22	0 = 4	00	28	34. 7
west to corner of wire fence	32	22	35. 1	90	28	39. 7
west to oak tree on bank, 50 feet northwest to oak tree on bank	32	22	12, 9	90	28	05. 3
Bolton, at northeast corner of and inside of foundation to city water tower, iron post stamped "Prim. Trav. Sta. No. 3, 1905"	32	20	52. 8	90	27	41.1
Bolton station, center of main track opposite telegraph office	32	20	50. 2	90	27	29. 1
Bolton, 0.75 mile south of, forks of roads south, east, and west, 60 feet east to telephone pole, 80 feet west to telephone pole	32	20	07. 6	90	27	38. 3
Bolton, 1.1 miles south of, three eorners, second-class T road to west	32	19	97.5	90	27	33, 8
10 feet south to bridge, 30 feet east to double willow	02	19	37. 5	110		904 G
center of bridge	32	18	18. 5	90	27	48. 2
Bolton, 3.6 miles south of, forks of second-class road to west, 25 feet west to gate.	32	17	36, 3	90	27	37. 7
Raymond, 1.25 miles northwest of, three corners, T road to north, een-	32	16	19. 5	90	26	23. 5
ter of triangle, 40 feet northeast to large oak, 50 feet west to oak Raymond, 0.75 mile northwest of, three corners, T road to northeast,						
30 feet west to front yard gate, 20 feet east to fence eorner	32	16	04. 3	90	25	53. 2
Raymond, Hinds County court-house, at southwest corner of iron fence around, iron post stamped "Prim. Trav. Sta. No. 4, 1905"	32	15	53.7	()	25	25.8

Geographic positions along Alabama and Vicksburg Railway between Bolton station and Dixon.

Station.	Latitude.	Longitude.
Section corner (no numbers) Bolton station Road crossing north and south. T. 6 N., R. 2 W., corner secs. 15, 16, 21, and 22 Stone culvert, United States Coast and Geodetic Survey bench mark on T. 6 N., R. 1 W., corner secs. 19, 20, 29, and 30. Road crossing northeast and southwest Dixon, north-south road crossing	32 20 50.2 32 21 03 1 32 21 22.9 32 20 50.1 32 20 29.3 32 20 02.6	90 29 07.5 90 27 29.1 90 25 45.3 90 23 58.9 90 20 19.9 90 19 50.3 90 17 40.3 90 15 12.2

### Geographic positions along highways.

Station.	Latitude.			Latitude.			Long	gitu	de.	
Robinson Springs, 1.7 miles west of, forks of roads northwest and southwest, 30 feet southeast to old chinaberry tree.  Pocahontas, 1.25 miles northeast of, second-class road to south at bend	° 32	, 29	56, 1		15	38.	4 .			
of main road to west, Madison-Hinds county line	32	29	14.0	90	16-	14.	2			
Pocahontas, 1 mile north of, roads north and east, 100 feet south to oak, 60 feet northeast to telephone pole.  Pocahontas, at southwest corner of Pocahontas Methodist Church.	32	29	14.0	90	16	49.	2			
iron post stamped "Prim. Trav. Sta. No. 16, 1905".  Poeahontas station, 80 feet north of center of main track Illinois Cen-	32	28	26.4	90	17	11.	9			
Pocahontas station, 80 feet north of center of main track Illinois Central R. R.		28	19.3	90	17	16.9	9			

### TERRY QUADRANGLE (COPIAH AND HINDS COUNTIES).

Geographic positions along Illinois Central Railroad from Terry to Hinds-Copiah county line.

Station.	Latitude.			Long	gitu	de.
	()	,	"	0	,	"
Road crossing east and west	32 32	09	30. 5 13. 8	90 90	15	26. 4 15. 3
Road crossing east and west	32			90		14. (
Terry station	32		38.8	90		
Road crossing east and west	32 32		52. 5 02. 3	90		21.3
Tps. 2 and 3 N., R. 1 W., corner secs. 5, 6, 31, and 32				90		
Hinds-Copiah county line, crossing of		02	56.9	90	20	04. 2

Station.	Latitude.			Long	Longitude.		
Raymond, 1.9 miles south of, three corners, second-class T road to	0	,	"	0	,	,,	
west, 30 feet north to small bridge	32	14	21.9	90	26	03.0	
Raymond, 2.5 miles south of, at top of hill, four corners, second-class crossroads, 35 feet west to gate, 35 feet east to gate.  Perch Creek, 0.8 mile south of, three corners, T road west, 35 feet north	32	13	45. 3	90	25	54. {	
to small bridge, 30 feet southeast to corner of wire fence	32	12	47.9	90	26	18.(	
Newmans Creck, 0.5 mile south of, at top of hill, three corners, second- class T road cast, 30 feet east to corner of garden fence.	32	12	13. 4	90	26	33. 4	
Palestine, 1.5 miles west of, four corners, cross-roads, 40 feet north to oak tree on bank.	32	11	10.6	90	26	44.1	
Schoolhouse, forks at, public roads southeast and southwest, 35 feet south to B. T. Wade's mail box, 20 feet west to oak.  Tallahala Creek, center of bridge over.			23. 5 19. 1		26 26		
Tallahala Creek, 0.5 mile south of, at top of hill, three corners, T road to east. 90 feet north to oak 35 feet west to wire fence	32	08	55. 2	90	26	17.1	
Drygrove, store of J. W. Grantham & Co., in forks of road at southeast corner of store, iron post stamped "Prim. Trav. Sta. No. 5, 1905".	32	07	42.9	90	26	15.	

# Geographic positions along highways—Continued.

Station.	La	titu	de.	Long	Longitude.		
Drygrove, 0.75 mile south of, three corners, second-class Troad to east, 50 feet east to gate, 40 feet west to large cherry tree.  Drygrove, 2.5 miles south of, second-class road to west, 10 feet west to	° 32	07	04. 4	90	, 25	45.3	
gate. Mount Wade Church, four corners, 60 feet east to schoolhouse 100 feet	32	()5	45, 5	90	26	03. 2	
west to corner of store	32	()5	08, 3	90	25	42. 4	
ond-class crossroads. Little White Oak Creek, 0.6 mile south of, near county line, forks of roads north and northeast, 30 feet northeast to pine, 30 feet south to	32	03	55. 9	90	25	29. 0	
crooked pine	32	02	52. 9	90	25	09. 3	
feet east to telephone pole, 60 feet southeast to oak	32 32	02	14. 3 34. 0	90 90	25 25	17. 3 32. 9	
Whiteoak Creek, 0.25 mile south of, forks of roads southeast and southwest, 40 feet south to pine, 30 feet west to sweet gum	32	01	21. 9	50			
Goddys Corners, 4 miles northwest of Crystal Springs, in triangle at junction of Gailetin-Raymond and Pine Bluff-Crystal Springs roads.					25	21.6	
iron post stamped "Prim. Trav. Sta. No. 6, 1905". Goddys Corners, 1.1 miles east of, three corners, T road to south, 25	31	59	43. 7	90	25	04.1	
feet northeast to oak, 40 feet south to pine	31	59	48. 8	90	23	59, 5	
Forks, second-class road to north.  Crystal Springs, 1.75 miles north of, forks of roads north and west, tele-	32	00	06, 2	90	23	12.8	
phone pole in triangle	32	00	08. 5	90	22	36.4	
Crystal Springs, 2.25 miles north of, forks of roads north and east	32	()(1	33. 8	90	22	40, 0	
Three corners, T road southwest, 25 feet south to pine stump, 50 feet west to elm.	32	01	03, 5	90	22	19. 5	
Lockwood schoolhouse, 1 mile west of, four corners, second-class	02		00.0			10, 0	
north-south crossroads, 10 feet northeast to mail box, 20 feet south	013	00	00. "	0.0	0.1	*O O	
to small pineLockwood schoolhouse, 2.1 miles north of, overhead road crossing,	32	00	39. 5	90	21	50, 2	
center of east track under	32	01	56.1	90	20	03, 2	
Hinds-Copiah county line crossing, center between tracks Illinois Cen-	43.3	0.3	***	0.0	00	04.0	
tral R. R. Crystal Springs, 1.5 miles north of, on Port Gibson road 100 feet east of	32	02	56.9	90	20	04. 2	
bridge over Illinois Central R. R., at southwest corner of Lockwood schoolhouse, iron post stamped "Prim. Trav. Sta. No. 7, 1905"	32	00	26, 2	_90	20	49. 1	
Lockwood schoolhouse, 0.9 mile east of, three corners, second-class T	32	00	31. 1	90	19	52, 3	
road to north, 30 feet northwest to small bridge		00	01. 1	370			
R. 1 W., sees. 16 and 21, quarter corner between.	32	00	15. 1	90	18	34.3	
Pilgrims' Rest Church, 200 feet east of, four corners, 50 feet southeast to oak, 25 feet northeast to telephone pole	32	00	16. 9	90	18	34.7	
Pilgrims' Rest Church, 0.5 mile southeast of, three corners, 30 feet	110	00	00.1	1.0	10	10.0	
northeast to corner of store, 35 feet southeast to dead oak	32	00	03. 1	90	18	16. 3	
east and northeast, 20 feet southwest to oak, 35 feet northwest to	0.1	70	10.7	00	1.0	57 4	
small pine	31 31	59 59	12.7 33.6	90 90	16 15	57.8 30.6	
poor ones, ones and ones, ones							

#### VICKSBURG QUADRANGLE (WARREN COUNTY).

# Geographic positions along Alabama and Vicksburg Railway, Vicksburg to Newman.

Station.	Latitude.	Longitude.
Vicksburg, Trinity Church spire. Overhead road crossing north and south. Beechwoods, road crossing. Overhead road crossing north and south. Newman, north-south road crossing. Road crossing north and south.	32 20 49.2 32 20 24.2 32 20 24.2 32 19 44.1 32 20 12.6 32 20 43.9 32 20 50.7	90 52 44.5 90 50 58.5 90 50 58.5 90 48 49.2 90 47 38.1 90 46 15.3 90 45 29.3

#### MISSOURI.

#### PRIMARY TRAVERSE.

KNOX, MACON, MONROE, RANDOLPH, AND SHELBY COUNTIES.

ATLANTA, MACON, SHELBINA, AND SHELBYVILLE QUADRANGLES.

The following geographic positions were determined in 1905 by J. R. Ellis, assistant topographer. The line starts from a section corner near Laplata located by primary traverse in 1901, follows the borders of four 15-minute quadrangles, and is connected with points at Shelbina and Jacksonville also located in 1901 by primary traverse. Positions in northeastern Missouri previously published, based on Mississippi River Commission triangulation (see report of that commission for 1883, p. 37), agree in latitude with the United States standard, but longitudes are 1.4" greater than those by the United States standard. Positions given herewith have been reduced to the United States standard datum.

### ATLANTA QUADRANGLE (KNOX AND MACON COUNTIES).

Geographic positions along highways.

Station.	Latitude.			Lon	gitu	de.
	0	,	"	0	,	"
T. 60 N., R. 14 W., corner secs. 17, 18, 19, and 20	39	59	57. 9	92	29	36, 2
tablet stamped ' Prim. Trav. Sta. No. 1, 1905'.  T. 60 N., R. 14 W., corner sees. 16, 17, 20, and 21, T road north, 24 feet	39	59	57. 1	92	29	02.8
south to cross on fence post.  T. 60 N., R. 14 W., north corner sees. 21 and 22, T road north, 28 feet northwest to telephone pole, 33 feet northeast to cross on telephone	39	59	57. 0	92	28	29. 1
pole. T. 60 N., R. 14 W., north corner sees. 22 and 23, T road south, 38 feet	39	59	55.9	92	27	21.4
southwest to mail box, 32 feet southeast to telephone pole	39	59	54. 8	92	26	13. 6
fence north, 14 feet south to cross on fence post			54.0	92		05. 6 33. 9
Titus Creek, course south, center of iron bridge over.  Near quarter corner, at southeast corner of field owned by R. J. Col-			53, 6			
lins at T road west, iron post stamped "Prim. Trav. Sta. No. 2, 1905".		59 59	52. 4 39. 0	92 92	22 21	16. 9 09. 3
Road north, W. R. Collins's mail box. Knox-Macon county line, center of road.		59	37. 1	92	20	35. 2
T road west, cross cut on telephone pole.			23. 0	92	19	
T road south, 24 feet northeast to J. O. Bowers's mail box, 36 feet	0.0	00	20.0	02	10	200
north to cross on board fence.	39	59	21.6	92	18	02.4
north to cross on board fence.  Browning (Robert) residence, T road south, 600 feet west of 7 feet northwest to cross on fence post.  De Mess (Labay residence, T road west instance of 40 feet northwest to	39	59	59. 8	92	16	46. 2
De Moss (John) residence, T road west, just east of, 49 feet northwest to Joseph Porter's mail box, 16 feet northcast to post	39	59	56. 5	92	15	55 <b>. 5</b>

#### Geographic positions along Wabash Railroad between Laplata and Macon.

Station.	Latitude.	Longitude.
Laplata station. T. 60 N., R. 14 W., corner secs. 17, 18, 19, and 20. T. 59 N., R. 14 W., quarter corner between secs. 5 and 8. Atlanta station. T. 59 N., R. 14 W., corner on township line, south side secs. 32 and 33. T. 58 N., R. 14 W., corner secs. 8, 9, 16, and 17. Tps. 57 and 58 N., township line between.	0 / " 40 01 27.2 39 59 57.9 39 56 26.8 39 53 58.7 39 52 06.5 39 50 21.8 39 46 49.9	92 29 22.1 92 29 36.2 92 29 10.6 92 28 49.2 92 28 36.4 92 28 36.4

# MACON QUADRANGLE (MONROE, RANDOLPH, AND SHELBY COUNTRIES.

Geographic positions along highways near east and south borders of quadrangh.

Station.	Latitude			ide Longitud			
		,			,		
Clarence, Chicago, Burlington and Quincy R. R. station	39	44	33. 5			.2-11	
Clarence, 120 feet south of Hannibal and St. Joseph R. R. in park iron		1.1					
post stamped "Prim. Trav. Sta. No. 18, 1905"	39	44	32. 4	92		39. 0	
T. 57 N., R. 12 W., corner secs. 16, 17, 20, and 21, T road west, 18 feet due west to center of small bridge.	90		00.1	(1)(2)			
T. 57 N., R. 12 W., corner sees. 20, 21, 28, and 29, crossroads, 18 feet	39	-1-1	09. 1	92		29. 3	
northwest to north end of small bridge, 3.9 feet northeast to arrow							
on gate	39	43	16. 5	92	15	31. 2	
T. 57 N., R. 12 W., corner sees. 28, 29, 32, and 33, crossroads, 25 feet northwest to Ed. Ryan's mail box, 21 feet east to center of small							
bridge	39	42	23. 8	92	15	33. 2	
T. 57 N., R. 12 W., southwest corner sec. 33, iron post stamped "Prim.	1317	4.5	20.0	192	1+)	OO. 4	
Trav. Sta. No. 19, 1905," elevation 787 feet	39	41	31. 5	92	15	34.7	
T. 56 N., R. 12 W., corner sees. 4, 5, 8, and 9, crossroads, 9 feet west to							
center of small bridge, 18 feet south to west end of small bridge Otter Creek Bridge, T road east just north of, 6 feet west to cross on	39	4()	41. 8	92	15	33. 8	
board fence, 65 feet south to north end of bridge.	39	39	51. 4	92	15	35. 2	
Enterprise, at crossroads, T. 56 N., R. 12 W., southeast corner sec. 17,	(),/	(),/	91. 1	1744	10	+)+). =	
iron post stamped "Prim. Trav. Sta. No. 20, 1905," elevation 811 feet.	39	38	57. 1	92	15	37. 0	
T. 56 N., R. 12 W., corner sees. 20, 21, 28, and 29, crossroads, stone	39	38	04. 2	92	15	38. 3	
T. 56 N., R. 12 W., corner sees. 28, 29, 32, and 33, crossroads, 27 feet northeast to "791" painted on post, 30 feet northwest to cross on							
corner fence post	39	37	11.6	92	15	39.8	
corner fence post							
Monroe county line	39	36	19. 0	92	15	41.5	
Duncans Bridge, 1 mile north of, T road west, 21 feet east to cross on fence post, 29 feet northwest to cross on corner fence post.	39	35	31. 7	00	1.5	40. 5	
Duncans Bridge, in southeast corner of Ferd Wedd's yard, iron post	09	00	01. /	92	15	49. 5	
stamped "Prim. Trav. Sta. No. 21, 1905," elevation 717 feet	39	34	32. 2	92	15	49.0	
Duncans Bridge, center	39	34	27. 6	92	15	53. 2	
Cap Branch, eenter of bridge over	39	33	52. 5	92	16	26. 9	
north	39	33	08. 0	92	16	44. 9	
T. 55 N., R. 12 W., center sec. 19, stone	39	32	42. 1	92	17	37. 0	
Ash post-office, 2.5 miles north of, 0.5 mile west of Monroe-Randolph							
county line, at T road north, in southeast corner of Ewing Alex.							
ander's field, nail in hickory tree bears S. 55° 30′ W., distant 17.2 feet, iron post stamped "Prim. Trav. Sta. No. 12, 1905"	39	32	17. 7	92	18	44. 8	
T. 55 N., R. 13 W., quarter corner between secs. 26 and 27, stone	39	31	54. 8	92	20	28. 2	
T. 55 N., R. 13 W., quarter corner between secs. 27 and 28, crossroads, 16							
feet northeast to S. Kindell's mail box, 30 feet southeast to J. W.	00	0.1	Ed. a	0.0	0.1	04.0	
Manning's mail box. T. 55 N., R. 13 W., quarter corner between secs. 28 and 29, crossroads,	39	31	56, 6	92	21	36. 9	
27 feet northeast to cross on telephone pole, 27 feet southeast to cross							
on corner fence post	39	31	58. 0	92	22	44. 6	
T. 55 N., R. 13 W., quarter corner between secs. 29 and 30, T road south	0.0	0.4	WO 0		00	W. S	
T. 55 N., R. 14 W., quarter corner between secs. 19 and 30, stone at	39	31	59, 6	92	23	51. 6	
crossroads, 1,000 feet east of.	39	32	26. 4	92	24	26, 2	
T. 55 N., R. 14 W., in northeast corner sec. 26, 2 miles north of Cairo, at							
erossroads, iron post stamped "Prim. Trav. Sta. No. 13, 1905"	39	32	28. 3	92	26	19. 8	
Milepost 182, road crossing, 1,400 feet north of	39	33	49. 0 17. 2	92 92	27	38. 3 13. 9	
Jacksonville station	J.J	00	11.2	92	20	10.0	

Geographic positions along Wabash Railroad between Macon and Jacksonville.

Station.	Latitude.	Longitude.
Macon station, Wabash R. R. Macon, Hannibal and St. Joseph R. R. crossing T. 57 N., R. 14 W., quarter corner between sees. 27 and 28. Road crossing east and west Excello station Tps. 55 and 56 N., corner sees. 3, 4, 33, and 34. Jacksonville station	39 44 18, 1 39 44 16, 4 39 42 58, 8 39 40 48, 0 39 38 11, 6 39 36 28, 5 39 35 17, 2	92 28 35.1 92 28 35.4 92 27 50.5 92 28 32.4 92 28 32.4 92 28 88.8 92 28 08.8 92 28 13.9

Geographic positions along Hannibal and St. Joseph Railroad between Macon and

Station.	Latitude.	Longitude.
Anabel station T. 57 N., R. 13 W., corner sees. 10, 11, 14, and 15. Rs. 12 and 13 W., line between. Clarence station.	39 44 45.1 39 45 01.1 39 44 38.8 39 44 33.5	92 20 03.0 92 19 52.3 92 17 39.1 92 15 39.0

#### SHELBINA QUADRANGLE (MONROE AND SHELBY COUNTIES).

Geographic positions along highways near east and south borders of quadrangle.

Station.	Latitude.	Longitude.
Salt River, north end of bridge over.	39 44 30.8	92 02 24.6
Shelbina, 1.5 miles north of, crossroads, 30 feet southeast to cross on telephone pole, 40 feet southwest to cross on telephone pole.  Shelbina, Main street crossing Hannibal and St. Joseph R. R.	39 43 07.0 39 41 37.1	
Catholic cemetery, T road south just south of, 16 feet southwest to cross on corner fence post, 22 feet southeast to east end of box culvert. T. 56 N., R. 10 W., corner sees. 8, 9, 16, and 17, Shelby-Monroe county	39 40 56, 3	92 02 04.2
line, 18 feet southwest to cross on black-oak tree.  Shelby-Monroe county line, 1.5 mles south of, at T road east on Shelbina-Paris road, in southwest corner of pasture of William Tourney, nail in blaze on elm bears N. 33°15′ E., distant 11.2 feet; nail in blaze on elm bears S. 25°30′ E., distant 5.1 feet, iron post stamped "Prim."	39 39 38.0	92 02 05.5
Trav. Sta. No. 8, 1905" Caldwell (J. W.) residence, T road south just east of, 30 feet southwest to H. S. Witt's mail box, 16 feet southwest to arrow painted on tele-	39 38 19.9	92 02 06.6
phone pole Hawkins post-office, T road north about 1.75 miles west of, 27 feet south to cross on rail fence, 27 feet northwest to cross on corner fence	39 37 00.3	92 01 17.7
post	39 35 26, 2	92 01 15.3
eross on corner fence post, 30 feet west to north end of small bridge. T. 55 N., R. 10 W., sec. 10, stone, T road north	39 35 24.8 39 33 55.2	
T,55N.,R. 10 W., corner sees. 9, 10, 15, and 16, 20 feet due west to northeast corner of garden fence	39 33 28.6	92 01 02.0
of, 38 feet northeast to cross on telephone pole, 37 feet northwest to cross on birch tree.  T. 55 N., R. 10 W., T. road south, corner sees, 27, 28, 33, and 34 T. 55 N., R. 10 W., southeast corner see, 28, 2.7 feet southeast to nail m	39 32 36.3 39 31 43.8	
large corner fence post, iron post stamped "Prim. Trav. Sta. No. 9, 1905"	39 30 51.8	92 01 08.6
T. 55 N., R. 10 W., north corner sees. 32 and 33, T road south, 27 feet southeast to cross on corner fence post, 30 feet west to center of		
small bridge T. 55 N , R. 10 W., south corner secs. 29 and 30, stone, T road north T. 55 N , R. 10 W., corner secs. 19-20,29, and 30,7 road west, 28 feet south-	39 30 52. 39 30 52.	
west to cross on gatepost, 28 feet northwest to cross on gatepost T.55 N., Rs. 10 and 11 W., corner secs. 19, 24, 25, and 30, stone T.55 N., R. 11 W., stone at center sec. 23, T road south T.55 N., R. 11 W., quarter corner between secs. 21 and 22, 0.25 mile west of in southwest corner of W. J. Williams's casture, stone at cross-	39 31 44. 39 31 46. 39 32 15.	92 04 30.0
roads bears S. 35° 10′ W., distant 30.3 feet, iron post stamped 'Prim. Tray. Sta. No. 10, 1905 '.' Forest Grove Church, T road north 0.75 mile east and 0.25 mile south	39 32 17.	92 07 36.2
of, 18 fect south to cross on rail fence. T. 55 N., R 11 W., corner secs, 7, 8, 17, and 18 crossroads, 15 feet south-	39 32 20.	92 09 16.9
east to south end of tile culvert, 36 feet southwest to C. Sanders's mail box	39 33 41.	92 10 08 4
woodlawn, 1 mile south of, in northeast corner of Oak Grove Church yard, cross cut on northeast corner of stone foundation to church	39 33 42.	92 11 05.8
bears S. 39° 15′ W., distant 77.3 feet, iron post stamped "Prim. Trav. Sta. No. 11, 1905". Woodlawn, Troad south 0.25 mile east of, 22 feet north to cross on	39 33 48.	7 92 12 30.7
Woodlawn, L crossroads 0.75 mile west of, stone.	39 31 42.3 39 34 45.0	
Woodlawn, T road south 2 miles west of, 11 feet south to west end of bridge, 30 feet west to center of small bridge Duncans Bridge, center of	39 34 49. 39 34 27.	

Geographic positions along Chicago, Burlington and Quincy Railroad between Chrence and Shelbina.

Station.	Latitude.	Longitude.
Milepost 56, north and south road crossing near Lentner station T. 57 N., R. 11 W., corner sees 20, 21, 28, and 29. T. 57 N., Rs. 10 and 11 W., corner sees. 30, 31, 36, and 25	39 43 07.3 39 43 14 8	92 12 07.0 92 08 19.9 92 08 19.3 92 01 18.7

### SHELBYVILLE QUADRANGLE (KNOX AND SHELBY COUNTIES).

Geographic positions along highways near west border of quadrangle.

Station.	Latitude.	Longitude.
Perry schoolhouse, southwest corner of J. W. Inderman's field, iron post stamped "Prim. Trav. Sta. No. 3, 1905"	39 59 49.5	92 14 47.4
post, 32 feet southwest to telephone pole.  T road east, 33 feet northeast to telephone pole.	39 58 31.7	92 13 58,6
T. 60 N., R. 12 W., south corner sees. 33 and 34, Knox-Shelby county	39 57 39,4	92 14 00.1
line, 5 feet due south to nail in top of fence post	39 57 13.3	92 14 00.8
of hedge-fence line. T. 59 N., R. 12 W., corner stone to secs. 9, 10, 15, and 16, at crossroads at Cherrybox	39 56 21.7 <sub>1</sub> 39 55 30.2	92 14 02.9 92 11 01.0
T.59 N, R. 12 W., corner stone to sees. 15, 16, 21, and 22, at crossroads. T. 59 N., R. 12 W., corner stone to sees. 21, 22, 27, and 28, crossroads at	39 54 36.9	92 14 05.2
church. T. 59 N., R. 12 W., sec. 27, corner stone to southwest corner bears S. 42°	39 53 41.1	92 11 06.5
30' W., distant 33.5 feet, iron post stamped "Prim. Trav. Sta. No. 14, 190' W., Trav. Sta. No. 14, 190' N., R. 12 W., just east of south corner of secs. 33 and 34, 12 feet	39 52 52.5	92 11 07.3
northeast to stone, 30 feet southeast to "820 elev." Dainted on fence.  Hagers Grove, 1 mile north of, in southwest corner of school yard, iron	39 52 00.0	92 13 51.6
post stamped "Prim. Trav. Sta. No. 15, 1905," elevation 797 feet Hagers Grove, T road north in northeast part of, 21 feet west to guide-	39 50 42.1	92 13 19 0
boards, 35 feet southwest to "740" painted on telegraph pole	39 49 52.5	92 13 21.0
T 58 N., R. 12 W., corner stone to sees. 21, 22, 27, and 28, near cross-	39 49 15.0	92 14 13.8
roads	39 48 29.9	92 14 15.0
field, near iron post stamped "Prim. Trav. Sta. No. 17, 1905," elevation 808 feet T. 57 N., R. 12 W., north corner sees. 4 and 5, T road southeast, 33 feet	39 46 45.3	92 14 52.9
southeast to E. E. Hopkins's advertisement, 42 feet southwest to	39 46 44.6	92 15 21.0
T.57 N., R. 12 W., corner secs. 4, 5, 8, and 9, crossroads, 21 feet west to center of bridge 31 feet northeast to bench mark 813	39 45 54.1 39 45 01.8	92 15 25 92 15 27
Clarence, T road vest at A. O. U. W. cemetery in north part of	30 45 UL8	

Geographic positions along highways near north and east borders of quadrangle.

, Station.	La	titude.	Long	de.	
T. 60 N., R. 12 W., corner secs. 15, 16, 21, and 22, T road south, at center	0	, ,,	0	,	"
of small bridge T. 60 N., R. 12 W., corner secs. 14, 15, 22, and 23, at cross roads 34 feet northwest to cross on corner fence post, 30 feet southwest to cross on	39	59 50.2	92	13	57.2
telephone pole.  7. 60 N., R. 12 W., corner sees. 13, 14, 23, and 24, at T road south, 21 feet east to center of small bridge, 35 feet southeast to cross on corner	39	59 51.8	92	12	49.2
fence post	39	59 - 53.4	92	11	42.6
T. 60 N., R. 12 W., stone to east corner secs. 13 and 24, at T road west, road jogs south 80 feet, then east again.	39	59 54.7	92	10	32.9
T road south, 48 feet southwest to cross on corner fence post, 30 feet southeast to F. E. Browning's mail box.	39	59 32.6	92	09	22,0
Plevna, T road north, about 1 mile north by 2 miles west of, 33 feet northeast to J. L. Saler's mail box, 42 feet northwest to corner of	39	59 23.7	92		
hedge fence Plevna, 1 mile north by 1 mile west of, in northeast corner of J. W. Hay- den's field at T road south, 3.5 feet southwest of corner fence post,				07	56.7
iron post stamped "Prim. Trav. Sta. No. 4, 1905".  Plevna, 1 mile north and 0.25 mile west of, stone at crossroads	39 39	59 20.8 59 18.7	92 92	06 05	$\frac{31.8}{23.3}$
Little Fabins River, west end of bridge over Mount Salem Church, 0.25 mile east of, T road north, 18 feet southeast to W. E. Anderson's mail box, 22 feet northeast to east end of small	39	59 15.3	92	03	58.3
bridge	39	59 12.5	92	02	45.0
Mount Salem Church, 1.5 miles east of, at crossroads, stone.  Newark, 1.5 miles southwest of, near southeast corner of yard to log house at forks of road on land of John Vaden, southeast corner of log house bears N. 79° 30′ W., distant 56.7 feet; nail in blaze on east face	39	59 12.2	92	01	19.8
of white-oak tree hears S. 66° W., distant 49.7 feet; iron post stamped "Prim. Trav. Sta. No. 5, 1905".	90	FO. 10.0	0.1	*0	10.0
T. 60 N., R. 10 W., corner secs. 26, 27, 34, and 35, stone to, at crossroads. T. 60 N., R. 10 W., south corner secs. 34 and 35, 0.25 mile west of, Knox-	39 39	59 12.8 57 52.1	91 91	59 59	49.2 24.3
Shelby county line, stone at T road. Shiloh Church, T road east, 14 feet east to cross on telephone pole, 34	39	57 00.8	91	59	42.1
feet southeast to corner of rail fence. T. 59 N., R. 10 W., center of sec. 15, T road north, 27 feet southeast to	39	55 34.5	92	00	01.2
W. A. Smith's mail box, 20 feet south to J. E. Wilson's mail box T. 59 N., R. 10 W., T road south, stone at center of sec. 16	39 39	54 50.4 54 51.2	92 91	00 01	$02.4 \\ 10.1$
T. 59 N., R. 10 W., center of sec. 21, in southeast corner of field of Mr. Bowers, 1.25 miles north of Bethel, southwest corner of J. H. Moore's residence bears N. 40° 40′ E., distant 117 feet, iron post stamped					
residence bears N. 40° 40′ E., distant 117 feet, iron post stamped "Prim. Trav. Sta. No. 6, 1905" Bethel, center of iron bridge over North River.	39 39	53 58.6 52 31.3	92	01	11.6
Bethel, T road north 1 mile south of, 28 feet south to cross on board			92	01	25.2
fence, 26 feet northwest to cross on telephone pole	39	51 48.4	92	01	31.5
on corner fence post, 24 feet west to center of small bridge	39	50 56.8	92	01	50.5
to center of small bridge, 21 feet south to C. G. Bowers's mail box	39	50 - 04.7	92	01	51.8
T. 58 N., R. 10 W., corner secs. 16, 17, 20, and 21, crossroads, 15 feet east to center of small bridge, 40 feet northwest to advertisement ''1 mile	00	10 10 11		0.1	FO 0
to Shelbyville " Shelbyville, crossing of Main and Jackson streets, southwest corner of	39	49 12.6	92	01	53.0
court-house bears N. 28° 10′ E., distant 184 feet; northwest corner of Miller's hardware store bears S. 22° 30′ E., distant 41 feet	39	48 22.2	92	02	28.2
Shelbyville, 1 mile south of, center of steel bridge over Black Creek Shelbyville, crossroads 2 miles south of, 30 feet northeast to cross on	39	47 32.9	92	02	28.1
corner fence post, 25 feet southeast to Wilbur Simen's mail box Shelbyville, 4 miles south of, in northwest corner of field of C. J. Ander-	39	46 35.3	92	02	29.5
son, at T road east, 1.5 feet southeast of corner fence post, iron post stamped "Prim. Trav. Sta. No. 7, 1905"	39	45 18.0	92	02	30.3

### NORTH CAROLINA.

# PRIMARY TRAVERSE.

#### SAMPSON COUNTY.

#### SALEMBURG QUADRANGLE.

The following geographic positions were determined by C. B. Kendall in 1905: The line starts from a position at the southwest corner of the Four Oaks quadrangle, follows highways south, east, and north near the borders of the Salemburg quadrangle, and is connected with a position at the southeast corner of the Four Oaks quadrangle.

Station.	Latitude.		Longitude.			
Church, forks of road, 60 feet southeast to hickory tree, 20 feet north-	0	,	11		,	11
east to pine	35	16	03.7	78	34	10.7
T road east, 15 feet west to gate, 10 feet southeast to pine stump	35	15		78	33	21.6
Church, four corners, 20 feet northeast to oak, 40 feet south to oak	35	14	32. 3	78	32	58.9
Forks of road, 50 feet west to persimmon, 10 feet east to fence corner. Forks of second-class road, 400 feet east of sandhill swamp, 200 feet	35	13	59.0	78	33	17.8
north of sawmill	35	13	22. 4	78	33	15. 7
north of sawmill.  Dwelling, four corners, 20 feet west to fence corner, 30 feet northeast	0.0	1.0	22. 1	10	()()	10.7
to pine	35	12	42.0	78	33	39. 1
T road west, at end of lane, 10 feet southeast to fence corner, 10 feet						
southwest to fence corner.	35	12	01.4	78	33	49.2
Four corners, at northeast corner of field, 20 feet southwest to fence	0.5		1341 #	-	1212	
corner	35	11	36, 5	78	33	51.1
40 feet northeast to gate.	35	10	23, 6	58	2.2	05. 2
Forks of road, 15 feet northeast to persimmon, 10 feet west to rail fence.	35		52.3	78	32	58.8
Four corners, 40 feet southwest to oak, 20 feet north to dead oak		08	36, 8	78	33	17.8
Yard fence, northwest corner of, at old store	35	07	53. 5	78	32	33.()
Orange post-office, at northeast corner of, store of Charles Hall, iron						
post stamped "Prim. Trav. Sta. No. 24, 1905".	35	()()	50. 5	78	31	57.8
Williams mill, forks of road, 30 feet northeast to bridge, 30 feet south-	0.5	0.7	/		200	OU D
west to pine	35 35		57. 6 12. 9	78 78	32	08. 8
Four corners.  Forks of road, 40 feet west to corner of garden.	35	04	15.8	78	32	31. 1
Forks of road just north of stream, 20 feet east to oak, 80 feet south to	00	0.3	117, 17	10	0.2	·)1. £
stream.	35	03	05.7	78	32	50.8
Old Chance post-office, T road south 0.25 mile west of	35		52. 8	78		10.2
Four corners, 20 feet west to oak, 5 feet northeast to oak			54.7	78		45.0
Four corners, 40 feet north to pine, 40 feet west to two oaks	35		00.2	78		50, 6
Four corners, 30 feet east to oak, 10 feet southeast to pine	35		08, 0	78		52.9
Forks of road, 300 feet southeast of house, 30 feet east to pine.	34 34	59	25. 4 42. 3	78 78	33	02. 5 12. 3
Bethel Church, four corners, 20 feet northeast to oak painted "P.T.".  Havne post-office, 1 mile east of, at southwest corner of Bethel Church,	04	58	42. 0	10	.).)	12.0
iron post stamped "Prim. Trav. Sta. No. 25, 1905"	34	58	44.3	78	33	12.4
Sawmill, four corners, 10 feet south to corner of plank fence, 30 feet	0.1		14.0			12. 1
north to oak	34	58	52.1	78	32	08.7
Junction of roads, 40 feet west to sign "Fayetteville 22 mi. Dam 30 mi."	34	58	57.0	78	32	28.7
T road south, 30 feet south of pine and sign "Rosehorn 13 miles," 50						
feet west to oak	34		24.0	78	30	24.9
Four corners, 20 feet southwest to pine, 20 feet north to pine	34	58 58	29.6	78	29 28	39, 9 24, 0
Four corners, 20 feet northwest to pine, 15 feet southwest to mail box. T road north, 25 feet northwest to gate, 25 feet northeast to paling	94	08	14. 0	10	20	24. 0
fence	3.4	57	49. 4	78	26	59.3
fence. Four corners, 20 feet southeast to J. H. Faircloth's mail box, 60 feet			41.1			
northeast to pine	34	58	17.4	78	26	04.5
Clinton, 5.5 miles west of, southeast corner Concord Methodist Church,						
Fron post stamped "Prim. Trav. Sta. No. 26, 1905"	34		59.7	7.8		58, 6
Four corners, 30 feet south to pine stump, 40 feet north to plank fence	34		18.6	78	23	36, 3 45, 8
Great Coharie Creek, center of bridge over	34 34		38. 9 29. 2	78 78	22 21	08. 6
T road south, 10 feet west to bridge, 30 feet north to gate	11.4	(1)	20.2	10	21	434.5
fence	34	59	37.0	78	20	25.5
Clinton, Sampson County court-house, flagstaff on cupola	34		52.0	78	19	25 8
Clinton, end of Atlantic Coast Line tracks, stop blocks, 100 feet east to						
station	34		45.0	7.8	19	25, 8
Second-class road crossing.	34		43. 4		17 16	35 1 12.8
Second-class road crossing at new house and fork of road	34	99	33. 6	78	10	12.0

Geographic positions along highways—Continued.

Station.	Latitude.		Latitude.		Long	gitu	de.
Interville, 0.25 mile west of, at junction of roads, iron post stamped	0 /	"	0	,	,,		
"Prim. Trav. Sta. No. 27, 1905". Our corners at southwest corner of clearing, 15 feet north to pine, 40	34 59	25. 8	78	15	08.		
feet east to fenee	35 00	30.7	78	15	56.		
linton, 4 miles northeast of, forks of road, 30 feet southeast to sweet gum, 40 feet north to pine	35 0	56. 9	78	16	09.		
eeond-elass erossroads, 25 feet east to gate, 25 feet west to bridge	35 0			16			
eeond-elass T road east, 10 feet south to mail box, 20 feet northeast to	13 W 01						
corner rail fence	35 03	3 41.0	18	15	22.		
west to oak 30 feet southeast to fence corner	35 0	4 39.2	78	14	57.		
orks of road, 10 feet northeast to Thornton and King's mail box, 30	35 0	5 40. 7	70	1.5	-0		
feet east to plank fence	35 0		78 78	$\frac{15}{16}$	56. 46.		
econd-class T road west, 10 feet east to fence, 25 feet southwest to							
fence corner	35 0	7 36.3	78	16	30		
corner of intersection of roads, iron post stamped "Prim. Trav. Sta.							
No. 28, 1905".	35 0	8 07.1	78	15	59		
road north, 100 feet northeast to forks of road, 20 feet north to pine stump.	35 0	3 40.1	79	14	90		
obton, T road north, 3 miles east of, 15 feet west to corner of fenee, 20	00 0	30.1	10	1.1	22		
feet north to fence corneroshen Church, Troad east, 1.5 miles southeast of, 15 feet east to gate,	35 09	40.0	78	14	-58		
osnen Church, Froad east, 1.5 miles southeast of, 15 feet east to gate, 30 feet north to W. B. Bayett's mail box	35 1	24.0	78	15	58		
oshen Church, forks of road, 50 feet south to door of church	35 1		78	16	-58		
oshen Church, forks of road, 1 mile northwest of, 40 feet northeast to	35 1	10.0	=0	1.77	-/		
gum tree road south, 200 feet east to three corners at tobaeeo barn, 25 feet	35 1	19.9	18	17	59		
west to small bridge.	35 1		78	18			
orks of second-class road to west	35 1: 35 1:		78 78	18 19			
orks of road, 10 feet east to rail fence, 20 feet west to small bridge	35 1		78	18	17		
road south, 0.25 mile east of Thornton's store and 300 feet east of				-			
Bayett Schoolhouse, 10 feet southeast to sign "Clinton 20 miles"	35 1	48.9	78	18	18		

# NORTH CAROLINA-SOUTH CAROLINA.

#### PRIMARY TRAVERSE.

CLEVELAND AND GASTON COUNTIES, N. C.; CHEROKEE AND YORK COUNTIES, S. C.

#### BELMONT, GAFFNEY, KINGS MOUNTAIN, AND SHELBY QUADRANGLES.

The following geographic positions were determined by C. B. Kendall, field assistant, in May, 1906. The line starts at Yorkville, located by primary traverse in 1905, follows the Carolina and Northwestern Railway to Gastonia, thence along the Southern Railway to Kings Mountain station, thence along highways to Patterson Springs, thence along the Southern Railway to Blacksburg, thence along highways, and is tied to a primary-traverse position near the northwest corner of the Sharon quadrangle.

Another line continues around the north, west, and south borders of the Gaffney quadrangle and is tied to a point near the northwest corner of the Sharon quadrangle.

BELMONT QUADRANGLE (GASTON COUNTY, N. C.; YORK COUNTY, S. C.).

Geographic positions along Carolina and Northwestern Railway between Yorkville and Gastomia.

and the second s						_
Station.	Lat	titu	de.	Long	gitu	de.
SOUTH CAROLINA.						
Neely Manufacturing Co.'s cotton mills, public-road crossing over spur			17	0	,	
track	34	59	56.0	81	14	09. 5
Milepost 25, second-class road crossing, 50 feet southeast of		00	40. 1	81		28, 7
track. Filbert station, Carolina and Northwestern Rwy., road crossing, cen-	35	01	21.5	- 81	15	08, 5
ter of track	35	02	57. 5	81	14	59. 6
Second-class road crossing, center of railroad track.  Public-road crossing, 400 feet south of trestic over Alison Creek, cen-		03	39 1	81	14	11.5
ter of track.	35	03	56 5	- 81	13	31. 2
Public-road crossing. I mile north of Allison Creek, center of track		05	01.8	81	13	35. 4
Clover station, second-class road crossing, 0.75 mile south of	35 35	05 06	49 4 39 3	81 81	13	57. 3 34. 8
Clover station, front face of store in Doctor Campbell's block opposite		00	99 9	81	19	04. 8
bronze tablet stamped 'Prim. Tray. Sta. No. 1, 1906''		06	40. 7	81	13	34, 4
Milepost 35, second-class road crossing 1,300 feet south of		07	53. 3	81	12	52. 0
Milepost 36, public-road crossing at cotton factory		08	57. 1	- 81	12	41.7
Bowling Green station, public-road crossing 500 feet southwest of	35	()()	12 0	. 81	12	22.0
NORTH CAROLINA.						
North Carolina-South Carolina State line, second-class road crossing						
at	35	09	28. 4	81	11	52.0
Crowders Creek, public-road crossing 700 feet southeast of trestie over.	35	10	02 2	81	11	40.8
Crowders Creek, public-road crossing, one-half mile north of trestie	0.5	* 0				4.1. 4
over Crowders station, in face of chimney at north end of residence of W. D. Gillem, bronze tablet stamped 'Eley, 777 Columbus 1900' and	35	10	26, 0	81	11	46. 1
"Prim. Trav. Sta. No. 2, 1906."	35	10	59 3	81	12	21.4
Ridge station, public-road crossing 1 mile south of		11	54.6	81	12	32 9
Ridge station, public-road crossing 1.000 feet north of		12	45. 2	81	12	01. 2
Ridge station, public-road crossing 1.25 miles north of		13 14	57. 8 · 47. 6 ·	81 81	11	39. 1
Catawba Creek, trestle over	30	14	47. 0	81	11	09. 0
at	35	15	51. 8	81	10	40.3
Gastonia set in southwest corner of public square about 300 feet south-	50					
west of passenger station at, P. B. M. post stamped 'Prim. Trav.						
Sta. No. 3, 1906''	35	15	49. 6	81	11	01.2

KINGS MOUNTAIN QUADRANGLE (CLEVELAND AND GASTON COUNTIES, N. C.; CHEROKEE AND YORK COUNTIES, S. C.).

Geographic positions along Southern Railway between Gastonia and Kings Mountain, N.C.

Station.	Latitude.	Longitude.
Toray cotton mills, public-road crossing 500 feet north of  Arlington cotton mill, second-class road crossing 50 feet cast of cpur track.  Miepost 405, second-class road crossing 200 feet west of  Public-road crossing  Bessemer City, 0.75 mile northeast of, second-class road crossing  Bessemer City station, 50 feet southeast of, crossing of main track  Bessemer City station, overhead road crossing 0.75 mile west of  Vantines station, public-road crossing 1,200 feet west of  Milepost 411, second class road crossing 30 feet northeast of  Milepost 411, second class road crossing 300 feet northeast of  Kings Mountain station, road crossing 300 feet north of  Kings Mountain four corners at east edge of  Kings Mountain triangulation point, forks of road about 1 mile west of  Kings Mountain triangulation station, on highest point of Kings Mountain, 3 miles southeast of station and postoflice of same name and 31 miles west-southwest of Charlotte, N. C. Height of station, 1,700 feet. Station mark: A glass lamp shade filled with ashes, plugged at both ends, with a brick platform 5 feet square laid in cement, over it, with the diagonal of the square north, south, east, and west (true), a square hole 8 inches on a side being left at station center.  Kings Mountain, set at east building line at corner where porch joins street crossing and about 250 feet north of passenger station, iron post stamped "Prim. Trav. Sta. No. 4, 1906"	35 17 04.0 35 16 56.9 35 17 03.3 35 16 58.0 35 16 52.9 35 16 17.1 35 15 06.1	81 11 59.2 81 12 39.8 81 13 58.7 81 14 23.6 81 16 18.1 81 17 02.6 81 17 42.6 81 19 07.3 81 19 07.3 81 19 07.3 81 19 07.3 81 19 42.2 81 20 11.4 81 20 03.7 81 19 42.2

# Geographic positions along highways, North Carolina.

Station.	Latitude.			Longitude.				
Kings Mountain station, 1.25 miles west of, forks, public roads northeast and southeast, 35 feet north to black gum, 60 feet east to telegraph pole.			26. 4		, 91	54. 3		
Second-class road to south at new dwelling, 30 feet southwest to oak tree, 25 feet west to pine stump. Second-class north-south crossroads, 30 feet northwest to J. W. Shart's	35	14	18. 2	81	23	11. 9		
mail box, No. 14, 25 feet northeast to small pine. Public roads northwest and west, fork of pine trees at, line turns west. Second-class road to northwest, 10 feet northeast to oak stump.	35	14	35. 1 58. 4 49. 8	81 81 81	24	10. 1 40. 2 45. 2		
Public roads, east and south forks of, 35 feet northwest to telegraph pole, 40 feet north to oak bush on bank.  Buffalo Creek, 900 feet east of bridge over, forks of road south uphill, 40 feet south to oak tree, 30 feet north to telegraph pole.			39. 1 14. 1	81 81		35. 3 25. 5		
Four corners, second-class crossroads southwest and northeast, 40 feet east to double oak tree, 35 feet northwest to double oak tree. Shelby, 3 miles southeast of, public crossroads, four corners, 24 feet			46. 3	81		16. 8		
east to telegraph pole, 36 feet southwest to signpost.  Four corners, public crossroads at blacksmith's shop, 50 feet southwest to H. M. Byer's mail box, 40 feet southeast to small apple tree.	35	15	29. 8 18. 2	81 81	30	48. 5 19. 4		
Four corners, public crossroads, 25 feet east to old peach-tree stump.	35	14	46. 3	81	30	33. 8		

# Geographic positions along Southern Railway between Patterson Springs and Blacksburg.

Station.	Latitude.	Longitude.
NORTH CAROLINA.  Patterson Springs station, 75 feet north of, public-road crossing of Southern Rwy  Patterson Springs station, 1.25 miles south of, public-road crossing Public-road crossing Earl station, 250 feet north of, public-road crossing Earl station, 1 mile south of, second-class road crossing	35 12 18.4 35 11 45.8	81 30 57.9 81 31 44.9 81 31 52.7 81 32 02.9 81 32 04.4
SOUTH CAROLINA.  North Carolina-South Carolina State line crossing. Second-class road frossing. Water mill, public-road crossing just south of. Blacksburg, public-road crossing north of (telegraph road), 37 feet northwest to mill in tie at road crossing. Blacksburg, southwest corner of Southern Rwy, park, 200 feet south-	35 09 29.7	81 32 17.1 81 32 43.3 81 32 11.6 81 31 53.7
west of railroad station and 60 feet south of center of main track, iron post stamped "Prim. Trav. Sta. No. 12, 1906".  Blacksburg, main track of Southern Rwy., at west end of girder span over Ohio River and Charleston R. R.  Blacksburg, 0.75 mile southeast of, public-road crossing.  Blacksburg, 1 mile southeast of, public-road crossing Ohio River and Charleston R. R., spur line to Gaffney.	35 07 22.8 35 07 31.1 35 06 30.2 35 06 04.5	81 30 52.9 81 30 36.1 81 30 22.1 81 30 52.5

# Geographic positions along highways, South Carolina.

Station.	Latitude.			Lo	ngit	ude.	-
Blacksburg, 2 miles southeast of, public crossroads, forks of. Hopeville Church, forks of road 200 feet west of, 251 feet northeast to oak. Forks of public roads west and northwest, on Southwest slope of Jefferson Mountain, 30 feet north to small pine. Four corners at public crossroads, 60 feet south to oak tree, 50 feet west to oak 40 feet northeast to mail box. Forks of public roads south and southeast, 0.50 mile north of bridge over Kings Creek, 25 feet south to bunch of plum bushes Forks of second-class road to west, 10 feet west to post 20 feet east to small pine tree. Wolf Creek 0.25 mile northwest of, second-class road to east, 25 feet	35 35 35 35	05 04 04 03 02	22. 9 43. 1 10. 3 27. 6 49. 2 24. 0	888888888888888888888888888888888888888	1 30 1 30 1 29 1 28	// ) 28.	
northeast to small pine tree, 800 feet southeast to house on top of hill. Woll Creek, center of bridge over Broad River schoolhouse, three corners at, 10 feet south to oak tree,			29. 7 27. 8	8	1 27	00. 44.	
20 feet north to center main road	35	00	36. 7 49 1	8	1 27		
25 feet southeast to four mail boxes. Forks of roads northwest and northeast, 10 feet north to stake painted "632," 15 feet east to pine stump.			21 5 50. 0	8	1 27 1 27		

# SHELBY QUADRANGLE (CLEVELAND COUNTY, N. C.).

# Geographic positions along highways.

Station.	Latite	ide.	Long	gitue	ic.
Shelby, 3 miles east of, four corners, crossroads, 24 feet east to tele-	0 /	//	۰	,	
phone pole, 36 feet southwest to signpost.  Shelby, 3 miles east of, 50 feet northwest of intersection of crossroads,	35 16	29. 8	81	29	48. 5
iron post stamped "Prim. Trav. Sta. No. 5, 1906"	35 16	30. 1	81	29	48. 9
Second-class forks of road to southwest, 30 feet southwest to small	00 10	50. I	0.1	239	4.5. 9
oak, 15 feet cast to B. M. Habright's mail box	35 16	46.1	81	31	13. 5
Shelby, intersection of Washington and Warren streets.	35 17	26.9	81	32	20. 5
Shelby, 100 feet southeast of southeast corner of Cleveland County					
court-house, south meridian stone, "Prim. Trav. Sta. No. 6, 1906".	35 17	27.9	81	32	22.0
Shelby, T road west of, center of grass plot, 25 feet east to oak, 2.25 miles to Zonar, 30 feet west to cedar	0 = 1 =	01.4	414	0	4.4. ()
Broad River, center of iron bridge over.	35 17 35 17	21.4			46. 8
Forks of road, 0.12 mile west of bridge over Bushy Creek, roads west	99 17	40, 4	81	34	14. 7
and southwest, 60 feet northeast to small bridge, 60 feet southwest					
to small stream	35 17	39.0	81	34	56. 9
Bushy Creek, 1 mile west of, four corners, 40 feet southwest to corner	00 11	01.10	17.6	01	00.0
of front-yard fence, 50 feet northeast to potato house	35 17	42.3	81	35	52. 2
Three corners, second-class T road south, 30 feet southeast to new					
garden fence, 80 feet northwest to oak	35 17	51.2	81	36	57.3
Phree corners, second-class T road south, 25 feet southwest to north-	0.00				
east corner of store, 25 feet north to telephone pole	35 17	32. 2	81	38	14.2
Lattimore, 2.5 miles south of, 7 miles west of Shelby and 3 miles east of Mooresbore, in southeast corner of intersection of crossroads, iron					
post stamped "Prim. Trav. Sta. No. 7, 1906".	35 17	43. 9	81	39	14. 6
Second-class crossroads, 30 feet west to two small oaks, 5 feet south to	(11) 14	10. 0	(31	0.7	14. 0
oak stump	35 17	49.8	81	40	11. 4
Forks at Sandy Run Creek, crossroads northeast and southeast, east					
end of bridge over creek	35 17	53. 9	81	40	56, 9
Mooresboro, east edge of, forks at top of hill, crossroads northwest					
and west, 50 feet northeast to corner of front-yard fence, 30 feet					
southwest to front gate of 2-story white dwelling	35 17	51.2	81	41	45. 4
Mooresboro station, 600 feet north of, road crossing Southern Rwy.,	35 17	50, 5	81	42	05. 9
center of track. Crossroads at cotton gin, four corners 70 feet southwest to northeast	99 17	au. a	81	42	05, 9
corner of boiler house	35 17	36, 2	81	43	20.9
Second-class forks of road to south, 30 feet north to telephone pole,	00 17	00.2	(11	30	20.0
25 feet south to two mail boxes	35 17	10.8	81	44	03. 4
Four corners, crossroads, 20 feet southwest to oak tree, 30 feet east to					
pine tree	35 16	46. 4	81	44	52.6
Oak tree at forks, roads southwest to Henrietta and northwest to					
Caroline Mills	35 16	29.9	81	46	08.4
Henrietta, 0.5 mile east of, four corners, 44 feet southeast to primary-	07 17	50.0	62.5	40	5/1 0
traverse station No. 8.	35 15	50.8	81	40	56. 3
Ienrietta, 0.5 mile east of, in southeast corner of intersection of cross- roads, at northwest corner of residence of Thos. Harris, iron post					
stamped "Prim. Trav. Sta. No. 8, 1906"	35 15	56, 5	81	46	56, 0
Road crossing, 1 mile east of Henrietta, center of track	35 15				36, 6
de de de de la constant de la consta					-

### GAFFNEY QUADRANGLE (CLEVELAND COUNTY, N. C.; CHEROKEE COUNTY, S. C.).

Station.	Latitude.			Long	gitu	de.
NORTH CAROLINA.						
liffside, north edge of, 200 feet southwest of church and schoolhouse,	0	1	11	0	1	11
roads north and east, 60 feet northwest to telephone pole	35	14	40. 9	81	46	03. 2
orks of roads south and southeast, 10 feet north to signboard ' New-						
ferry & mile." 40 feet south to signboard	35	13	50. 9	81	46	10, 1
orth landing of New or Snug's ferry across Broad River, 2 miles						
south of Cliffside	35	13	21. 1	81	45	48. 5
ew Ferry, forks 0.75 mile south of, roads south and southeast, 50						
feet north to oak, 10 feet west to pine stump, 30 feet east to Richard	0.5	10	50. 2	01	4.5	35. 3
White's mail box.	50	12	50. 2	81	40	<i>50. 0</i>
uck Creek, 0.5 mile south of, forks of road, roads south and south-	25	10	14. 8	81	45	117
east, 20 feet southwest to telephone pole, 30 feet east to pine	90	1 2	14.0	OF	30	1
rospect Church, four corners 700 feet east of, 20 feet east to telephone	35	12	01.7	81	45	12. 2
pole, 10 feet southeast to pine	35		55. 0	81	45	45. 3
ak tree at three corners, T road east	35	10	08. 7	81	45	34, 4
an vice at time corners, i road cast						

# Geographic positions along highways—Continued.

Station.	Latitude.			Long	gitu	de.
SOUTH CAROLINA.						
Maud post-office, crossroads, 30 feet southeast to oak, 35 feet west to	0	,	,,	0	,	11
pine	35	08	45.8	81	44	47.
Maud post-office, 1.4 miles southwest of, forks of roads east and south- east, 25 feet north to oak tree, 15 feet south to double oak	35	07	56. 7	81	46	05. 3
Forks of roads east and southeast, New Cut road to southeast, 30 feet southeast to oak, 10 feet north to small double oak	35	07	39. 3	81	46	45. 7
Large oak at forks, roads south and southwest	35	07	22. 0	81	46	25. 7
Maud post-office, 3.5 miles southwest .f. 0.75 mile west of Thickety Mountain, in northwest corner of intersection of crossroads, iron post stamped "Prim. Trav. Sta. No. 9, 1906"						
post stamped "Prim. Trav. Sta. No. 9, 1906"	35 35	06 06	59. 2 47. 9	81 81	47 46	05. 8 08. 8
Four corners north and southeast, second-class road southwest and						
northwest, 40 feet south to corner of log crib, 40 feet northwest to oak in corner of barnyard.	35	06	34. 8	81	47	05. 8
Forks, 200 feet south of new schoolhouse, roads northwest and southwest, 40 feet west to two mail boxes, 10 feet south to pine	35	06	08. 7	81	46	07.
Forks of road to south, second-class road to southeast, 10 feet west to	35	05	57. 4	81	45	32. 6
Lender's mail box No. 34. Thickety Creek, center of bridge over.	35	05	06. 2	81	45 45	27.1
Four corners, 15 feet north to small bridge, 60 feet southwest to well, 25 feet east to cherry tree.	35	04	13. 9	81	45	38.
Four corners, 20 feet north to small double oak, 30 feet northwest to four mail boxes.	35	03	29. 5	81	45	07.
Forks of second-class road to northeast, 100 feet north of red house, 10						
feet east to oak, 15 feet northeast to oak	35 35	02 01	17. 0 16. 4	81 81	44 44	41. 07.
Road crossing Southern Rwy. 0.25 mile west of Thickety station, center of track.	35	00	58. 3	81	43	29.
Forks of second-class road to southeast, 20 feet northeast to small oak.	35	00	33. 8	81	42	55.
Little Thickety Creek, center of, at ford,	35	00	04. 5	81	42	30.
to small pine, 30 feet east to small pine. Four corners 125 feet southeast of C. E. Smith's store (Goucher post-	34	59	14. 4	81	42	32,
OHICE)	34	58	52. 8	81	41	47.
Goucher post-office, southeast corner of store and post-office, iron post stamped "Prim. Trav. Sta. No. 10, 1966"	34	58	52. 6	81	41	48.
South end of covered bridge over Thickety Creek, 0.75 mile north of Goucher.	34	59	25. 4	81	41	27,
Three corners, second-class T road to south, near top of hill and oppo-	34	59	27. 5	81	40	29.
site two-room log dwelling Second class fork to west, 50 feet northeast to pine.	35	00	07. 8	81	39	34.
Gaffney. 5 miles south of, four corners at cotton gin, 1.5 miles north- west of church at crossroads, 5 feet south to small bridge	35	00	37. 0	81	38	51.
Corinth Church, 0.5 mile southeast of, forks of roads south and south-	35	00	23. 7	81	38	00.
east, 30 feet east to oak and pine. 4 feet northeast to oak	90	00	20. (	91	ൈ	00.
west to M. C. and C. A. Spencer's mail box, 10 feet east to clump of small ash trees.	35	00	28. 5	81	37	19.
Forks 100 feet north of house on hill, second-class road to northeast, 50 feet north to corner of garden, 50 feet south to corner of garden.	35	00	05. 3	81	36	31,
Four corners, crossroads, 900 feet west of brick house, 30 feet east to						
small oak, 20 feet south to small pine	34	59	38. 3	81	35	42.
east. Wilkinsville, 3.25 miles northwest of, T road southwest, 20 feet south-	34	59	34. 7	81	35	03. !
west to oak stump, 15 feet southeast to oak snag	34	59	56. 7	81	34	00, 3
Forks of second-class road north, 20 feet east to oak, 25 feet northwest to 1. G. Patrick's mail box, No. 22.	34	59	34. 6	81	32	58.
Wilkinsville, 0.75 mile northwest of, four corners, second-class cross-	34	58	39. 4	81	32	26. 2
Wilkinsville, at southeast corner of C. W. Whesonant's store, iron post stamped "Prim. Trav. Sta. No. 11, 1906".						-03
Forks, 350 feet cast of ford of creek, roads east and southeast to bunch	34	58	18, 4	81	31	54 {
of ash trees. Forks of roads southwest, 25 feet northcast to large oak, 30 feet south-	34	58	34.8	81	30	43 [
east to double pine	34	59	17. 0	81	29	57
West bank of landing of Broad River at Smith's ford.  Large tree at forks of road 300 feet east of east bank of Broad River at	34	59	43. 2	81	29	05 1
Smith's ford	34	59	41.8	81	28	53 3
residence of T. Smith, on top of hill, iron post stamped "Prim. Trav.	0.4	50	02.4	-01	90	00.3
Sta. No. 7, 1905''	34	59	03. 4	81	28	08 3

#### ощо.

#### PRIMARY TRAVERSE.

COSHOCTON, DEFIANCE, FAIRFIELD, FULTON, GUERNSEY, HENRY, LICKING, LUCAS, MORGAN, MUSKINGUM, NOBLE, PAULDING, PERRY, WILLIAMS, AND WOOD COUNTIES.

RYAN, BUTLER, CALDWELL, CAMBRIDGE, CONESVILLE, CONTINENTAL, COSHOCTON, CUMBERLAND, DEFIANCE, DESHLER, EDON, FRAZEYSBURG, GRANVILLE, LOGAN, MCLURE, MONTPELIER, NEWARK, NEW COMERSTOWN, NEW LEXINGTON, OTTAWA, PAULDING, PHILO, STRYKER, SUGARGROVE, SWANTON, THORNVILLE, THURSTON, WAUSEON. AND ZANESVILLE QUADRANGLES.

During the season of 1905, J. R. Ellis, assistant topographer, ran 58 miles of primary traverse to control the above-mentioned quadangles. These quadrangles are situated in two general localities—one group being in the northwest corner of the State, the other near he central portion of the State, immediately east of Columbus.

The lines were tied to points previously located by primary trarerse and also to triangulation stations Correy, Sago, and Widder.

#### BRYAN QUADRANGLE (DEFIANCE AND WILLIAMS COUNTIES).

#### Geographic positions along highways.

, Station.	Latitude.	Longitude.
me Bend, railroad crossing 60 feet east of station	0 " 41 16 57.1 41 17 46.6 41 18 38.8 41 19 31.1	84 30 55 1 84 30 55 6 84 30 56 0 84 30 56 2

#### cographic positions along Cincinnati Northern Railroad near east border of quadrangle.

12	Station.	Latitude.	Longitude.
tamped "Prim. Tray. Sta. No. 14, 1905". 44 22 33.7 2 84 31 31.5 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7	ats, railway crossing 1.5 miles north of. y, 0.5 mile south of, in northwest corner of pasture owned by John Jurt, at east-west crossing of Baltimore and Ohio Rwy; nail in north ace of walnut tree bears S. 6° W., distant 18 feet; east rail of track at	41 20 22.8	84 31 30.4
Vorthern R. R.         41         25         36.8         84         31         34.2           Ifiance-Williams county line, east-west road crossing 1 mile north of.         41         26         29.3         84         31         34.9           Ivan. east-west crossing 1.25 miles south of.         41         27         21.9         84         31         37.9	tamped "Prin. Trav. Sta. No. 14, 1905", y, railway crossing east and west 1 mile north of.	41 23 52.2	84 31 31.5 84 31 33.0 84 31 33.6
	Northern R. R.  Glance-Williams county line, east-west road crossing 1 mile north of.	41 26 29.3 41 27 21.9	84 31 34.9 84 31 37.9

# Geographic positions near south border of quadrangle.

Station.	Latitude.			Latitude.			Long	gitu	de.	
T. 6 N., R. 3 E., northeast corner sec. 11, in northwest corner of field owned by S. J. Bowman, southwest corner of schoolhouse bears N. 26° 30′ E., distant 161 feet; iron post stamped "Prim. Trav. Sta. No. 15, 1905" T. 3 N., R. 2 E., northeast corner of sec. 3, in northeast corner of field of Henry Martin, iron post stamped "Prim. Trav. Sta. No. 7, 1905". T. 4 N., R. 2 E., south corner secs. 33 and 34. T road north. T. 4 N., R. 2 E., south corner secs. 32 and 33, T road north. Tps. 3 and 4 N., Rs. 1 and 2 E., corner secs. 1, 6, 31, and 36, crossroads.	41 41	15 15 15	58. 7 09. 0 08. 9 08. 6 07. 9	84 84 84	, 28 36 37 38 41	39. 48.	. 8 . 1 . 7			

# Geographic positions near west border of quadrangle.

Station.	Latitude.	Longitude.
	0 / //	0 / //
T. 3 N., R. 1 E., north corner secs. 1 and 2, T road south	41 15 07.8	84 42 29.2
T. 4 N., R. 1 E., south corner secs. 34 and 35.	41 15 07.8	84 43 38.8
Edgerton, 3 miles north of, in southwest corner of yard to schoolhouse No. 22, St. Joseph township, southwest corner of schoolhouse bears		
N. 62° 40 E. distant 61 feet; iron post stamped "Prim. Trav. Sta.		1
No. 21, 1905".	41 29 38.3	84 44 55.9
T. 6 N., R. 1 E., corner secs. 9, 10, 15, and 16, T road west	41 29 01.7 41 28 09.5	84 44 53.1 84 44 52.3
T. 5 N., R. 1 E., corner secs. 3 and 4, Defiance-Williams county line	41 25 33.1	84 44 54.7
T. 5 N., R. 1 E., corner sees. 3, 4, 9, and 10, crossroads.	41 24 40.6	84 44 54.3
T. 5 N., R. 1 E., corner secs. 9, 10, 15, and 16, crossroads	41 23 48.7	84 44 53.4
T. 5 N., R. 1 E., corner secs. 15, 16, 21, and 22, crossroads	41 22 56.3	84 44 52.6
T. 5 N., R. 1 E., corner secs. 21, 22, 27, and 28, crossroads	41 22 04.3	84 44 51.8
T. 5 N., R. 1 E., 4 miles north of Hicksville, northwest corner see. 34,		
northwest corner of yard to school yard No. 9, limestone post 38 by 6 by 4 inches, aluminum tablet stamped "Prim. Trav. Sta. No. 22".	41 21 11.8	84 44 50.6
Tps. 4 and 5 N., R. 1 E., corner secs. 3, 4, 33, and 34, crossroads.	41 20 20.0	84 44 50.2
T. 4 N., R. 1 E., corner secs. 3, 4, 9, and 10, crossroads	41 19 28.6	84 44 49.8
Hicksville, Bryan-Hicksville pike at road north, 1 mile northeast of	41 18 10.7	84 44 48.8
Hicksville, High street at Antwerp pike south, in southwest part of	41, 17 23.3	84 45 58.5
Hicksville, crossroads 2 miles south of, 25 feet northwest to north end	14 48 80 0	
of culvert, 45 feet southeast to cross cut on telephone pole.	41 15 59.8	84 45 40.1
Antwerp, 5 miles north of, in northwest corner of field of Everett Longsworth, at crossroads, 1.5 feet southeast of large corner fence post,		
iron post stamped "Prim. Trav. Sta. No. 1, 1905"	41 15 07.6	84 45 28,2

#### BUTLER QUADRANGLE (DEFIANCE AND WILLIAMS COUNTIES).

### Geographic positions along highways near Ohio-Indiana State line.

						-
Station.	La	titu	de.	Long	gitu	de.
	0	,	"	0	,	"
T 4 N., R. 1 E., south corner secs. 31 and 32, T road north	41	15	07.9	84	47	07.
T. 5 N., R. 1 E., corner secs. 29, 30, 31, and 32, crossroads			11.8		47	
T. 5 N., R. 1 E., corner secs. 19, 20, 29, and 39, crossroads			04.0		47	
T. 5 N., R. 1 E., corner sees. 17, 18, 19, and 20, crossroads			56.1 10.8		47	
Ohio-Indiana State line, center of road.  Edgerton, 3 miles southwest of, T road west near schoolhouse, 40 feet	#1	20	10.0	0.4	40	14.
southeast to walnut tree on fence line 30 fect northwest to cross on						
corner fence post Tps. 5 and 6 N., R. 1 E., corner secs. 1, 6, 31, and 36, T lane east			44.6		47	
Tps. 5 and 6 N., R. 1 E., corner secs. 1, 6, 31, and 36, T lane east	41	25	32.8	84	48	12.
Ohio-Indiana State line, post on, near Lake Shore and Michigan South-	41	96	17.8	9.1	48	19
ern Rwy. Astronomic value.			13.7		48	
Edgerton, road crossing, south rail of north track Lake Shore and		20	10.1	CA	10	00.
Michigan Southern Rwy., 1.5 miles southwest of	41	26	33.2	84	46	38.
Edgerton, T road south 1.5 miles west and 1 mile north of, 25 feet south-						
cast to cross on corner fence post, 27 feet southwest to cross on corner	4.1	07	43.6	0.4	46	20
fence post.  Ohio-Indiana State line, stone at turn of road and 600 feet south of T	41	21	45.0	9.1	40	99.
road west.	41	27	43.2	81	48	13
road west	41	29	01.4	81	48	13

#### CALDWELL QUADRANGLE (NOBLE COUNTY)

# Magnetic declination, north border, 2° 21′ west.

Geographic positions along highways.

Station.	Latit	Lor	ngitu	de	
Correy triangulation station, in Olive Township, on summit of hill locally known as Correy Knob, on land of John Hughes, covered with a peach orchard. Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground, in center of top of which is cemented a bronze triangulation tablet.  Sharon, T. 6 S., R. 9 W., corner sees, 5, 6, 7, and 8, crossroads.  Sharon, 1.5 miles west of, Nicolas (J.) residence, just south of, T road southwest, 9 feet west to J. Wallace's mail box.  Olive Green, T road south, 11 feet due south to center of small bridge.	39 44	10.1 22.9	81 81	32 33 35 36	53, 9 29, 9

#### CAMBRIDGE QUADRANGLE (COSHOCTON AND MUSKINGUM COUNTIES).

Magnetic declination, north border, 1° 57′ west; west border, 2° 09′ west; 2° 10′ west.

#### Geographic positions along highways.

Station.	Longitude.	
Vest Lafayette, 2.5 miles south of, McClain's schoolhouse, forks of road at, 24 feet southeast to guidepost, 22 feet northwest to cross	0 / //	0 / //
on corner fence post	40 14 37.3	81 44 30.4
est Lafayette, 3 miles south of, at guidepost "Lafayette 3 mi. Plain- field 4 mi.," T road north, 37 feet northwest to guidepost, 39 feet		
northeast to cross on telegraph pole	40 13 53.0	81 44 41.2
ridge over Bacon Run, 0.18 mile north of, T road west, 30 feet northeast to front-yard gate, 34 feet southeast to mail box	40 13 12.8	81 43 40.6
lainfield, 0.5 mile west of, crossroads, 30 feet northeast to cross on	40 10 19 1	01 40 00 1
corner fence post, 24 feet southeast to sandstone bowlder	40 12 13.1	81 43 30.1
west to cross on corner fence post	40 11 22.2	81 44 10.0

#### CONESVILLE QUADRANGLE (COSHOCTON AND MUSKINGUM COUNTIES).

Magnetic declination, north border, 0° 34' east; east border, 2° 09' west, 2° 10' west; south border, 1° 52' west.

### Geographic positions along Wheeling and Lake Eric Railroad near Ellis.

Station.	Latitude.	Longitude.
filepost 5, north-south road crossing	40 01 46.9 40 02 46.4	81 58 59.9 81 59 36.7 81 58 58.4 81 58 49.7

### Geographic positions along highways.

Station.	Latitude.			Lor	ude.	
McCleary (Seth) residence, 0.25 mile east of, T road north, 16 feet north	0	,	//	0	,	"
to mail box, 24 feet northeast to cross on corner fence post			23.9			37.9
Wills Creek, W. Roderiek's bridge over, north end of				81	46	
T. 4 N., R. 5 W., quarter corner between secs. 23 and 24, stone Otsago, 2 miles north of, crossroads, 9 feet southeast to J. E. Sim-	40	09	41.5	81	46	22.2
mons's mail box, 18 feet east to cross on fence post	40	08	55.5	81	46	07.7
Otsego, in southwest corner of public school grounds, iron post stamped "Prim. Trav. Sta. No. 59, 1905".	40	07	04.3	81	45	59.0
Otsego, 2.5 miles south of 0.25 mile northeast of covered bridge, cross- roads, 27 feet northwest to cross on telegraph pole, 22 feet southwest to cross on gatepost.	40	05	06.4	81	46	01.2
D. W. Ross's mail box, T road west.	40	03	29.8	81		26.3
Corner of sections (no numbers).	40	02	10.8	81		11.0
Sago triangulation station, on a bald hill 4 miles southwest of Sago, on land of J. W. Carnes. Station mark: A limestone post 40 by 7 by 7 inches set 39 inches in the ground, in center of top of which	10	(,2	10.0			
is countersunk and cemented a bronze triangulation tablet (Ohio)	40	00	42.40	81	46	55.70

#### CONTINENTAL QUADRANGLE (PAULDING COUNTY).

Geographic positions along highways near west border of quadrangle.

Station.	Latitude.			Longitude.			
T. 1 N., R. 3 E., at crossroads 1 mile north and 1 mile west of Grover							
Hill, in southeast corner of field owned by F. M. Saul, iron post	0	/	//	0	1	"	
stamped "Prim Trav. Sta. No. 4, 1905"	41	02	02.5	84	29	44.8	
T. 1 N., R. 3 E. corner secs. 10, 11, 14, and 15, crossroads	41	02	54.6	84	29	44.5	
T. 1 N., R. 3 E., corner sees. 2, 3, 10, and 11, crossroads	41	03	46.9	84	29	44. 8	
T. 1 N., R. 3 E., north corner sees. 2 and 3, T road south.	41	04	39.6	84 84	29	44. 7	
T. 2 N., R. 3 E., corner sees. 26, 27, 33, and 34, crossroads	41	06	31.9 24.6	84	29 29	44. 6	
T. 2 N., R. 3 E., corner sees. 22, 23, 26, and 27, crossroads	41	00	24. 0	94	29	44. (	
Geo. Older, northeast corner of C. Stutsman's house bears S. 37° E.,	-						
distant 188 feet; iron post stamped "Prim. Trav. Sta. No. 5, 1905".	41	07	17. 2	84	29	45. 0	
T. 2 N., R. 3 E., corner sees. 10, 11, 14, and 15, crossroads	41	08	09. 4	84	29	44. 6	
T. 2 N R. 3 E., corner secs. 2, 3, 10, and 11, crossroads.	41	09	01.8	84	29	44.7	
T. 2 N., R. 3 E., corner secs. 3, 4, 9, and 10, crossroads	41	09	01.3	84	30	54.€	
T. 2 N., R. 3 E., north corner secs. 3 and 4, jog in road.	41	09	54. 6	84	30	54. 9	
T. 3 N., R. 3 E., corner sees. 27, 28, 33, and 34, crossroads	41	10	47. 1	84	30	52. 3	
T. 3 N., R. 3 E., eorner sees. 26, 27, 34, and 35, crossroads	41	10	47. 6	84	29	42. 4	
T. 3 N., R. 3 E., corner sees. 22, 23, 26, and 27, center of bridge over							
canal	41	11	39. 4	84	29	42. 6	
Sixuile Creek, center of bridge over	41	12	27. 7	84	29	43. 1	
T. 3 N., R. 3 E., east corner sees. 10 and 15, T road west	41	13	24.6	84	29	43. 7	
T. 3 N., R. 3 E., corner sees. 2, 3, 10, and 11, crossroads	41	14	17. 0	84	29	44. 7	
T. 3 N., R. 3 E., 30 feet west and 30 feet south of quarter corner between							
sees. 2 and 3, in northeast corner of field owned by Saul Meyer & Co.,							
south rail of Wabash R. R. at section line crossing bears N. 19° E.,	41	1.4	42. 9	5.4	20	45, 5	
distant 70 feet; iron post stamped "Prim. Trav. Sta. No. 6, 1905"	41	1.4	32. 9	04	29	40. 0	

#### COSHOCTON QUADRANGLE (COSHOCTON COUNTY).

# Magnetic declination, south border, 0° 34′ east.

Station.	Latitude.		Longitude.			
Guidepost "Coshocton 7 miles," road south, 60 feet southeast to guide-	0	,	"	0	,	"
post, 24 feet northeast to cross on corner of rail fence	40	15	10, 8	81	59	07.4
Center of Sixmile bridge at crossroads	40	15	03. 7			40.7
Pleasant Hill Church, I mile east of, road to southwest, 42 feet south- west to A. C. Warren's mail box, 28 feet northwest to peach tree Coshocton, 3.5 miles west of, just northwest of Joseph Kirker's resi-	40	15	01. 2	81	56	12. 2
dence, T road north, 21 feet southeast to cross on fence post, 21 feet west to cross on rail fence.	40	15	47. 7	81	55	07.8
Junction of Mount Vernon and Tyrone roads, 300 feet south of, center						
of iron bridge over creek	40	16	18.6	81	53	31.2
Roseoe, center of bridge over Ohio Canal.	40	16	45, 2	81	52	33, (
Coshocton, in southeast corner of Coshoction County court-house, aluminum tablet stamped "Prim. Trav. Sta. No. 57, 1905"	40	16	28. 0	81	51	57.4

# Geographic positions along Pennsylvania Railroad.

Station.	Lat	Latitude			Latitud			Langitude 		
Milepost 71, 0.25 mile west of, road crossing, siding on south of main		/								
track Milepost 72, just west of, private-road crossing, north track of main	4()	17	17. 2	.51	50	08, 3				
line	40	17	03. 7	81	45	52. 3				
Morgan Run station, crossing of Pennsylvania and Wheeling and Lake Eric R. Rs.		16	52. 5	81	.17	44-8				
West Lafayette, 1 mile west of, overhead road crossing, south track			42. 7			07. 4				

### CUMBERLAND QUADRANGLE (MORGAN COUNTY).

Magnetic declination, south border, 2° 21′ west; west border, 1° 38′ west.

# Geographic positions along highways.

Station.	Latitude.			Longitude.			
Morgan County, at northeast corner of, stone corner on west side of			11		1	11	
road opposite cemetery and about 2 feet from corner of rail fence	39	45	09, 8	81	38	24.5	
Renrock, crossroads, 90 feet east to center of covered bridge, 27 feet							
south to center of culvert.  Dickerson's mill, just east of, T road north, 24 feet northwest to cross	39	45	28, 8	81	4()	20. 4	
on gatepost, 19 feet northeast to corner of rail fence	39	45	49, 6	81	41	28, 2	
Oak Grove cemetery, on east side of, at rail fence, stone, Muskingum-							
Margrove county line	39	45	22. 5	81	42	55, 6	
Knight, on Knight-Young Hickory road, 1 mile northwest of, J. H. Dingley's mail box.	20	40	13.2	0.1	4.4	00.0	
Young Hickory, T road east, 22 feet north to public mail box, 18 feet	- 99	-1()	10. 2	81	44	03, 0	
southeast to arrow on fence.	39	46	46. 0	81	44	57. 9	

#### DEFIANCE QUADRANGLE (DEFIANCE COUNTY).

Geographic positions along Wabash and Baltimore and Ohio Railroads near south border of quadrangle.

Station.	Latitude.			Long	de.	
Ashwood, 1 mile west of station, road crossing north and south (sec-		1	11		1	11
tion line)	41	15	02. 6	84	28	34. 5
Ashwood, road crossing at station.	41	15		84		25. 1
Ashwood, 1 mile east of, road crossing north and south (section line)	41	15	39. 2	84	26	16. 5
Defiance Junction, crossing of Wabash and Baltimore and Ohio R. Rs.	41	16	39. 0	84	22	43. 4
Defiance, in water table at southwest corner of Defiance County jail						
aluminum tablet stamped "Prim. Trav. Sta. No. 8, 1905"	41	17	11. 3	84	21	38, 9
Defiance, in southeast part of, Ottawa avenue, crossing of Baltimore						
and Ohio Southwestern R. R.	41	16	46, 8	84	21	03. 4
Midway, 1,300 feet east of telegraph office, road crossing north and					4.0	10.00
south	41		45. 5	84	18	49. 7
Midway, overhead crossing 1.25 miles east of .	41		44.8	84	17	41. 0
Milepost 82, north-south section line, road crossing 150 feet west of	41		29. 2	84		57. 1
T. 3 N., R. 3 E., sees. 2 and 3, T road south at north corner of	41		10. 7	84 84	29	45. 7 45. 0
Troad east.	41	10	03. 1	84	29	40. 0
The Bend, north-south road crossing Baltimore and Ohio R. R. 1 mile	41	16	58. 2	84	29	33. 8
east of	41	Τ()	00, 2	0.4	23	un. o

DESHLER QUADRANGLE (HENRY AND WOOD COUNTIES).

Geographic positions along highways on north border of quadrangle.

T. 3 N., R. 8 E., corner sees, 5, 6, 7, and 8, crossroads, 48 feet north to center of bridge over ditch	Station.	La	titu	de.	Lon	gitu	de.
center of bridge over ditch	iron post stamped "Prim. Trav. Sta. No. 11, 1905"					, 59	50. 9
stone	center of bridge over ditch T. 3 N., R. 8 E., sees. 4, 5, 8, and 9, crossroads						41. 8 32. 7
center of bridge.  7. 3 N., R. 8 E., corner secs. 1, 2, 11, and 12, 28 feet northwest to John Sher's mail box, 30 feet southwest to end of iron bridge.  7. 3 N., R. 9 E., west corner secs. 6 and 7, T road east, 15 feet northwest to small coffee-bean tree, Henry-Wood county line, 27 feet northeast to cross on telephone pole.  7. 3 N., R. 9 E., northwest corner sec. 8, in field of Mrs. Rush, southwest corner of schoolhouse bears N. 15° 30′ E., distant 80.8 feet; cross cut on abutment of bridge bears N. 12, 1905′  7. 3 N., R. 9 E., corner secs. 4, 5, 8, and 9, 15 feet south to center of bridge over ditch, 12 feet north to crossroads	stone	41	14	23. 6	83	56	23. 3
Sher's mail box, 30 feet southwest to end of iron bridge	center of bridge	41	14	<b>_4.</b> 4	83	55	13. 8
east to cross on telephone pole.  1. 3 N., R. 9 E., northwest corner sec. 8, in field of Mrs. Rush, southwest corner of schoolhouse bears N. 15° 30′ E., distant 80.8 feet; cross cut on abutment of bridge bears N. 15° 30′ E., distant 16.8 feet; iron post stamped "Prim. Trav. Sta. No. 12, 1905′  1. 3 N., R. 9 E., corner secs. 4, 5, 8, and 9, 15 feet south to center of bridge over ditch, 12 feet north to crossroads  1. 3 N., R. 9 E., corner secs. 3, 4, 9, and 10, T road west at stone to (church and schoolhouse), 50 feet south to center of bridge over ditch  1. 3 N., R. 9 E., corner secs. 2, 3, 10, and 11, crossroads at stone to (church and schoolhouse), 50 feet south to center of bridge over ditch  1. 3 N., R. 9 E., corner secs. 2, 3, 10, and 11, crossroads at stone to  1. 3 N., R. 9 E., cast corner to secs. 2 and 11, crossroads at schoolhouse No. 1, stone  1. 3 N., R. 9 and 10 E., corner secs. 1, 6, 7, and 12, crossroads, 21 feet south to center of bridge, 21 feet southeast to Mrs. F. A. Lovell's mail box  1. 3 N., R. 10 E., northeast corner sec. 7, at crossroads at schoolhouse No. 2, cross cut in southwest corner of large stone culvert bears N. 11° E., distant 17.6 feet; southwest corner of schoolhouse bears N. 48° E., distant 126 feet; iron post stamped "Prim. Trav."	Sher's mail box, 30 feet southwest to end of iron bridge	41	14	25. 1	83	54	04. 4
post stamped "Prim. Trav. Sta. No. 12, 1905"	east to cross on telephone pole.  T. 3 N., R. 9 E., northwest corner sec. 8, in field of Mrs. Rush, southwest corner of schoolhouse bears N. 15° 30′ E., distant 80.8 feet; cross	41	14	25. 6	83	52	55, 9
bridge over ditch, 12 feet north to crossroads	post stamped "Prim. Trav. Sta. No. 12, 1905"	41	14	26. 1	83	51	43. (
ditch	bridge over ditch, 12 feet north to crossroads	41	14	26. 4	83	50	33. (
T. 3 N., R. 9 E., corner sees. 2, 3, 10, and 11, crossroads at stone to T. 3 N., R. 9 E., cast corner to sees. 2 and 11, crossroads at schoolhouse No. 1, stone. T. 3 N., R. 9 and 10 E., corner sees. 1, 6, 7, and 12, crossroads, 21 feet south to center of bridge, 21 feet southeast to Mrs. F. A. Lovell's mail box. T. 3 N., R. 10 E., northeast corner see, 7, at crossroads at school- house No. 2, cross cut in southwest corner of large stone culvert bears N. 11° E., distant 17.6 feet; southwest corner of schoolhouse bears N. 48° E., distant 126 feet; iron post stamped "Prim. Trav."		41	1.4	26.2	83	40	24 /
No. 1, stone	T. 3 N., R. 9 E., corner sees. 2, 3, 10, and 11, crossroads at stone to						
T. 3 N., R. 10 E., northeast corner sec. 7, at crossroads at school-house No. 2, cross cut in southwest corner of large stone culvert bears N. 11° E., distant 17.6 feet; southwest corner of schoolhouse bears N. 48° E., distant 126 feet; iron post stamped "Prim. Trav.	No. 1, stone . T. 3 N., Rs. 9 and 10 E., corner secs. 1, 6, 7, and 12, crossroads, 21 feet	41	14	24, 9	83	47	07. 2
	T. 3 N., R. 10 E., northeast corner sec. 7, at crossroads at school-house No. 2, cross cut in southwest corner of large stone culvert bears N. 11° E., distant 17.6 feet; southwest corner of schoolhouse	41	14	26. 9	83	45	57. 4
	Sta. No. 13, 1905 ''.	41	14	26. 1	83	44	46. {

### EDON QUADRANGLE (WILLIAMS COUNTY).

Geographic positions along highways near Ohio-Indiana State line.

	Latitude.			1.011	de.	
	0	,	- //	0		,,
(II) (1 1   7   X   D   1   X   +   0	-				40	
Ts. 6 and 7 N., R 1 E., west corner secs. 6 and 31, T road east	41			84	48	14. (
T. 7 N., R. 1 E., stone at corner sees, 30 and 31	41		38.0	84		15.1
T. 7 N., R. 1 E., west corner secs. 19 and 30, T road east	41	32	29. 9	84	48	15.7
west of.	41	32	53. 9	84	48	16.0
T. 7 N., R. 1 E., secs. 7 and 18, crossroads at west corner	41	34	13. 9	84	48	17. 3
T. 7 N., R. 1 E., west corner secs. 6 and 7, T road east.		35	06. 2	84	48	18.0
T. 8 N., R. 1 E., secs. 30 and 31, west corner, T road south.	41	36	46, 6	84	48	19. 2
	41	37	58. 0	84		18. €
Columbia, crossroads						
Columbia, road west 1.5 miles north of.  Store, T road east just south of, 0.33 mile north of schoolhouse, 33 feet	41	39	10.8	84	47	36. 3
southeast to mail box, 44 feet northeast to apple tree	41	40	15.6	84	47	44.2
Ohio-Indiana State line, T road east, 1.25 miles south of northwest						
corner of Ohio	41	40	41.2	84	48	20.4
T road east	41	41	34. 1	84		20.2
Ohio-Indiana-Michigan, corner of			45, 5	84		20. 2
T. 9 S., R. 4 W., corner secs. 8, 9, 16, and 17, T road north.		41			47	10. (
		41		84		00. 8
T. 9 S., R. 4 W., corner secs. 9, 10, 15, and 16, T road north	41	41	99.0	84	40	W. i

FRAZEYSBURG QUADRANGLE (COSHOCTON, LICKING, AND MUSKINGLA COUNTIES

Magnetic declination, west border, 3° 08′ west; north border, 0° 46′ west.

Geographic positions along highways.

Station.		titu	de.	Lon	gitu	
77.17.2						
Fallsburg, road west at hotel, 42 feet northwest to cross on telegraph			//			
pole, 58 feet southeast to stone step to store			16.6	82	14	15. ()
Secs. 12 and 13, quarter corner between. Wakaton Creek, just east of Eli Frey's residence, east end of covered	4()	12	47. 2	82	13	58, 9
bridge over	40	13	15.1	89	13	16.8
Trampton, at schoolhouse, corner stone to sees. 1, 2, 9, and 10.	40	13	37.8			11.9
Trampton, 1 mile east of, at Licking-Coshocton county line, T road		13	40. 6			01.7
south, forked post Crossroads, guidepost at ("Bladensburg 8 mi.").		13	47. 0			
French Melick's residence, road north at, cross on telegraph pole						54. 8
West Carlisle, 1.3 miles west of, road south, 15 feet to cross on fence			13. 5			21. 8
post, 33 feet west to cross on telegraph pole. West Carlisle, in southwest corner of lot of II. M. Robinson; northwest corner of Presbyterian Church bears S. 1° 30′ E., distant 123 feet; nail in east face of locust tree bears N. 83° W., distant 46.2 feet; iron post	40	14	10. 6	82	08	26, 3
stamped "Prim. Trav. Sta. No. 55, 1905".  Cooperdale, 1.66 miles west of, forks of road, 36 feet southwest to cross	40	13	43. 7	82	()"	00, 0
on fence post, 35 feet southeast to cross on corner of rail fence	40	13	52. 4	82	0.5	50, 6

Geographic positions along Cleveland, Akron and Columbus Railway, Cooperdale to Tunnel Hill.

Station.	Latitude.	Longitude.
Cooperdale, 0.33 mile north of, road crossing.  Tunnel Hill, 1.75 miles south of, east-west road crossing.  Tunnel Hill, 0.75 mile south of, northwest-southeast road crossing  Tunnel Hill, road crossing	0 / // 40 13 22. 40 14 00. 40 14 47. 40 15 17.	2 82 03 48, 4 0 82 03 13, 9

### Geographic positions along highways.

Station.	Latitude.			Longitude.			
Tunnel Hill, 1.5 miles east of, T road north, 27 feet due south to cross on		/	//		,	11	
fence post.  Tunnel Hill, 2 miles east of, near northwest corner of field of Wm. L.		15	29.1	82	01	30. 1	
Wright; northeast corner of Wright's house bears S. 14° W., distant 87 feet; iron post stamped "Prim. Trav. Sta. No. 56, 1905"	40	15	18. 9	82	()()	32. 8	
or zeet, from poor ottempor a film from some area of some							

Geographic positions along Baltimore and Ohio Railroad, Pleasant Valley to mile post 85.

Station.	Latitude.			Longitude.				
Heasant Valley, 1.5 miles southeast of, opposite milepost 86, center of track			09. 7 02. 6			54, 4 48, 4		

Station.	Latitude.	Longitude.
Reform, 1.5 miles south of, T road east at II. L. Smith's residence, 36 feet southeast to cross on gatepost, 45 feet southwest to II. L. Smith's mail box.  Hanover, 1 mile northeast of, five corners, 24 feet southeast to cross on corner fence post, 32 feet east to cross on picket at corner of fence	40 06 47.1 40 05 34.5	82 14 49.5 82 14 53.7

Geographic positions along Wheeling and Lake Erie and Cincinnati and Muskingum Valley railroads near Dresden.

Station.	Latitude.			Latitude.			Long	gitu	de.
Wheeling and Lake Pric D. D. miles et H. auton fitte 1.	0		"		,				
Wheeling and Lake Erie R. R. milepost 11, center of track opposite. Dresden, 2 miles south of, milepost 4, just north of, east-west road crossing of Cincinnati and Muskingum Valley R. R			40.8			01. 1			
Milepost 3, 500 feet north of, east-west road crossing.  Dresden, near northwest corner of public school grounds; northwest corner of schoolhouse bears N. 80° E., distant 137.3 feet; nail in root of maple tree bears S. 30° 30′ E., distant 13 feet; iron post stamped	40		33. 5			42. 8			
''Prim. Trav. Sta. No. 54, 1905''. Canal, road erossing under railroad bridge.			17. 8 57. 6			49. 8 02. 4			

Geographic positions along Cleveland, Akron and Columbus Railway, Trinway to Wakatomika.

Station.	Latitude.	Longitude.
Trinway station, just west of, crossing of Cleveland, Akron and Columbus and Pennsylvania R. Rs., main line, north track.  Trinway, 2 miles north of, northwest-southeast road crossing, at covered bridge Wakatomika, 0.75 mile south of, cast-west road crossing. Wakatomika, 0.5 mile north of, road crossing.  East-west road crossing.	40 10 16.3 40 11 19.2 40 12 06.2	82 00 54.4 82 01 48.8 82 02 19.7 82 03 04.6 82 03 36.5

GRANVILLE QUADRANGLE (LICKING COUNTY).

Magnetic declination, east border, 0° 44′ west; north border, 0° 36′ west.

Geographic positions along highways, Croton to Homer.

Station.	Latitude.			Latitude.			L			Lo	ngit	ude.
Croton, 2.5 miles west and 0.5 mile south of, at crossroads at Wm.												
Farel's residence, in southeast corner of James Wilson's farm; nail in east face of cherry tree bears S. 89° W., distant 20 feet; iron post	0	,	"	0	,	//						
stamped "Prim. Trav. Sta. No. 40, 1905"	40	13	57.1	82	44	18.0						
Croton, 1.25 miles west of, T road east, 36 feet southeast to cross on fence post, 27 feet northeast to Green's mail box.	40	1.4	21.5	99	49	49. 5						
Croton, Delanon street crossing of railroad			20.7	82	41	20. 1						
Croton, 1 mile east of, T road north, 13 feet due south to cross board at												
west of wire fence.  Bennington Township House, 1.66 miles west of, erossroads 300 feet	40	14	27.9	82	39	52. 4						
south of schoolhouse, 21 feet northeast to B. E. Nash's mail box, 36												
feet southeast to cross on eorner fenee post	40	14	22.5	82	38	26.4						
Lock, 2 miles south of, Bennington Township House, at northwest corner of; nail in west oak bears S. 60° 45′ W., distant 19.8 feet; north-												
west corner foundation of house bears S. 80° 30′ E., distant 3.5 feet;												
iron post stamped "Prim. Trav. Sta. No. 39, 1905"	40	14	22.8	82	36	22.1						
Bennington Township House, 1 mile east of, covered bridge over Otter Creek North, center of	40	1.4	40. 5	82	25	14.3						
Crossroads, 1,500 feet east of, Otter Creek East, center of iron bridge	40	1 12	40. 5	02	0.)	14. 0						
over	40	14	48.8	82	34	16.3						
Homer, 1.66 miles west of, T road south, 42 feet southeast to cross on	40	1.5	25. 5	60	20	17.2						
corner fence post, 40 feet southwest to hickory tree  Otter Creek East, eenter of covered bridge over			25. 5 11. 0		32	20. 4						
Homer, in northwest part of public school grounds; northwest corner	10	-0	22.0	02	_							
of schoolhouse foundation bears S. 3° 45' W., distant 78 feet; iron												
pump bears S. 70° W., distant 11.3 feet; iron post stamped "Prim. Trav. Sta. No. 38, 1905".	40	15	09.60	82	31	20.62						

# Geographic positions along Baltimore and Ohio Railroad, Summit to Union

Station,	Latitude	Longitudii
Summit station, I mile north of, in northwest corner of small lot owned by W. S. Griffith, lot situated just south of east-west section line, on east side of north-south road, iron post stamped "Prim. Trav. Sta. No. 34, 1905".  Milepost 24, private-road crossing, south track. Union station, 1.5 miles west of, east-west road crossing. Union station, 0.75 mile west of, crosscoads, in southeast corner of Ira. Showman's field; crosscut on stone abutment to bridge bears S. 9° 15' E., distant 47.6 feet; iron post stamped "Prim. Trav. Sta. No. 36, 1905".	40 00 08.3 40 00 34.9	82 45 03.4 82 33 26 6 82 32 26.1
Union station, 0.5 mile east of, north-south gravel-road crossing	40 01 13.0	82 31 29.2 82 30 22.5

# Geographic positions along highways, Granville to Union schoolhouse.

Station.	Lat	itude.	Long	itude.
Granville, I mile south ot, T road to west at schoolhouse, 19 feet northeast to cross on corner of fence, 7 feet south to end of culvert	4()	/ // 02 53.3 03 51.7	82	31 25.2 31 14.8
north end of culvert, 46 feet south to cross on telegraph pole	40 (	04 39.1	82	31 18.2
to corner of garden fence, 28 fect northeast to cross on telegraph pole- Brushy Creek, south end of iron bridge over. Fredonia, schoolhouse yard, in west part of, northwest corner of; foundation of schoolhouse bears S. 72° 30′ E., distant 122.6 feet; southeast foundation to Willard's store bears N. 46° 30′ W., distant		06 34.7 07 24.5		31 08.0 31 04.5
94.5 feet; iron post stamped "Prim. Trav. Sta. No. 37, 1905".  Highwater, crossroads, 63 feet south to northwest corner of store porch,	40 (	08.6	82	31 12.5
31 feet southwest to guidepost.  Highwater, 1 mile north of, crossroads, 27 feet north to cross on corner	40	0 34.4	82	31 10.7
of board fence, 60 feet north to J. F. Riley's mail box. Union schoolhouse, 0.5 mile south of, T road west, 16 feet due west to	40	1 22.3	82	31 05.2
W. F. Wagoner's mail box. Union schoolhouse, 0.5 mile north of, crossroads, post.		2 42.3 3 37.4		31 10.8 31 13.6

#### LOGAN QUADRANGLE (PERRY COUNTY).

# Geographic positions along Cincinnati and Muskingum Valley Railroad near Junction City,

Station	Latitude.				Longitude.				
Milepost 42, 0.33 mile east of, road crossing. Junction City, near Stalzenbach & Harris's store, on north line between Cincinnati and Muskingum Valley Railroad and property of Junction City; southwest corner of store bears N. 26° 50′ W., distant 78.9 feet; north rail of track at road crossing bears S. 43° 45′ W., distant 53 feet; iron post stamped ''Prim. Trav. Sta. No. 66, 1905'' Milepost 13, road crossing. McElroys, 1 mile south of, road crossing at spur. McElroys station, road crossing.	39 39 39	43 43 43 44	23.5 13.4 24.6 00.8 57.3		82 82 82 82	17 20 20	57.0 00.6 19.3 53.2		

# M'CLURE QUADRANGLE (HENRY AND WOOD COUNTIES).

# Geographic positions along highways near north border of quadrangle.

Station.	Latitude.			Long	de.	
Whitehouse, 1.5 miles south of, crossroads and schoolhouse, 4 miles						
east of Neapolis, 44 feet northeast to school pump, 33 feet northwest to guidepost.	41	20	43.1		10	26.6
Neapolis, 2.25 miles east of, erossroads, 32 feet southwest to Geo. Rapp's						
mail box, 23 feet northwest to northeast corner stone of culvert Crossroads at schoolhouse, 28 feet northwest to cross on corner fence	41	29	42.6	83	49	36.0
post, 39 feet southwest to S. Jewell's mail box	41		42.0			44.6
Neapolis, road crossing T. 6 N., R. 8 E., sec. 12, southcast corner of. in southeast corner of field	41	29	32.9	.83	52	23.9
of Mary A. Long, iron post stamped "Prim. Trav. Sta. No. 30, 1905".	41		14.5			58.4
T. 6 N., R. 8 E., corner secs. 11, 12, 13, and 14, stone at crossroads T. 6 N., R. 8 E., corner secs. 10, 11, 14, and 15, crossroads, 29 feet north-	41	29	13.1	83	54	08.6
west to H. Leneman's mail box, 36 feet southwest to board on small						
tree	41		13.1			18.1
T. 6 N., R. 8 E., corner sees. 9, 10, 15, and 16, stone at crossroads Troad north, T. 6 N., R. 8 E., corner sees. 8, 9, 16, and 17, 22 feet south-	41	29	12.9	83	56	27.8
east to F. C. March's mail box, 24 feet south to cross on fence post	41	29	12.5	83	57	37.6
T. 6 N., R. 8 E., corner sees, 7, 8, 17, and 18, crossroads, 36 feet northwest to mail box, 31 feet southwest to cross on telephone pole	41	90	12.1	83	58	47.0
west to man box, or rect southwest to cross on telephone pole	41	20	12.1	0.0	90	77.0

# MONTPELIER QUADRANGLE (WILLIAMS COUNTY).

# Geographic positions along highways near Ohio-Michigan State line.

Station.	Latitude.	Longitude.
	c / //	0 / //
T. 9 S., R. 2 W., corner secs. 10, 11, 14, and 15, T road north	41 41 40.6	84 30 51.2
T. 9 S., R. 2 W., corner sees. 9, 10, 15, and 16, T road east	41 41 40.3	84 32 00.5
Ohio-Michigan State line, center of north-south road	41 42 09.0	84 32 00.8
Pioneer, T road west, 1 mile east of, 30 feet northwest to cross cut on		
corner fence post, 42 feet southwest to cross out on telephone pole	41 40 47.7	84 32 07.8
Pioneer, northeast corner of bridge at crossing of main streets	41 40 47.2	84 33 10.8
T. 9 S., R. 2 W., corner secs. 17, 18, 19, and 20, crossroads	41 40 47.6	84 34 20.2
T. 9 S., R. 2 W., west corner sees. 18 and 19, T road east	41 40 47.3	84 35 30.9
T. 9 S., R. 3 W., eorner sees. 13, 14, 23, and 24, crossroads	41 40 46.9	84 36 40.9
T. 9 S., R. 3 W., corner secs. 14, 15, 22, and 23, at Bethel Church, cross-		
roads.	41 40 46.5	84 37 50.2
T. 9 S., R. 3 W., southeast corner see. 10 4 miles west and 1 mile north		
of Pioneer, in southeast corner of Osborne's farm, iron post stamped		
"Prim. Trav. Sta. No. 18, 1905"	41 41 39.0	84 37 50.6
Ohio-Miehigan State line, T. 9 S., R. 3 W., 349 feet south of quarter eor-		
ner between sees. 10 and 11	41 42 01.5	84 37 50.5
T. 9 S., R. 3 W., eorner secs. 9, 10, 15, and 16, T road north	41 41 38.5	84 39 00.6
T. 9 S., R. 3 W., corner sees. 8, 9, 16, and 17, crossroads	41 41 38.1	84 40 10.7
T. 9 S., R. 3 W., north corner secs. 17 and 18, T road south	41 41 37.7	84 41 20.6
Northwest Church T road north	41 41 36.3	84 43 04.8
In southeast corner of field owned by F. M. Husghy, iron post stamped	41 41 36.4	84 44 50.0
"Prim. Trav. Sta. No. 19, 1905" Ohio-Michigan State line center of north-south road, 3 feet south of	41 41 50.4	0.00 44 60
southwest gatepost	41 41 50.6	84 44 49.8
southwest gatepost	11 11 00.0	0.64 44 45.0

# Geographic positions along highways near west border of quadrangle.

Station.	Latitude			Latitude			Longitud		
		,	,,						
T. 9 S., R. 4 W., corner sees. 14, 15, 22, and 23, crossroads	41	40	43.6	84	1.1	49.8			
T. 9 S., R. 4 W., corner sees. 22, 23, 26, and 27. T road west	41	39	51.2			49.8			
T. 9 S., R. 4 W., corner sees. 26, 27, 34, and 35. T road west.	41	38	58.8	84	44	48.9			
Tps. 9 and 10 S., R. 4 W., corner secs. 2, 3, 34, and 35, center of north-									
south road crossing at corner.			06.4			47.8			
T. 10 S., R. 4 W., south corner sees. 2 and 3, T road north.			14.4			-46.9			
T. 8 N., R. 1 E., south corner sees. 33 and 34, crossroads.	41	36	06.8	84	44	58.1			
T. 7 N., R. 1 E., southwest corner sec. 3, in southwest corner of John Fox's garden; southwest corner of schoolhouse bears N. 79° 40′ W.,									
distant 190.7 feet; southwest corner of section 3 bears S. 48° W., dis-									
tant 30.7 feet; iron post stamped "Prim. Trav. Sta. No. 20, 1905"	41	2.5	06.7	0.4	4.4	57.4			
T. 7 N., R. 1 E., corner sees. 9 10, 15, and 16, crossroads.	41	34	14.2			57.6			
T. 7 N., R. 1 E., corner secs. 15, 16, 21 and 22, crossroads	41	33	22.2	84		57.6			
T. 7 N., R. 1 E., corner secs. 21, 22, 27, and 28, crossroads	41					57.4			
T. 7 N., R. 1 E. corner secs. 27, 28, 33, and 34, crossroads		31				57.1			
Tps. 6 and 7 N., R. 1 E., corner sees. 3, 4, 33, and 34, stone	41	30	46.2	84		56.7			

#### NEWARK QUADRANGLE (LICKING COUNTY).

Magnetic declination, west border, 0° 36′ west; north border, 2° 31′ west; east border, 3° 08′ west; south border, 1° 05′ west.

Station.	Station. Latitude.			gitu	de.
	c	, ,,		,	"
Homer, 1.33 miles southeast of, large sugar maple in center of road Road southwest, 24 feet south to cross on black oak		4 39.2 3 55.7			22.5 00.0
Utica, in southeast part, east-west road crossing Baltimore and Ohio R R.	40 1	3 57.2	82	26	52.4
Licking-Knox county line, road west, 27 feet northwest to cross on gatepost, 27 feet southeast to cross on rail fence.	40 1	4 35.8	82	25	04. 2
Bell Church, 0.5 mile west of T road north, 28 feet northwest to tele- phone pole, 22 feet southwest to cross on fence post		4 32.4			44.6
Martinsburg, 1.5 miles south of at crossroads, in northeast corner of field of W. P. Harrison, iron post stamped "Prim. Trav. Sta. No. 41,	30 1		(/2	2.9	11.0
1905". Martinsburg, about 2 miles southeast of, crossroads, 10 feet southeast t	40 1	4 53.7	82	21	36.2
to gum tree, 21 feet northeast to mail box.  County line, 0.5 mile north of, crossing of east-west and northwest-	40 1	4 50, 8	82	20	18.1
southeast roads, 38 feet north to large white oak, 38 feet northeast to	40 1	4 49.6	(Jr.)	10	14. 8
cross on fence post	40 1	.4 49.0	02	10	14. )
feet northeast to cross on fence post, 30 feet southeast to cross on telegraph pole.	40 1	4 48.6	82	17	06.4
Henpeck Corners, crossroads, 28 feet southeast to guidepost, 27 feet northwest to Benbow Simpkins's mail box	40 1	4 02.2	82	16	52.7
Henpeck Corners, 1 mile southeast of, 2 miles northwest of Fallsburg, just north of schoolhouse, in southeast corner of W. H. Kidd's tarm.					
at T road northeast, iron post stamped "Prim. Trav. Sta. No. 42, 1905"	40 1	3 44.4	82	16	63.7
Fallsburg, 1 mile northwest of, T road east, seales, 200 feet north of, 16 feet east to Matt Frost's mail box		2 51.1			26.8
Corner secs. 14, 15, 16, and 17, cross on top of stone	40 1	1 56.0	82	1.)	46. 1

Geographic positions along Toledo and Ohio Central Railway near Central City.

Station.	Latitude.			Latitude.			Lon	gitu	de.
Milepost 28, 240 feet east of, east-west gravel-road crossing, north track. Central City, 0.75 mile south of, 105 feet north of milepost 14, east-west	。 40	, 01	" 43. 1	° 82	29	25, 1			
gravel-road crossing Milepost 13, just north of, private-road crossing	40 40		$\frac{30.2}{38.5}$			26. 9 38. 8			

### Geographic positions along highways.

·										
Station.	Lati	itude.	Lon	gitu	de.					
Fulton schoolhouse, 0.25 mile east of, T road north, 22 feet south to	0	, ,,	0	,	"					
eross on red gate	40 (	01 21.5	82	26	41.7					
Lloyds Corners, 1 mile west of, T road south, 21 feet east to east end of tile eulvert, 19 feet southwest to west end of same	40 (	00 54.1	82	95	24.5					
Newark, about 3 miles south of, at Lloyds Corners, crossroads, 13 feet	-10 (	JO 04. 1	02	ώO	24.0					
southeast to ring on telephone pole, 31 feet northeast to cross on										
picket fenee. Lutheran Church, 1 mile northwest of, at top of hill, T road west, point	40 (	00 49.7	82	24	14.0					
on intersection	40 (	00 48.7	82	22	54.6					
Newark, 4.5 miles southeast of, in Lutheran school grounds, southeast			02		0110					
eorner of schoolhouse foundation bears N. 25° 15′ W., distant 11.9										
feet; northwest corner of Lutheran Church foundation bears S. 37° 30′ W., distant 67.6 feet; iron post stamped "Prim. Trav. Sta. No.										
45, 1905"	40 (	00 16.6	82	22	04.8					
Fry (John) farm, at southwest corner of, crossroads, 30 feet northeast										
to cross on post at south end of wire fence, 46 feet northwest to T. J.	40 (	00 00, 8	82	21	01.3					
Moore's mail box	) UF	00.0	04	41	01.0					
feet southwest to guidepost		00 50.3	82	19	58.7					
T. 1 N., R. 11 W., stone at corner secs. 1, 2, 9, and 10	40 (	00 46.1	82	18	34.3					
Boodle schoolhouse, 1.33 miles southeast of, road south, 13 feet north to cross on gatepost. 36 feet southwest to mail box	40 (	00 04.8	82	16	57.9					
Clay Lick, about 4 miles south of, in south part of grounds of Boodle	10 (	,0 01.0	(,2	1()	0110					
schoolhouse, southwest corner of schoolhouse foundation bears N,										
9° 15′ E., distant 57 feet, nail in root of maple tree bears N. 84° 30′ E., distant 60.1 feet; iron post stamped "Prim. Tray. Sta. No. 44, 1905".	40 (	00 58, 7	82	17	23.4					
Boodle schoolhouse, about 1.38 miles southeast of, road to south, 13 feet	10 (	N) ()(), 4	(12	11	20. I					
north to cross on gate-post, 36 feet southwest to mail box		00 04.8	82	16	57.9					
Scott (G. W.) residence, intersection of roads, mail box.	40	10 38.4	. 82	16	03.0					
Sawmill, 900 feet north of, T road to west, on top of hill, 30 feet north- west to mail box	40	10 01.2	82	15	29.1					
Reform, 0.66 mile northwest of, crossroads, 25 feet northeast to F,										
Priest's mail box, 29 feet northwest to cross on corner fence post	40 (	08 53. 1	82	15	14.3					
Reform crossroads, 21 feet southeast to R. S. Paine's mail box, 30 feet northeast to willow tree.	40 (	08 16, 6	82	15	02.0					
Reform, 0.75 mile south of, in southwest corner of field of John W.	10 (	70.0	(12	10	02.0					
Gardner, opposite Methodist Church, iron post stamped "Prim.										
Trav. Sta. No. 43, 1905".  Hanover, in northwest part of, road crossing under Pennsylvania R. R.	4() (	07 34.0	82	15	05.0					
eenter of	40 (	)4 34.2	82	15	47.2					
eenter of										
Electric R. R.	40 (	03 53.4	82	16	03.6					
Clay Lick, 0.5 mile north of, just south of electric railroad station, old Ohio Canal, center of bridge over	40 (	3 54.0.	82	17	27.7					
Clay Liek, 1 mile south of, T road west		02 52.7	82	17	29.2					
Clay Liek, 2 miles south of, road to southwest at Jonathan Intow's	40	11 00 1	00	1.77	00.4					
residence, 12 feet southwest to J. R. Shepherd's mail box	40 (	)1 36.1	82	17	38. 1					

NEW COMERSTOWN QUADRANGLE (COSHOCTON AND GUERNSEY COUNTIES).

Magnetic declination, south border, 1° 57′ west.

Geographic positions along Pennsylvania Railroad between West Lafayette and Isleta.

Station.	Latitude.			Latitude.			Lon	gitu	de.
West Lafavette, 1 mile south of, T road east, 24 feet east to guidepost,	0	,	"	0	,	"			
"Plainfield 5 miles," 38 feet southeast to cross on corner fence post West Lafayette, at northwest corner of public school grounds, north- west corner of schoolhouse bears S. 16° 15′ E., distant 256.6 feet; iron	40	15	29, 8	81	44	27.6			
post stamped "Prim. Trav. Sta. No. 58, 1905"	40		33.3			50, 2			
Milepost 77, 300 feet east of, road crossing, north track	40		24.3 18.5	81 81		$04.4 \\ 51.8$			
Milepost 78, 700 feet east of, north-south road crossing, south track Isleta station, road crossing, south track			18.3			24.8			

# Geographic positions along highways.

Station.	Latitude.			Latitude. Lor			ngit	ude.
Isleta, I mile southeast of, forks of road, 30 feet north to cross on board fence, 75 feet southeast to cross on telegraph pole.  Top of hill, Y road at, 27 feet northeast to guidepost, "Coshocton 13 mi.," 21 feet west to mound.  Widder triangulation station, on land of Chas. Widder, 2.5 miles nearly south of New Comerstown, 50 feet west of north-south road. 0.5 mile west of Baptist Church, and 600 feet southwest of White schoolhouse. Station mark: A sandstone post 36 by 6 by 6 inches, set 63 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet (Ohio).	40	15 14	50, 2 53, 8 09, 67	81	39 37 36	25, 50 59, 50 54, 11		

### NEW LEXINGTON QUADRANGLES (MORGAN AND PERRY COUNTIES).

### Geographic positions along highways.

Station.	Latitude.	Longitude.
Dovertown, cross streets, 48 feet northwest to southeast corner of post-office, 48 feet southwest to northeast corner of store at pump.  T, 14 S., R. 14 W., north corner sees. 34 and 35.  Dovertown station, road crossing Zanesville and Western Rwy.  Stringtown crossroads, guidepost.	39 44 03.1 39 44 28.2 39 44 20.6	82 02 16.7 82 03 37.0 82 04 36.0 82 05 18.1

# Geographic positions atong Cincinnati and Muskingum Valley Railroad between McLuncy and New Lexington.

Station.	Latitude.	Longitude.
McLuney, near station, on land of Charles Myers, southeast corner of station bears S. 71° W., distant 71.5 feet; northwest corner of store bears S. 81° 40′ E., distant 10 feet; iron post stamped "Prim. Tray. Sta. No. 65, 1905".  Lyondale station, road crossing.  Milepost 35, 0.5 mile west of, north-south road crossing.  Wilburn station, road crossing.  New Lexington, 1 mile northeast of, north-south road crossing.  New Lexington station, center of track opposite.  Milepost 40, 900 feet west of, road crossing.	39 43 29.1 39 43 26.7	82 06 27.8 82 08 13.8 82 09 47.6 82 10 38.1 82 11 45.6 82 13 00.0 82 14 35.7

#### OTTAWA QUADRANGLE (HENRY COUNTY).

#### Geographic positions along Battimore and Ohio Southwestern Railroad between Holgate and Hamler.

Station.	Latitude.			Station. Latitude.					de.
Holgate, crossing of Baltimore and Ohio Southwestern R. R. and Clover Leaf Route.			53.9			40.5			
Holgate, 1 mile east of, in northwest corner of field at T road south, T. 3 N., R. 7 E., west quarter corner to sec. 6 is 30 feet west and 35 feet north of station; iron post stamped "Prim. Tray. Sta. No. 10,	41	14	Jo. J	0.4	01				
1905"	41	14	46.0	84	06	47.7			
Holgate, 2 miles east of, road crossing north and south	41	14	30.0	84	(),5	34. 6			
Hamler, 2.5 miles west of, section line, road crossing north and south.	41	14	17.4	84	()4	28.8			
T. 3 N., R. 7 E., corner secs. 4, 5, 8, and 9, stone at crossroads	41	14	21.0	84	()4	28.8			
Hamler, 1.25 miles west of, road crossing north and south	41	14	()4. 1	84	03	18.9			
Toledo and Ironton R. Rs	41	13	46.7	84	01	47.4			
Road crossing northeast and southwest (south track)	41	13	31.1	84	()()	25.4			
T. 3 N., R. 8 E., sec. 7, northwest corner, iron post s amped "Prim.									
Trav. Sta. No. 11, 1905"	41	14	21.9	84	59	50.9			

#### PAULDING QUADRANGLE (PAULDING COUNTY).

Geographic positions along highways near north border of quadrangle.

Station.	Latitude.	Longitude.
Section line, road crossing north and south	41 14 15.6 41 14 14.7 1g Cineinnati 41 14 14.7 41 13 53.7 41 13 51.2	84 30 54.9 84 32 02.7 84 33 11.5 84 34 08.5 84 36 05.9 84 36 04.7

### PHILO QUADRANGLE (MORGAN AND MUSKINGUM COUNTIES).

Magnetic declination, north border, 1° 52′ west; west border, 0° 51′ west; south border, 1° 04′ west, 1° 22′ west; east border, 1° 15′ west, 1° 38′ west.

Geographic positions along Baltimore and Ohio Railroad between Zanesville and Norwich.

Station.	Latitude.			Longitude,			
Zanesville, 2 miles north of, Zanesville and Gilbert road just west of, between Baltimore and Ohio and Cincinnati and Muskingum Valley R. Rs., in southeast corner of field of Mrs. Margaret Clark, in stone post 10 by 12 by 33 inches, aluminum tablet stamped "Prim. Trav. Sta. No. 62, 1905".  Block station, just west of, overhead crossing Milepost 65, center of track opposite.	° 39 39 39	58 58	42. 2 40. 7 35. 6	° 81 81 81	56		
Sonora station, just northeast of, just inside of railroad right of way, northwest corner of J. A. Rush's residence bears S. 40° 45′ E., distant 25.5 feet; northeast corner of station bears S. 39° W., distant 87.8 feet; iron post stamped "Prim. Trav. Sta. No. 61, 1905".  Milepost 67, road crossing.  Milepost 69, 0.75 mile west of, road crossing, warning post on north	39 39	59	02. 3 25. 7		54	12. 4 27. 4	
Milepost 69, 0.75 mile west of, road crossing, warning post on north side of track.  Bridgeville, 1 mile west of, road crossing under culvert.  Bridgeville station, center of track opposite.  Norwich station, 1.25 miles west of, national road crossing.  Sundale station, center of track opposite.		58 58 58	51.3 34.1 54.4 39.5 35.3	81 81 81 81	51 50 48	17. 2 07. 2 05. 6 48. 3 36. 9	
Sundale station, 0.75 mile east of, ôn north side of Baltimore and Ohio R. R. at north-south road crossing, in southwest corner of field owned by W. E. Dingley, center of railroad at road crossing bears S. 12° 30′ W., distant 48 feet; iron post stamped "Prim. Trav. Sta. No. 60, 1905".			54.0			47. 1	
Norwich, 0.5 mile east of, crossing of national road and north-south road, 33 feet northwest to cross on telephone pole, 54 feet south to corner yard fence  Wheeling and Lake Erie R. R. milepost 4, 400 feet south of, private-	39	59	14.9	81	46	54. 4	
road crossing	39	59	35.3	81	58	52. 1	

Station.	Latitude.			Long	gitu	de.
Pleasant Valley schoolhouse, 0.75 mile south of, T road north, 6 feet	0	,	"	0	,	,,
south to south end of culvert, 39 feet northwest to mail box on fence. Pleasant Valley, 0.5 mile north of, T road east, 13 feet northeast to elm	39	47	35.5	81	45	29, 2
snag, 27 feet west to cross on fence post	39	48	53.8	81	45	13.6
Snowball schoolhouse, 0.33 mile southeast of T road southwest, 15 feet north to cross on large corner fence post, 28 feet southeast to west end of box culvert.  Highhill post-office, just north of, T road east, 16 feet southwest to cross on corner of stable, 33 feet northeast to "MF" cut on stone-	39	49	32.6	81	45	14.2
wall	39	50	00.8	81	46	04.4
Freeland, 1.5 miles south of, opposite Lee Warner's mail box, arrow painted on rail fence	39	51	33.4	81	46	16.2

# Geographic positions along highways—Continued.

Station.	Latitude.		Long	gitude.
Freeland, in west corner of George Thorla's field, south rail of narrow- gage railroad bears N. 31° 45′ W., distant 38 feet; south corner of station bears N. 57° E., distant 152.3 feet; in stone post 12 by 12 by	0 /	"		, ,,
36 inches, marked "U.S.G.S., "stamped "Prim. Trav. Sta. No. 69". Center of bridge. Rich Hill, Methodist Church, T road southeast, 10 feet northwest to	39 52 39 53	51.2	81	$\begin{array}{ccc} 46 & 31.7 \\ 45 & 34.0 \end{array}$
cross on telegraph pole, 28 feet southeast to guidepost ("Rexs Mill 1.5 mi.").  Rexs Mill, 0.25 mile southeast of, T road west, 32 feet west to cross on feece post, 27 feet southwest to cross on gate post.	39 54 3			45 12.1
Rexs Mill, 1 mile northwest to cross on gate post.  Rexs Mill, 1 mile northwest to f, crossroads, 21 feet northwest to Lee Davis's mail box, 22 feet northeast to cross on telegraph pole.  Sundale, 1.25 miles east by 0.25 mile south of, T road south, 22 feet	39 55 39 56			44 29.5 45 14.0
southeast to cross on corner fence post, 45 feet north to cross on board fence.	39 58	11.0	81	45 57.3

# Geographic positions along Ohio and Little Kanawha Railroad between Brush Creek and Dillon.

Station.	Latitude.			Longitude.			
Brush Creek bridge, about 1 mile northwest of, 0.25 mile southeast of	0	,	"	0	,	"	
coal-mine shaft, road crossing.	39	53	22.1	81	59	42.6	
Brush Creek station, in northeast corner of A. M. Shylock's field, 24							
feet north to south rail of Ohio and Little Kanawha R. R., 31 feet							
east to center of north-south road, iron post stamped "Prim. Trav.							
Sta. No. 63, 1905 "			41.4	- 81	58	50.9	
Brush Creek bridge, 0.75 mile south of, overhead road crossing	39	52	02.8	81	59	00.9	
Ohio and Little Kanawha R. R. milepost 3, 0.33 mile north of, north-							
south road crossing.	39	51	15.2	81	59	07.3	
Stovetown, road crossing at station	39	50	19.6	81	59	12.0	
Milepost 1, road crossing	39	49	28.6	81	59	06.8	
Connelsville station, Dillon post-office, just east of, street crossing			- 1				
railroad	39	48	48.9	81	59	46.0	

# Geographic positions along highways from Dillon post-office to a point 1.75 miles north of Rowland post-office.

Station.	Station. Latitude.			Longitude.			
Dillon post-office, 1 mile southeast of, T road west at large elm tree,	0	,	"	0	,	,,	
15 feet southwest to elm tree, 29 feet northeast to corner fence post Forks of road, 17 feet north to cross on telegraph pole, 22 feet east to	39	48	16.4	81	59	15.9	
mail box No. 46.	39	47	25.2	81	58	57.9	
Bailey Church and schoolhouse, 0.25 mile north of, T road south, 24 feet east to small walnut tree, 35 feet southwest to cross on fence post. Sharp Hill schoolhouse, 0.25 mile east of, T road south, 35 feet southwest to the contract of th	39	45	21.5	81	59	13.8	
west to cross on corner fence post, 21 feet northeast to wild-cherry tree.	39	45	39.4	81	56	46.3	
Duront, 0.75 mile west of, T road north, arrow painted on Lewis Fouta's yard fence.  Duront, W. H. Stokes's front yard, south corner of fence bears N. 10°	39	44	57.2	81	55	37.4	
45' W., distant 29.7 feet; iron post stamped "Prim. Trav. Sta. No. 67, 1905"	39	45	02.9	81	54	48.5	
At corner of apple orchard, T road north, 30 feet to cross on board fence, 28 feet east to cross on fence post. Duront, 2 miles east of, T. 11 S., R. 12 W., corner secs. 3, 4, 9, and 10,	39	45	03.2	81	53	33.4	
stone	39		53.7	81		19.3	
Brick house, T road west, cross on corner fence post	39	45	10.7	81	50	40.2	
post, 45 feet west to cross on corner of outbuilding	39	45	30.3	81	49	29.2	
Sewall's (John) residence, 1 mile east of, T road southwest, 28 feet south to cross on gate post, 36 feet west to corner of hedge fence	39	45	12.0	81	48	31.8	
Rowland post-office, 0.5 mile north of, at T road west, in northeast							
corner of Walton Blackledge's field; iron post stamped "Prim. Trav. Sta. No. 68, 1905".	39	4.5	04.2	81	46	21.5	
Rowland, 1.75 miles north of, T road southeast, 19 feet south to mail box, 24 feet northeast to large dead tree	39	45	59.2	81	45	55.2	

#### STRYKER QUADRANGLE (FULTON AND WILLIAMS COUNTIES).

Geographic positions along highways on west border of quadrangle.

Station.	Latitude.			Longitude.		
T. 6 N., R. 3 E., north corner secs. 1 and 2, T road south. T. 7 N., R. 3 E., corner secs. 25, 26, 35, and 36, crossroads. T. 7 N., R. 5 E., corner secs. 23, 24, 25, and 26, 0.5 mile north of, T road south. T. 7 N., R. 3 E., corner secs. 14, 15, 22, and 23, T road east. T. 7 N., R. 3 E., corner secs. 10, 11, 14, and 15. T. 7 N., R. 3 E., corner secs. 2, 3, 10, and 11, crossroads. T. 8 N., R. 3 E., southwest corner sec. 35, in southwest corner of field	41 41 41 41	30 31 33 33 34	49. 4 41. 7 00. 1 26. 7 18. 9 11. 1	84 84 84 84	28 28	36. 7 39. 5 39. 2 48. 1 47. 9 48. 0
of Joseph Eberly, northwest corner of his house bears 8. 2° E., distant 91.4 feet; southwest corner of Warnick's house bears N. 74° W., distant 76.4 feet; iron post stamped 'Prim. Trav. Sta. No. 16, 1905''. T. 8 N., R. 3 E., north corner secs. 34 and 35. T. 10 S., R. 2 W., south corner secs. 1 and 2, crossroads. T. 9 S., R. 2 W., corner secs. 25, 26, 35, and 36, crossroads. T. 9 S., R. 2 W., corner secs. 23, 24, 25, and 26, crossroads. T. 9 S., R. 2 W., corner secs. 13, 14, 23, and 24, crossroads.	41 41 41 41 41 41	36	02. 4 54. 3 18. 7 03. 4 56. 1 48. 6	84 84 84 84 84 84	29 29	49, 4 50, 1 43, 0 42, 7 42, 7 42, 4

 $\begin{tabular}{ll} Geographic positions along highways on north border of quadrangle near Ohio-Michigan \\ State line. & \bullet \\ \end{tabular}$ 

Station.	Latitude.			Longitude.			
T. 9 S., R. 2 W., in southeast corner sec. 11, in southeast corner of	0	,	//		,	,,	
field of E. Thatcher, iron post stamped "Prim. Trav. Sta. No. 17,				0.4			
T. 9 S., R. 2 W., east corner secs. 12 and 13, T road west.		41	41.3	84	29	41.6	
T. 9 S., R. 2 W., east corner sees. 12 and 13, 1 road west. T. 9 S., R. 1 W., corner sees. 7, 8, 17, and 18, crossroads.		41	39. 9 40. 7	84	28 27	32. 0 22. 7	
T. 9 S., R. 1 W., corner sees. 7, 8, 17, and 18, crossroads		41	41. 0	84		14. 8	
Ohio-Michigan State line, 0.33 mile west of Cincinnati Northern R. R.,	.11	.4.1	41.0	04	20	14.0	
T road south	41	49	17.6	84	95	40, 5	
Ohio-Michigan State line, 0.75 mile east of Cincinnati Northern R. R.,		1 44	11.0	0.3	20	10, 0	
	41	42	19. 2	84	24	31.8	
Crossroads. T. 9 S., R. 1 W., corner secs. 10, 11, 14, and 15, Fulton-Williams county						0-10	
line	41	41	41, 5	84	23	56, 6	
T. 9 S., R. 1 W., southeast corner sec. 11, in southeast corner of field of							
G. S. Wilnor, iron post stamped "Prim. Trav. Sta. No. 23, 1905"		41	41.6	84		47.3	
T. 9 S., R. 1 W., east corner of secs. 12 and 13, T road west		41	42.0	84	21	36, 2	
T. 9 S., R. 1 E., corner secs. 7, 8, 17, and 18, crossroad		41	41.9	84	19	40.6	
T. 9 S., R. 1 E., corner secs. 8, 9, 16, and 17, crossroad		41	43. 7		18	28, 8	
T. 9 S., R. 1 E., corner sees. 9, 10, 15, and 16, crossroad		41	45. 3		17	19.7	
T. 9 S., R. 1 E., corner secs. 10, 11, 14, and 15, crossroad		41	45. 6		16	09.8	
Ohio-Michigan State line, center of north-south road.	41	42	31.7	84	16	11.0	
Ritters, 1.5 miles southeast of, in northwest corner of Hewey Sutton's front yard; northwest corner of Sutton's house bears S. 79° E., dis-							
tant 181.2 feet; east rail of electric railway at crossing bears N. 67° W.							
distant 69 feet; iron post stamped "Prim. Trav. Sta. No. 24, 1905".	41	41	46. 8	84	14	56. 7	
are the state of t	**		20.0	01	- 1	00.1	

#### SUGARGROVE QUADRANGLE (FAIRFIELD COUNTY).

Geographic positions along Hocking Valley Railway between Lancaster and Hooker.

Station.	Latitude.			Longitude.		
Pleasant triangulation station (2), on the summit of a bluff locally called Mount Pleasant, about 300 feet above and 1 mile north of Lancaster, Ohio, immediately east of fairgrounds, on land of F. J. Buschemeyer. Station mark: Center of iron windmiln lear west, end of summit. Reference mark: A triangle cut in sandstone ledge, with arrows cut on edge of bluff pointing to station. Azimuth from station to center of windmill, 148° 23′, distance, 228 feet.  Lancaster, crossing of Fair avenue and Columbus street. Lancaster, 1.6 miles northwest of, pike crossing Hocking Valley Rwy., east track, township line follows railroad northwest. Water tank, spout between tracks.  Hooker station, 350 feet northwest of, on north side of east-west road, near southeast corner of field of Mike Vase; southwest corner of foundation to house bears N. 43° 15′ E., distant 29 feet; iron post stamped "Prim Trav. Sta. No. 48, 1905"	39 39 39	43 43 43 44	30, 56 26, 4 30, 1 16, 1	82 82 82		42. 36 15. 10 40. 60 43. 30

# Geographic positions along highways.

Station.		titu		Long	gitu	ide.	
Hooker, 1.75 miles west of, 22 feet northwest to R. V. Allen's mail box, 25 feet northeast to cross on fence post.  Hooker, 3 miles west of, at crossroads, in east part of field owned by Jacob Bookmon, near apple tree on top of steep bank west of inter-		,	52. 7				
section of crossroads, iron post stamped "Prim. Trav. Sta. No. 49, 1905".	39	44	59.3	82	42	47.1	

# SWANTON QUADRANGLE (FULTON AND LUCAS COUNTIES).

# Geographic positions along highways near north border of quadrangle.

Station.	Latitude.			Long	de.	
Seward, 2 miles east by 0.5 mile north of, at crossing of township-line						
road with Lyons-Metamora road, in northwest corner of field of		/	//		/	//
Adam Math, iron post stamped 'Prim. Trav. Sta. No. 25, 1905''	41	42	33. 7	83	59	53.2
Whiteville, crossroads, 20 feet southwest to E. J. Smith's mail box,	4.1	40	10.0			
36 feet north to road crossing of T. and W. electric road	41	42	40, 3	83	9%	34. 9
Whiteville, T road north 1 mile east of, 27 feet north to road crossing of T, and W, electric road, 24 feet east to Peter Myer's mail box	4.1	40	45, 5			05.0
Whiteville, T road north 2 miles east of, at stop 27, 39 feet north to	41	42	45. 5	83	97	25. 9
road crossing of electric railroad.	41	49	51.0	0.9	50	15. 4
Ohio-Michigan State line, crossing north-south road.			05. 9			16. 0
Metamora, center of bridge over creek in.			41. 2			38. 0
In south part of schoolhouse yard at county line; north rail of elec-	-11	12	11. 4	(10)	OI	90. U
tric road at switch block bears S. 49° 30' E., distant 126 feet; south-						
east corner of schoolhouse bears N. 0° 15' E., distant 78 feet; iron						
post stamped "Prim. Trav. Sta. No. 26, 1905".	41	42	42. 6	83	52	48.3
Berky, crossroads at stop 55, 1 mile west of, 33 feet west to mail box.					1,2	10.0
30 feet southwest to south end of culvert	41	43	01.5	- 83	51	31.9
Berky, crossroads, 33 feet southeast to crossing of T. and W. electric						
road		42	54. 2	83	50	21.9
Berky, crossing north-south road and electric road 1 mile east of	41	42	48.5	83	49	11.9
Berky, T road north 2 miles east of	41	42	55. 7	83	48	05, 6
T. 9 S., R. 5 E., sec. 11, northeast part of, 0.25 mile west of electric-						
railroad junction, in northeast corner of field owned by John S.						
Clark, at T road south, iron post stamped "Prim. Trav. Sta. No. 27,						
1905''	41		56. 3			11.7
Ohio-Michigan State line.	41	43	19.8	83	48	06, 6
T. 9 S., R. 5 E., corner secs. 11, 12, 13, and 14, 0.25 mile west of, mail box		4.5	0			00.0
of Kate R. Van Norman and Paul Taior, crossroads	41	42	05. 8	83	47	09.2

# Geographic positions along highways near east border of quadrangle.

Station.	La	Latitude.				Longitude			
T. 9 S., R. 5 E., secs. 13, 14, 23, and 24, crossroads 0.25 mile west of									
19 feet northeast to John G. Taylor's mail box, 18 feet north to east		/	//			/	//		
end of small bridge	41	41	12.	4	83	47	07.9		
T. 9 S., R. 5 E., secs. 23, 24, 25, and 26, T road north 0.25 mile west of,									
30 feet north to C. Lochrihler's mail box, 27 feet northeast to east									
end of stone culvert.	41	40	22.	7	83	47	05.4		
T. 95 N., R. 5 E., corner secs. 22, 23, 26, and 27, T road north, 24 feet									
northeast to cross on telephone pole, 21 feet northwest to west end									
of stone culvert	41	40	22.	5	83	47	42.9		
T. 9 S., R. 5 E., corner sees. 21, 22, 27, and 28, 33 feet southwest to									
cross on telephone pole, 38 feet southeast to corner fence post, T									
road south	41	40	21.	7	83	49	07.3		
T. 9 S., R. 5 E., corner secs. 27, 28, 33, and 34, crossroads, 21 feet west									
to center of bridge, 36 feet northeast to southwest corner of pool hall.		39			83		05. 6		
T. 9 S., R. 5 E., south corner secs. 33 and 34, stone at T road north	41	38	35.	9	83	49	03. 9		
T. 10 S., R. 5 E., corner secs. 3, 4, 9, and 10, 32 feet northwest to cross		_							
on telephone pole, 31 feet southeast to J. K. Barnes's mail box	41	37	45.	2	83	49	02. 3		
T road north at Oak Grove schoolhouse, 18 feet northeast to J. R.						400	00.0		
Bower's mail box, 36 feet northwest to arrow on post	41	37	00.	9	83	40	00.6		
Holland, 4 miles west of, 0.33 mile south of Lake Shore and Michigan									
Southern Rwy., at erossroads, iron post stamped "Prim. Trav. Sta.	4.1	0.0	0.1	0			0.4.0		
No. 28, 1905''	41	36	01.	()	86	44	34. 8		
T. 7 N., R. 5 E., secs. 11 and 12, quarter corner between, T road east,	4.1	0.4	EE	0	0.0	477	10.5		
Stone at intersection of road	41	34	oo.	U	80	46	10.5		

Geographic positions along highways near east border of triangle—Continued.

Station.	Latit	Long	gitu	de.	
T. 7 N., R. 5 E., cast corner secs. 14 and 23, T road west, 21 feet northwest to northeast corner of stone culvert, 23 feet southwest to southcast corner of same culvert.		36, 8		, 47	09.8
T. 7 N., R. 5 E., corner secs. 23, 24, 25, and 26, crossroads at school-house, 25 feet northeast to mail box on post, 33 feet northwest to maple tree at corner of fence.  T. 7 N., R. 5 E., south corner secs. 35 and 36, stone to, T road north.		44. 0 59. 4	83	47	09. 4 09. 2
Waterville, 3.5 miles west of, on Waterville-Neapolis pike, T road north, in southeast corner of field of John Lichales, iron post stamped "Prim. Trav. Sta. No. 29, 1905".  Waterville, 2 miles west of, crossroads at schoolhouse, 44 feet south-		43. 8		-	58. 6
west to guidepost, 48 feet southeast to iron pump. Waterville station, east-west pike crossing of Clover Leaf Route about 800 feet southwest of.		44. 1			00, 9 35, 5

THORNVILLE QUADRANGLE (FAIRFIELD, LICKING, AND PERRY COUNTIES).

Magnetic declination, north border, 1° 05′ west; south border, 0° 37′ west; west border, 0° 15′ west; east border, 1° 22′ west.

Geographic positions along Baltimore and Ohio Railroad between milepost 28 and Chalfont.

Station.	La	titu	ide.	1	Longitude.				
Milepost 28, 2,000 feet north of, private-road crossing. Wellom station, east-west road crossing. Road crossing under trestle. Somerset, 0.5 mile south of station, overhead crossing. Brick plant, switch block to spur. Milepost 22, 495 feet north of, east-west road crossing. Milepost 21, 440 feet north of, road crossing. Chalfont station, east-west road crossing in southwest corner of field of N. S. Axline, center of road crossing bears S. 60° 15′ W., distant 33 feet; iron post stamped ''Prin. Trav. Sta. No. 52, 1905''.	39 39 39 39 39 39	46 47 48 49 50 51	47. 34. 327. 18. 325. 08. 08. 08.	8 2 8 0 6 6	82 82 82 82 82	18 18 17 17 16 16			

Geographic positions along Zanesville and Western Railway near Glassrock.

Station.	La	titu	ide.	Long	de.	
Glassrock station, north-south road crossing railroad. Milepost 21, 0.5 mile cast of, north-south road crossing. Glassrock station, 2 miles east of, railroad bridge over Jonathan Creek, north-south road crossing, 800 feet east of.	39	52	36. 7 34. 7 39. 8	82 82 82	, 17 16 15	22, ( 06, §

# Geographic positions along highways.

Station.	La	titu	de.	Longitud			
	0	,	"	0	,	,,	
On top of hill and T road east, G. Hartsough's mail box	39	53	57. 9	82	15	16.	
along north edge of woods, 19 feet west to cross on fence post	39		50. 5			12.	
Brownsville, 1 mile south of, crossroads, cross on corner fence post Brownsville, Davy Hotel, just west of, T road north, 35 feet north-	39	55	44. 8	82	15	43.	
west to guidepost, 39 feet southeast to cross on telegraph pole Brownsville, 3 miles north of, at Clark's blacksmith shop, crossroads,	39	56	49. 6	82	15	28.	
guidepost	39	59	21. 2	82	15	48.	
Boodle schoolhouse, 1.33 miles southeast of, road south, 13 feet north to cross on gatepost, 36 feet southwest to mail box	40	00	04. 8	82	16	57.	

# Geographic positions along Toledo and Ohio Central Railway near Hebron.

Station.	La	titu	ide.	Lon	de	
Milepost 13, just north of, private-road erossing		59	38. 5 27. 9 41. 2	82	28	38, 8 48, 9 34, 1

# Geographic positions along highways.

Station.	La	titu	ide.	Lon	Longitude.			
Baptist Corners, 1 mile east of, center of bridge at crossroads.  West Rushville, erossroads, 46 feet southwest to northeast eorner of Dilger Bros.' store, 63 feet southeast to John Dilger's store.  Rushville, erossroads at Ruehville Hotel, center of intersection.  Rushville, 1.1 miles east of, 7 road north, 27 feet northwest to cross on fenee post, 27 feet southwest to cross on telegraph pole.  Perry-Fairfield county line, 7 road south.  Rushville, 2.5 miles east of, 2 miles north of Avlon, at crossroads, in southeast corner of John Love's farm; southwest eorner of Thos. Griffin's residence bears N. 59° E., distant 45.6 feet; iron post stamped "Prim. Trav. Sta. No. 51, 1905"  Ottoman, United Brethren Church, 0.25 mile south of, erossroads, 10 feet west to cross on corner fence post, 24 feet to cross on corner post in wire fence.  Top of hill, T road east, 15 feet southeast to Henry Brehm's mail box. Shoal House, T road west, 12 feet east to eross on small locust tree, 32 feet northwest to southeast corner of eoal shed.	39 39 39	46 45 46 46 46 46 45	31. 1 48. 9 52. 6 01. 2 06. 4 06. 6 09. 9 50. 1 21. 4	82 82 82 82 82 82 82	26 25 24 24 22 21 21	20. 4 51. 8 54. 5 41. 3 06. 9 57. 9 47. 4 06. 8		

# THURSTON QUADRANGLE (FAIRFIELD AND LICKING COUNTIES).

# Magnetic declination, west border, 0° 31" west.

Geographic positions along Baltimore and Ohio Railroad, Summit to Outville.

Station.	Latitude.			Long	de.	
Summit, road crossing at station, north track	° 39	59	52. 6	82		07. 5
ing. Summit, 2 miles east of station, north track at east-west road crossing. Columbia Center, north-south road crossing. Pataskala, street crossing east of station.	39 39 39 39	59 59 59 59				45. 4 43. 4 49. 6 31. 1
Pataskala, 1.5 miles east of, at road erossing Pennsylvania R. R., in southeast corner of field of Edward Condit; north rail of north track at road erossing bears S. 20° 30′ E., distant 60 feet; iron post stamped "Prim. Tray. Sta. No. 35, 1905".	39	59	44. 2	82	38	41. 5
Pataskala, 2.5 miles east of, south track at road crossing. Outville, north-south road crossing. Outville, I mile east of, north track at north-south road crossing	39 39 39	59 59 59	41. 9 39. 6	82 82 82	37 35 34	32, 6 48, 4 40, 4

# Geographic positions along Toledo and Ohio Central Railway, Outville to Pleasantville.

Station.	La	titu	de.	Longitude.			
	0	,	,,	0	,	,,	
Milepost 8, center of track opposite	39	56	49, 4	82	30	36, 6	
Licking-Fairfield county line, east-west road crossing.			38. 6	82	31	15. 1	
Millersport, 1 mile north of, water tank, center of track	39	54	42.6	82	31	43. 7	
Millersport, near bridge, in south part of lot owned by Pence & Swisher,							
47 feet due west to east rail; cross on eorner of bridge abutment							
bears S. 54° 45′ W., distant 54.7 feet; iron post stamped "Prim.							
Trav. Sta. No. 46, 1905''			57.7			12. 9	
Millersport, 2 miles south of, east-west gravel road erossing	39	52	10, 2	82	32	32, 8	
Thurston, crossing of Zanesville and Western and Toledo and Ohio							
Central Rwys.	39	50	48. 2	82		39. 7	
Thurston, 1.2 miles south of, eenter of track at east-west road crossing.	39	49	28. 3	82	31	45. 9	
Thurston, 1.2 miles south of, T. 16 S., R. 18 W., corner secs. 27, 28, 33,							
and 34, 610 feet west of east-west road crossing	39	49	28. 3		31	53.8	
Pleasantville, township line, road crossing	39	48	33. 2	82	31	02. 4	
						_	

Geographic positions along highways, Pleasantville to a point 5 miles west of Zinc schoolhouse.

Station.	Latitude.			Long	Longitude		
Pleasantville, 1.33 miles east of, crossroads at schoolhouse, 33 feet		,	,,	0	,	,,	
northeast to cross on telegraph pole, 38 feet northwest to cross on corner fence post.			51. 7		30		
corner fence post.  Schoolhouse, 1 mile south of, T road east, 24 feet northeast to granite bowlder, 39 feet southeast to locust tree.  Pleasantville, 2.5 miles south and 0.5 mile east of, in southeast corner of Baptist schoolhouse yard; pump bears west, distant 11 feet;	39	46	55. 8	82	30	28.	8
southeast corner of schoolhouse bears N. 44° 20′ W., distant 25.7 feet; iron post stamped "Prim. Trav. Sta. No. 47, 1905". Bridge over creek, 700 feet east of, T road south just east of J. G.	39	46	22. 1	82	30	22.	5
Mertz's mail box. T. 15 S., R. 18 W., sees. 16, 17, 20, and 21, corner of stone and T road	39	45	57. 2	82	31	44,	8
north	39	46	01, 5	82	33	31.	2
Lancaster, 3.5 miles north of, Friesner's nursery, crossroads, 30 feet northwest to cross on telegraph pole.  Zinc schoolhouse, crossroads, 19 feet south to large elm tree.			04. 0 09. 2		34 35		
T road west at corner of sections (no numbers)			34, 2		42		
Gravel pit, crossroads, 33 feet northeast to cross on board fence, 34 feet northwest to cross on corner fence post	39	46	24. 3	82	42	15.	4

# Geographic positions along Hocking Valley Railway.

Station.	Latitude.	Longitude.
Carroll station, 0.5 mile southeast of, north-south road crossing rail-road.  Carroll station, east-west road crossing.  Little Walnut Creek, 0.25 mile south of, east-west road crossing.  Sherman schoolhouse, 1 mile south of, north-south road crossing	39 47 33.8 39 48 00.6 39 49 06.6 39 49 45.2	82 42 09.7 82 42 35.6 82 43 04.2. 82 43 30.8

# Geographic positions along highways, Sherman to district No. 10 schoolhouse.

Station.		titu	de.	Long	gitu	de.
Sherman schoolhouse, crossroads, 35 feet southwest to walnut tree,		,	,,	0	,	"
23 feet southeast to cross on telegraph pole	39	50	27. 3	82	43	27. :
Sherman schoolhouse, 1 mile north of, crossroads, 30 feet northeast to mail box, 26 feet southeast to cross on fence post			20. 6			22. (
T. 15 S., R. 20 W., corner secs. 13, 14, 23, and 24. T. 15 S., R. 20 W., secs. 11, 12, 13, and 14, crossroads, 24 feet southwest	39	51	47. 4	82	43	20. •
to mail box on fence post, 24 feet northwest to cross on telegraph pole. T. 15 S., R. 20 W., northwest corner sec. 12, at T road south, in north-	39	52	39. 4	82	43	16.
T. 15 S., R. 20 W., northwest corner sec. 12, at T road south, in northwest corner of Wm. Hay's pasture; nail in root of small cherry tree						
bears S. 6° E., distant 13.4 feet; iron post stamped "Prim. Trav. Sta. 50, 1905".	39	53	32. 6	82	43	11.
Violet Chapel, 0.25 mile north of, forks of road, 19 feet northwest to						
cross on gatepost, 21 feet southeast to cross on large fence post			36. 8			42.
Violet Chapel, 1.5 miles north of, stone at crossroads	39	99	46. 7	82	40	35.
rail fence, 24 feet northeast to bowlder at end of hedge fence	39	56	40. 6	82	43	51.
Wagram, at post-office, north-south road crossing of C., N. and Z.	20		01.0	82	40	50.
Wagram, 1.25 miles west of, T road north, 24 feet northeast to cross	39	94	24. 6	82	40	90.
on board fence, 40 fect northwest to guidepost.	39	57	23. 4	82	45	11.
Schoolhouse, district No. 10, T road south, Philip Krunnas's mail box.	39	58	31. 3	82	45	05.

# WAUSEON QUADRANGLE (FULTON COUNTY).

Geographic positions along highways on south border of quadrangle.

Station.	La	de.	Longitue			de.	
T. 6 N., R. 7 E., northeast corner, sec. 13, at crossroads, in northeast							
corner of orchard owned by Edna Cline, iron post stamped "Prim.		/	//		0	1	//
Trav. Sta. No. 31, 1905''. T. 6 N., R. 7 E., north corner sees. 11 and 12, T road south, 31 feet	41	29	10.5	5	34	00	30.7
T. 6 N., R. 7 E., north corner sees. 11 and 12, T road south, 31 feet							
southwest to cross on corner fence post, 30 feet northwest to E. M.							
Smith's mail box.	41	29	10.9		34	01	05.5
T. 6 N., R. 7 E., corner secs, 10, 11, 14, and 15, crossroads, 33 feet south-	4.1	0.0				0.1	
west to end of wire fence, 37 feet northwest to cross on gatepost T. 6 N., R. 7 E., corner sees. 2, 3, 10, and 11, crossroads, 22 feet south-	41	29	11.5	>	54	02	15.2
west to south end of culvert, 41 feet southeast to cross on corner							
fence post	41	30	03.9		εA	00	14.9
T. 6 N., R. 7 E., corner sees. 3, 4, 9, and 10, crossroads, 39 feet south-	11	00	(74)7		1.1	02	11.0
east to cross on corner fence post, 45 feet southwest to G. S. Fred-							
erick's mail box	41	30	01.2	5	54	03	_3.8
T. 6 N., R. 7 E., corner sees. 4, 5, 8, and 9, crossroads, 34 feet southeast							
to cross on corner fence post, 48 feet southwest to cross on fence post.	41	30	01.1	5	34	04	34.8
T. 6 N., R. 7 E., corner sees. 5, 6, 7, and 8, crossroads at schoolhouse, 33							
feet northeast to T. L. Ammand's mail box, 35 feet northwest to	4.1	130	00.6			0.7	40.0
T. 6 N., R. 6 E., east corner secs. 1 and 12, 31 feet northwest to Val Sny-	41	30	00.9		54	05	43.8
der's mail box, 34 feet southwest to corner of rail fence.	41	30	02.0	5	iA.	06	52.5
T. 6 N., R. 6 E., southwest corner sec. 1, in southwest corner school-	11	()()	02.0		1-3	00	02.0
house No. 3 yard, crossroads, southwest corner of schoolhouse bears							
N. 16° 10′ E., distant 171.4 feet; northwest corner foundation of							
church bears S. 2° 30′ E., distant 79.9 feet, iron post stamped "Prim.							
Tray. Sta. No. 32, 1905''.	41	30	01.7	8	44	08	02.0
T. 6 N., R. 6 Et, corner secs. 2, 3, 10, and 11, crossroads, 34 feet south-							
east to cross on corner fence post, 36 feet northeast to cross on yard	41	20	01.9		. 4	00	10.0
T. 6 N., R. 6 E., corner secs. 3, 4, 9, and 10, crossroads, 34 feet southeast	41	90	01.3		34	09	12.0
to cross on telephone pole, 39 feet northeast to penalty notice	41	30	01.2	9	34	10	21.7
T. 6 N., R. 6 E., corner secs. 4, 5, 8, and 9, crossroads, 12 feet southeast	-11	00	01.2		>-1	10	21.1
to cross on telephone pole, 29 feet southwest to Frank Lea's mail box.	41	30	00.0	8	44	11	30.1
T. 6 N., R. 6 E., corner secs. 5, 6, 7, and 8, at schoolhouse, crossroads, 28							
feet southwest to David Reyze's mail box, 43 feet northeast to iron							
fence	41	30	00.3	8	4	12	41.1
T. 6 N., R. 5 W., east corner secs. 1 and 12, 33 feet southwest to corner		0.0	0.0				44.0
of garden fence, 32 feet northwest to cross on advertising board	41	30	00.6	,	54	13	44. ()
T. 6 N., R. 5 E., southeast corner sec. 2, in southeast corner of yard of							
district No. 14 schoolhouse, center of iron pump in yard bears N. 82° W., distant 42 feet; southeast corner of schoolhouse bears N. 45°							
W., distant 42 feet, southeast corner of schoolhouse bears N. 45	41	30	00.8	5	34	14	54.0
,, and and any account the second sec	11	O,O	00.0			^ ^	0.110

# ZANESVILLE QUADRANGLE (LICKING AND MUSKINGUM COUNTIES).

Magnetic declination, west border, 1° 22′ west; east border, 0° 51′ west.

# Geographic positions along highways.

Station.	Latitude.	Longitude,
Gratiot, 2.5 miles north of, 2.5 miles east of Clark's blacksmith shop, T road south, 30 feet southeast to large chestnut tree, 17 feet northeast to cross on rail fence  Licking-Muskingum county line, rail fence north and south, center of road, 25 feet south to west end of hedge fence.  G. W. Fisher's mail box at Newark, road to northwest.  J. Riggles's mail box, center of small bridge.  E. T. Smith's mail box, southeast corner of iron bridge.  Pleasant Valley station, 2 miles southwest of, just south of Mapdonia Church; in northeast corner of lot, in front of S. W. Wincia's residence, iron post stamped "Prim. Trav. Sta. No. 53, 1995".	39 59 05.1 39 59 12.2 39 59 16.6 39 59 24.1 39 59 53.0 39 59 47.1	82 13 15.9 82 11 48.5 82 11 05.7 82 10 08.7 82 09 20.8

# Geographic positions along Baltimore and Ohio Railroad near Dillon.

Station.	La	titu	de.	Lon	gitu	de.
Milepost 84, 900 feet west of private-road crossing. Milepost 83, center of track opposite. Dillon station, road crossing.	。 39 39 39	58	38.0 57.7 17.0	82 82 82 82	04	07. 9 09. 9 30. 8

# Geographic positions along highways.

Station.	Latitude.		Lon	gitu	de.	
Dillon, 0.75 mile north of station, on east side of river, T road east, 25 feet southeast to cross on board fence, 27 feet northeast to cross on corner fence post.  Harris's farm, crossing of Frostburg road and east-west road, 33 feet southwest to cross on telegraph pole, 27 feet northeast to cross on	° 39	, 58	49.6	° 82	03	05. 6
telegraph pole.	39	58	46.5	82	01	01.8
Zanesville, 3 miles north of, J. N. Blair's farm, T road west, 33 feet northwest to cross on board fence, 16 feet east to cross on gatepost.	39	58	45.0	82	00	14.7

## Geographic positions along Wheeling and Lake Erie Railroad, near Zanesville.

Station.	Latitude.			Lon	gitu	de.
Zanesville, Monroe Street Bridge over railroad	39	56 55	05. 5 30. 6 35. 4 15. 9	82	01	06.0 23.1 43.6 14.4

#### Geographic positions along highways.

Station.	Latitude.		Lon	gitu	de.	
Muskingum-Morgan county line, center of road at, 30 feet duc cast to	0	,	//	0	,	"
dead beech tree at corner of fence	39	46	05. 9	82	00	15.6
south to cross on fence post, 54 feet northeast to corner of barn	39	45	50.7	82	00	20.6
1905'' Dovertown 1.5 miles northeast of, at Charles Bush's residence, T road east, 40 feet to C. A. Pletcher's mail box, 9 feet south to west end of	39	45	43.0	82	00	31.1
box culvert	39	45	01.4	82	01	18.7

# PENNSYLVANIA-NEW YORK.

#### TRIANGULATION STATIONS.

WARREN COUNTY, PA.; CHAUTAUQUA COUNTY, N. Y.

#### WARREN AND YOUNGSVILLE QUADRANGLES.

During the summer of 1905 E. L. McNair, topographer, located eight new stations for the control of these two quadrangles, one of these stations being in Chautauqua County, N. Y., near the State line. This triangulation was based on Meas and Busti, two stations of the Geological Survey in Chautauqua County, N. Y., established by  $\Lambda$ . H. Thompson in 1902.

### BUSTI, CHAUTAUQUA COUNTY, N. Y.

In the southeast corner of Busti Township, about 2 miles a little east of south from the village of Busti, on a commanding ridge on land owned by C. Meredith.

Station mark: A stone post 30 by 6 by 6 inches set 28 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 42° 00′ 32.55″. Longitude, 79° 16′ 25.26″.]

To station—	Azimuth.			Back azimuth.			Log. distance.
Panama Meas Highland Walrod Peterson Nelson	194 201 227 254	20 50 30	36. 83 59. 78 39. 98 04. 10 43. 27 36. 14	21 47 74	07 25 56 38	46, 96 45, 77 02, 32 24, 17 04, 93 42, 13	Meters. 4. 3286072 4. 1734905 4. 4000139 4. 2451027 4. 1970889 3. 8485040

# MEAS, CHAUTAUQUA COUNTY, N. Y.

Near the center of Ellicott Township, on a high ridge about 3 miles north of Jamestown and one-third mile south of the Jamestown-Ross Mills road, on land owned by P. A. Melonist.

Station mark: A stone post 40 by 6 by 6 inches set 36 inches in the ground and having a bronze tablet cemented in its top.

[Latitude 42° 08′ 21.22″. Longitude 79° 13′ 47.09″.]

To station—	Azimuth.			Azimuth. Back azimuth.			Log. distance.
Nelson Busti Panama Bates Highland Walrod Peterson Quaker Hill	3 14 71 90 211 285 311 341	42 07 53 18 41 49 39 46	36. 51 45. 77 22. 33 08. 34 41. 49 02. 01 50. 39 17. 09	183 194 251 270 31 105 131 161	41 05 41 06 44 53 45 51	56. 66 59. 78 45. 66 18. 84 22. 96 36. 45 26. 57 00. 88	Meters. 4. 3260087 4. 1734905 4. 4002458 4. 3853254 4. 0211111 3. 9898545 4. 1886157 4. 4950339

## PETERSON, CHAUTAUQUA COUNTY, N. Y.

In Carroll, about  $3\frac{1}{2}$  miles east of Frewsburg, on a bare hill on farm of Frank Peterson. View cut off to east by higher ridges.

Station mark: A sandstone post 36 by 6 by 6 inches set 32 inches in the ground, in center of top of which is a bronze triangulation tablet.

[Latitude 42° 02′ 48.23″. Longitude 79° 05′ 25. 58″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Quaker Nelson Busti Meas	5 15 07.39 49 58 03.48 74 38 04.93 131 45 26.57	0 / // 185 14 15.61 229 51 48.101 254 30 43.27 311 39 50.39	Meters. 4. 2902612 4. 2272878 4. 1970889 4. 1886157

BULL, WARREN COUNTY, PA.

In the southwest part of Sugar Grove Township, on a small knob of conglomerate rock on land owned by Warren Bull. An excellent view in every direction.

Station mark: A bronze triangulation tablet cemented in solid rock.

[Latitude 41° 55′ 34.76″. Longitude 79° 23′ 36.59″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Nelson. Yankee Bush Crippen	258 07 32.15 291 38 56.82 335 03 06.01		Meters. 4. 0877421 4. 2359605 4. 1042866

#### CLARENDON, WARREN COUNTY, PA.

On a brushy and timbered hill about 3 miles west of Clarendon and 1 mile north of J. E. Boyd's house on Tionesta Creek, about 40 rods east of road going over the hill.

Station mark: A marble post 36 by 6 by 6 inches set 30 inches in the ground, in top of which is cemented a bronze triangulation tablet.

[Latitude 41° 47′ 04.13″. Longitude 79° 09′ 37.69″.]

To station—	Azimuth.		Back	aziı	nuth.	Log. distance.	
Wilcox Yankee Bush. Quaker Hill.	90 161 202	38	56, 69 51, 48 50, 55	341	37	24. 03 21. 45 47. 05	Meters. 3, 8674580 3, 9951024 4, 0214000

#### CRIPPEN, WARREN COUNTY, PA.

In Brokenstraw Township, about 2 miles south of Youngsville, on a rocky timbered knob on land owned by A. L. Crippen. The view is good to north, but cut off to the southwest and south. Instrument elevated 34 feet on trunk of chestnut tree, around which is built a tower, which is fastened to the solid rock by four iron ring bolts.

Station mark: A bronze triangulation tablet cemented in solid rock. Reference marks: Center of chestnut tree used for observing support and center of tower is distant 10 feet, azimuth 103° 43′.

[Latitude 41° 49′ 21. 05″. Longitude 79° 19′ 34. 22″.]

To station—	Λz	Azimuth.			Log. distance.		
Bull	155	05	41. 12	335	03	06. 01	Meters. 4. 1042860 4. 1910448 4. 0730580 3. 8827312
Nelson	205	15	30. 15	25	18	42. 17	
Yankee Bush	244	06	05. 15	64	11	13. 05	
Wilcox	302	57	13. 28	123	00	18. 19	

#### NELSON, WARREN COUNTY, PA.

In Farmington, about 1 mile south of Lander post-office, in a cleared field on land owned by John T. Nelson.

Station mark: A marble post 36 by 6 by 6 inches set 34 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 41° 56′ 56.06″. Longitude 79° 14′ 46.60″.]

To station—	Azimuth.			Azimuth. Back azimuth.					Log. distance.
Crippen. Bull. Busti Meas Peterson Quaker. Yankee Bush.	161 183 229 307	13 41 51 29	07.07	258 341 3 49 127	07 12 42 58 34	30. 15 32. 15 36. 14 36. 51 03. 48 30. 08 05. 42	Meters, 4, 1910448 4, 0877421 3, 848504 4, 3260087 4, 2272878 4, 1477939 3, 9885983		

#### QUAKER HILL, WARREN COUNTY, PA.

In Glade, about 4 miles northeast of Warren, on a prominent bare hill on land owned by W. D. Ward.

Station mark: A marble post 36 by 6 by 6 inches, set 34 inches in the ground, in top of which is cemented a bronze triangulation tablet.

[Latitude 41° 52′ 18.57″. Longitude 79° 06′ 43.02″.]

To station—	Azimuth.			Back	Log. distance.		
Clarendon Yankee Bush Nelson Meas Peterson	22 87 127 161 185	34 29 34 51 14	47. 05 21. 33 30. 08 00. 88 15. 61	202 267 307 341 5	29 46	50. 55 54. 64 07. 07 17. 09 07. 39	Meters. 4. 0214009 3. 8542143 4. 1477939 4. 4950339 4. 2902612

#### WILCOX, WARREN COUNTY, PA.

On a brushy and timbered hill about 7 miles southwest of Warren and 2 miles east of Allegheny River, on land owned by Earl Wilcox.

Station mark: A bronze triangulation tablet cemented in solid rock.

Reference marks: Four iron ringbolts fastening signal to rock and distant about 6 feet from center of station.

[Latitude 41° 47′ 06.37″. Longitude 79° 14′ 56.83″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Crippen.	123 00 18.19	302 57 13.28	Meters. 3. 8827312 4. 0102466 3. 8827312
Yankee Bush.	204 30 14.43	24 32 17.23	
Clarendon.	270 30 24.03	90 33 56.69	

YANKEE BUSH, WARREN COUNTY, PA.

In Conewango Township, about  $3\frac{1}{2}$  miles northwest of Warren, on roadside close to cemetery fence.

Station mark: A marble post 36 by 6 by 6 inches, set 28 inches in the ground, in top of which is cemented a bronze triangulation tablet.

[Latitude 41° 52′ 08.30″. Longitude 79° 11′ 52.69″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Wilcox Crippen Bull Nelson Quaker Hill Clarendon	111 46 40. 20 155 43 05. 42 267 25 54. 64	0 / // 204 30 14 43 244 06 05 15 291 38 56 82 335 41 09 25 87 29 21 33 161 38 51 48	Meters. 4. 0102466 4. 0730580 4. 2359605 3. 9885983 3. 8542143 3. 9951024

#### PENNSYLVANIA.

# PRIMARY TRAVERSE.

DAUPHIN, LEBANON, AND YORK COUNTIES.

### MIDDLETOWN QUADRANGLE.

The following geographic positions were determined by C. B. Kendall, field assistant, in October, 1905. The line begins at Rutherford station on the Philadelphia and Reading Railway, in Dauphin County, and runs easterly along highways via Hummelstown, Hockersville, and Bachmanville to Colebrook, in the southwest corner of Lebanon County, thence southerly via Milton Grove and Florin to Columbia, thence southwesterly via Wrightsville and Hellam to York.

# Geographic positions along highways.

Station.	Lat	Latitude.		Lon	gitu	ude.	
							-
Rutherford station, 0.75 mile east of, center of north track under over- head road crossing.	40		47. 3	76	46	41	7
Rutherford station, 2.5 miles east of, 800 feet west of brick store, three corners, 35 feet west to telephone pole, 50 feet southeast to corner of	10	10	11.0	10	107		
yard fence.	40	15	46. 0	76	44	56.	9
Hummelstown, 1.25 miles west of, T road to north, 40 feet northwest to corner of board fence, 40 feet southeast to telephone pole	40	15	42. 1	76	43	45.	6
Hummelstown, center of car track at center of intersection of Main and							
Hanover streets, 70 feet southeast to northwest corner of brick house, 70 feet northeast to southwest corner of stone house.	40	15	55. 3	76	42	28.	9
Hummelstown, 1 mile east of, T road to south, 15 feet south to car	40	1.0	01. 6	76	41	09.	0
track, 30 feet southeast to corner of fence.  Hockersville, four corners, 30 feet southwest to northeast corner of	40	10	01. 0	70	41	09.	0
stone blacksmith shop, 60 feet northwest to center of trolley track Hockersville, four corners, 0.75 mile southeast of, 150 feet northwest of	40	16	23. 1	76	39	22.	2
Fishbarn Church, 30 feet northeast to corner of cemetery fence, 40							
feet southeast to locust tree.  Vian, in east face of southeast corner of stone blacksmith shop, at	40	15	55. 4	76	38	40.	7
forks of road, aluminum tablet stamped "Prim. Tray. Sta. No. 1.							
Vian 0.25 mile continued of the second of th		15	20. 7 08. 4	76	37 37	56. 43.	
Vian, 0.25 mile southeast of, three corners at rock schoolhouse	.40	19	05. 4	10	91	40.	9
to corner of fence, 30 feet northwest to corner of fence and signboard	40	14	22.8	76	36	41.	3
Bachmanville, four corners, 30 feet north to corner of fence and sign- board, 40 feet east to corner of iron fence.	40	14	34. 8	76	35	44.	0
Bachmanville, 0.6 mile southeast of crossing of Dauphin-Lebanon	40	1.4	15.7	70	35	00	5
county line	40	14	15. 7	10	99	08.	J

# Geographic positions along highways—Continued.

Station.	Latitude.	Longitude.
Lawn, 1 mile north of, four corners at yellow schoolhouse, 30 feet		
northeast to corner of fence, 50 feet southeast to northwest corner	0 / //	0 / //
of schoolhouse	40 14 37.4	76 33 50.4
west to signpost, 20 feet south to rail fence	40 14 46, 3	76 32 15, 5
Colebrook station, 0.5 mile northwest of, forks of road at schoolhouse,	40 14 42 2	70 01 01 1
40 feet south to signpost, 50 feet southeast to stone gatepost	40 14 46, 6	76 31 06, 6
wall at northwest corner of stone tenant house of Mourge Shupp		
aluminum tablet stamped "Prim. Trav. Sta. No. 2, 1905". Colebrook station, 1.25 miles southeast of, T road west, 25 feet south-	40 11 25.3	76 30 45, 6
west to signpost	40 13 19.7	76 30 18.8
west to signpost.  Colebrook station, 1.5 miles southeast of, stone post on Lebanon-Lan-	40 40 00 0	
caster county line	40 13 00, 2	76 30 19,6
brick schoolhouse, 10 feet west to rail fence, 25 feet east to rail fence.	40 12 08.4	76 30 56.8
Brandt (Aaron) residence, forks of road 200 feet west of, 25 feet west to	40 11 10.1	TC 91 00 9
forked cherry tree, 20 feet south to rail fence	40 11 10.1	76 31 08.3
to corner of yard fence and signboard, 40 feet southeast to red gate	40 10 51.4	76 32 02.4
Milton Grove Cemetery, forks of road, 50 feet northwest to cemetery	40 10 04.6	76 32 11.8
gate, 5 feet east to rail fence. Milton Grove, four corners, 30 feet southwest to corner of stone wall,	10 10 01.0	10 02 11.0
40 feet west to corner of stone wall	40 09 45, 3	76 31 56.7
Milton Grove, 1 mile southeast of, four corners, 35 feet southeast to locust tree and signboard, 30 feet northwest to sassafras tree	40 09 05,0	76 31 42.0
Milton Grove, 2 miles south of, 200 feet west of schoolhouse, T road		
south, 20 feet south to signpost, 50 feet east to guy-wire pole	40 08 18.9	76 31 53.4
of wire fence, 30 feet northeast to two locust trees.	40 07 25.1	76 31 34.3
Florin, intersection of streets at Florin Hotel, 20 feet northwest to	10 110 111 11	
southeast corner of watering trough, 40 feet northeast to locust tree. Florin Hotel, in south wall at southeast corner of brick foundation to	40 06 54.8	76 31 27.6
porch, aluminum tablet stamped "Prim. Trav. Sta. No. 3, 1905"	40 06 54.9	76 31 28.2
Florin, 1.75 miles southeast of, four corners at schoolhouse, 25 feet east	10 05 00 5	-0 01 10 0
to telephone pole, 30 feet northwest to rail fence	40 05 29.7	76 31 13.0
signpost, 20 feet north to stone wall.  Big Chiquesalunga Creek, center of covered bridge over, Rapho-East	40 04 46, 4	76 30 41.9
Big Chiquesalunga Creek, center of covered bridge over, Rapho-East	40 04 08, 4	76 30 00,6
Hempfield township line. Kinderhook, four corners, 35 feet west to corner of shop, 40 feet south-	10 01 00.1	70 30 00.0
east to corner of store	40 03 11.0	76 29 56.6
Columbia, intersection of Seventh and Chestnut streets	40 02 16.7	76 29 56, 8
capstone at southeast corner of east-shore abutment, aluminum		
tablet stamped "Prim. Trav. Sta. No. 4, 1905". Wrightsville, three corners at small triangular grass plot, street to	40 01 54.5	76 30 35.6
north, 40 feet north to two old cannons, 10 feet south to center of		
trolley track.	40 01 29.9	76 32 03.2
Wrightsville, 0.75 mile southwest of, T road north at old blacksmith	40 01 17.8	76 32 57.4
shop, 35 feet northwest to signboard, 15 feet south to trolley track. Wrightsville, 1.75 miles southwest of, T road north, 10 feet south to		
trolley track, 30 feet northwest to corner of fence	40 01 04.2	76 33 59.0
Hellam, Evangelical Lutheran Church, 1.5 miles northeast of, four corners, 15 feet south to trolley track, 25 feet northeast to street car		
waiting room	40 00 45.6	76 34 58.1
Hellam, Evangelical Lutheran Church, 0.6 mile northeast of, four corners, 25 feet northeast to corner of yard fence and signboard, 15 feet		
south to trolley track.	40 00 29.8	76 35 48.4
south to trolley track. Hellam, Evangelical Lutheran Church, in north wall of stone founda-		
tion and east of entrance to, aluminum tablet stamped "Prim. Trav. Sta. 5, 1905".	40 00 14.8	76 36 26.8
Stony Brook station, 0.8 mile northeast of, T road north, 25 feet north-		
west to corner of trolley station, 10 feet south to trolley track Stony Brook station, center of Pennsylvania R. R. and Pike road	39 59 41.6	76 27 59.2
crossing	39 59 13.2	76 38 40.3

Geographic positions along Pennsylvania Railroad, Stony Brook to York.

Station.	La	titu	de.	Longitude		
Heistand station, center of Pennsylvania R. R. track and under overhead road crossing. Heistand station, 0.8 mile southwest of, center of track at road cross-			" 59. 8	76	, 39	" 53.
ing. York, east edge of, center of track at road crossing. York, Duke-street crossing, between north and south main tracks, 60			48. 2 32. 1	76 76	40 42	57. 25.
feet southeast to northwest corner of freight station, 65 feet south- west to northeast corner of passenger station. York, south meridian mark, in Pennsylvania Park. Station mark: A sandstone post 40 by 6 by 6 inches, having a bronze tablet cemented	39	58	02.7	76	43	41.
in its top, set 36 inches in ground, 430 feet east of center of Water street and 57 feet north of center of Fulton street	39	57	20. 1	76	43	36.

#### BERKS AND LANCASTER COUNTIES.

#### NEW HOLLAND QUADRANGLE.

The following geographic positions were determined in 1905 by primary traverse run by C. B. Kendall, field assistant. The line starts at Pequea, in Salisbury Township, Lancaster County, and runs westerly via highways nearly to Lancaster, thence northerly to Durlach, in Clay Township, thence easterly via Adamstown to Allegheny-ville in Berks County.

Geographic positions along highways.

Station.	La	titu	de.	Long	gitu	de.
Pequea, Unity Evangelical Church, road corners	° 40	, 02	01.9	° 76	, 00	33.
yard, 12 feet southeast to telephone pole.	40	01	04.9	76	01	05.4
Buyerstown, four corners, 80 feet southeast to corner stone to black- smith shop, 25 feet northwest to signpost "Gap 2.25 mi.". Vintage post-office, four corners, 50 feet north to corner of porch, 50 feet southwest to corner of dwelling, 120 feet south to Pennsylvania	40	00	41.4	76	02	48.
R. R	40	00	02.5	76	04	48.1
Tollgate, 150 feet east of, four corners, 25 feet northeast to corner of yard fence, 40 feet southwest to corner of school-yard fence	40	00	17.3	76	06	19. !
of hall, 30 feet southwest to corner of front yard.  Paradise post-office, 400 feet west of, at southeast corner of A. R. Hersey's store, in south face of stonewall, aluminum tablet stamped	40	00	32. 1	76	07	31.0
"Prim. Trav. Sta. No. 8, 1905". Sandersburg, four corners, 40 feet northeast to corner of yard fence, 25	40	00	35.2	76	07	45,1
Sandersburg, four corners, 40 feet northeast to corner of yard fence, 25 feet south to maple at brick store	40	00	53.6	76	09	19.
Sandersburg, 1 mile west of, four corners, 20 feet north to telephone						
pole, 10 feet south to trolley line.  Pleasant View schoolhouse, I mile east of, four corners, 20 feet north-	40	01	07.1	76	10	27.1
east to signpost, 45 feet west to locust tree.  Pleasant View schoolhouse, 75 feet west of, on north side of east-west road, in face of large limestone bowlder, aluminum tablet stamped	40	01	06.4	76	12	06.
"Prim. Trav. Sta. No. 9, 1905".  Mill Creek, 0.5 mile southeast of, four corners, 20 feet southwest to cor-	40	00	46.6	76	13	21.
ner of rail-and-wire fence, 40 feet northwest to corner of rail-and-wire fence	40	01	11.6	76	14	18.1
Fertility, 0.5 mile northwest of, three corners, 35 feet south to telephone						
pole, 50 feet northeast to white gate.  Lancaster and Bird-in-Hand pike, road corners, 35 feet southeast to	40	01	58. 9	76	14	44.1
corner of fence, 35 feet southwest to corner of fence.	40	02	24.2	76	14	12.1
Four corners, 35 feet northeast to corner of fence and 1 milepost, 12 feet northwest to corner of rail fence.	40	02	58.1	76	13	39.€
Four corners, 25 feet north to corner of fence and sign, 35 feet northeast	40	(10	00.0	=0	10	
to corner of wire fence.  Mechanicsburg, 2 miles southwest of, three corners, 125 feet north to	40	03	23.3	76	12	55.1
corner of fence and sign, 15 feet east to corner of wire and rail fence.  New Holland pike, four corners, center of trolley track and north-			03 4	76	13	23
south road	40	04	54.0	76	14	04

# Geographic positions along highways—Continued.

Station.	Latitude		Long	gitu	de.
			7 -		
Bushon's mill, 0.5 mile south of, four corners, 25 feet southeast to		11	0	/	11
maple, 15 feet southwest to signpost	40 05 4	9.4	76	14	18.5
feet southwest to front-yard fence	40 06 5	5. 8	76	14	34. 9
West Earl, four corners, 20 feet northwest to signpost		1.6			03. 1
West Earl Inn, southwest corner of, west fence, bronze tablet stamped				117	00. 1
"Prim. Trav. Sta. No. 10, 1905, Elev. 300 feet"	40 07 5	2.3	76	13	03.0
West Earl, 1.25 miles northwest of, road corners at yellow house, 30					
feet southwest to corner of fence and milepost, 15 feet northwest to corner of yard fence.	40 08 4	6.0	70	10	F1 0
Rothville, 0.25 mile northeast of, forks of road, 15 feet northwest to	40 08 4	0.0	76	10	51.6
signpost, 15 feet south to corner of small white crib.	40 09 1	9.3	76	14	19.0
Mililway station, 700 feet north of, in stone doorsill of front of Bruba-					
ker's mill, bronze tablet stamped "Prim. Trav. Sta. No. 11, 1905,		- 1			
Eleven 316 ft."	40 09 4	6.8	76	14	10.9
Millway station, 1.25 miles northeast of, four corners, 10 feet east to corner of rail fence, 90 feet west to signboard, 35 feet south to stump.	40 10 3	4 4	76	13	30, 8
Ourlach, 3 miles south of, four corners, 15 feet northeast to corner of	40 10 9	9. 4	10	19	5U. 8
front-yard fence, 15 feet west to corner of front-yard fence.	40 11 1	8.6	76	13	34.2
Durlach, 2.25 miles south of, forks of road	40 11 5	8.4	76	13	10.0
Durlach, 0.75 mile south of, three corners, 20 feet west to signpost, 45					
feet north to front-yard gate	40 13 1	8.0	76	13	22.0
southwest corner of brick store	40 13 5	3. 2	76	13	49.0
Durlach, 0.5 mile north of, road corners at, Mount Airy Hotel, 50 feet to	10 10 0	0. 2	10	10	40.0
bench mark	40 14 2	0.2	76	13	43.2
Durlach, 0.5 mile north of, in south wall at southeast corner of Mount					
Airy Hotel, aluminum tablet stamped "Prim. Trav. Sta. No. 12, 1905"	40 14 2	0.4	76	13	43.8
Mount Airy Hotel, 0.75 mile east of, 15 feet northeast to corner fence	40 14 0	7.0	70	12	53, 2
painted "U. S. 536". Schoeneck, 1 mile west of, four corners, 25 feet northeast to signpost.	40 14 2	1.0	76	12	36. 2
30 feet southwest to post painted "460".	40 14 3	9.5	76	11	38, 3
Schooneck, five corners, 40 feet southeast to northwest corner of hotel.					
20 feet northwest to corner of fence	40 14 2	9.9	76	10	33. 5
Schoeneck, 0.75 mile southeast of, three corners, 25 feet northwest to	40 14 1	- 0	70	00	
signpost, 12 feet east to tree on fence line	40 14 1	1.9	76	09	44. 4
Rwy., four corners, 20 feet northeast to post painted "U. S. 461," 157					
feet to bench mark	40 14 3	7.9	76	07	54.0
Denver, 1 mile north of, in east wall at southeast corner of small stone					
residence of Mrs. Rachael Walter, aluminum tablet stamped "Prim.	10 11 0			0.7	**O O
Trav. Sta. No. 13, 1905''	40 14 3	9. 4	76	07	53. 3
40 feet northeast to corner of fence	40 14 4	1.4	76	06	16, 3
Adamstown, 1.25 miles west of, three corners, 30 feet northwest to sign-	10 11 1	1. 1			1010
board	40 14 3	5. 7	76	05	01.5
Adamstown, 1.25 miles east of, center of Conestoga Traction Co.'s track,					
at forks of road, 20 feet north to telephone pole painted "U. S. 489".	40 14 2	8.9	76	03	39. 7
Lancaster-Berks county line stone monument at crossing of Reading- Lancaster pike.	40 14 5	2.4	76	02	44.2
Alleghenyville, 1.75 miles northwest of, three corners, 100 feet north-	40 14 0	0. 4	10	02	11. 2
west of schoolhouse, 10 feet northeast to corner of rail fence, 35 feet					
southeast to corner of rail fence	40 14 4	9. 0	76	00	48. 1
Alleghenyville, 1 mile northwest of, four corners, at Eight Mile House,					
60 feet southeast to windmill, 60 feet northeast to front entrance of hotel	40 14 4	1.4	75	59	55. 7
Alleghenyville, northwest corner of stone church.	40 14 4		75	59	20. 6
,	10 11 0				

#### TENNESSEE.

## PRIMARY TRAVERSE.

## CANNON AND RUTHERFORD COUNTIES.

## WOODBURY QUADRANGLE.

The following geographic positions on the United States standard datum were determined by a line of primary traverse run by C. B Kendall, field assistant, in June, 1906. Starting at Liberty triangulation station of the Coast and Geodetic Survey, the line follows the borders of the quadrangle and is tied to Short Mountain triangulation station of the same Survey.

Magnetic declination, north border, 2° 29′ east; east border, 2° 2 east; south border, 2° 52′ east; west border, 2° 35′ east.

 $Geographic\ positions\ along\ highways.$ 

acographic positions along highways	•					
Station.	L	atit	ude.	Lo	ngiti	ude.
Liberty triangulation station, pole creeted by citizens of town of Lib-						
crty to be observed for position of their town. It is N. 70° W., true	0	/	"	0	,	//
bearing, and 275 poles from center of town and 200 feet above it	36	00	34. 02	85	58	36. 8
Liberty, 1.25 miles south of, three corners at schoolhouse, 40 feet northeast to sycamore on bank of creek, 25 feet southeast to telephone pole.	35	59	35. 1	85	59	01. €
Three corners, 1,000 feet south of store, T road southeast up hollow, at	00	1,1,	00. 1	00	00	01.0
syeamore tree	35	58	29. 0.	85	59	05.9
Hancock's store, three corners, T road to west up Sycamore Creek, at forks of road, roads north and east.	35	57	12.3	85	59	40, 9
Gassaway, center of Clear Fork Creek at forks of road	35	56	25. l		• 59	45. 8
Clear Fork and Wyandotte creeks, junction of, at forks of road up each.	35	55	17.5		59	21. 9
Four corners, second-class northeast and southwest crossroads, south-						
west road follows up Clear Fork, 50 feet south to large rock at point of ridge.	35	54	41.8	85	58	24. 2
Second-class road to west, 10 feet east to oak tree	35	53	22. 5	85	57	28. 4
Second-class road, 20 feet east to oak, 20 feet north to old oak stump.	35		43. 5	85	57	12.7
Short Mountain triangulation station, on highest group of Short						
Mountains, 2 miles northwest of Short Mountain post-office, which is kept at Comer's store; road passes Blar's and John Herringer's;						
signal is on land of Mr. Dougald. Station mark: A bottle filled with						
ashes, the center of the neck accurately under station; above bottle						
is a stone 8 inches square and 3 feet long, rising 3 inches above surface,						
with intersecting grooves north and south and east and west marking point.	35	52	11.5	85	58	23.:
Forks of road west and northwest, 40 feet north to large oak stump, 40	90	شك	11.0	00	90	20.,
feet south to large sycamore stump.	35	52	33. 4	85	56	52.7
Comer's store, forks of road 600 feet south of, roads southeast and			*** 4			000
south, 90 feet east to beech tree Wood's store, three corners, T road west, 35 feet east to store door, 40	35	51	13. 4	85	56	32.
feet southwest to large oak.	35	50	43.7	85	56	45.
Forks to east, 40 feet west to door of log church	35	49	59.2	85	56	48.
Four corners, 10 feet southeast to oak tree and signboard "Manchester	0.5	40	011 0	0.5	F 0	F0
26 miles," 40 feet northeast to two mail boxes	35 35	49 48	03. 3 11. 2	85 85	56 57	56. 18.
Forks of road northeast, 30 feet southwest to oak, 40 feet south to oak.	35	47	13. 5	85	57	45.
Second-class road forks to northeast, oak tree	35	46	19.9	85	58	01.
Burns's store, three corners 0.25 mile west of, 20 feet southwest to large	0.5	. ~	** 0	0.5	50	4477
oak Davenport's store, 1,500 feet northwest of, 7 miles southeast to Wood-	35	45	55. 8	85	58	37.
bury, in east wall northeast corner of R. L. Spidell's brick spring						
house, on south edge of old stage road from Woodbury to Minnville,						
aluminum tablet stamped "Prim. Trav. Sta. No. 5, 1906"	35	46	38. 3	85	59	11.
Forks of road at sawmill.  Iconium Church, three corners ½ mile east of, T road north near corner	35	46	25. 5	85	59	42.
of clearing, 40 feet southwest to oak, 90 feet north to oak.	35	46	29. 5	86	00	49.
Public roads, oak tree in southwest corner.	35	46	05. 1	86	01	56.
Three corners, road to west at bend of main road to south, 15 feet south-	9.5	45	90.1	0.0	00	49)
east to corner of fence, 20 feet north to fence.  Four corners, intersection of Woodbury-Manchester and Short Moun-	35	45	36. 1	86	02	42.
tain-Pettys Gap roads, 40 feet northeast to oak, 90 feet southwest to						
oak, 300 feet northeast to Quickstep schoolhouse.	35	45	04.1	86	03	19.

# Geographic positions along highways—Continued.

Station.	Latitude.	Longitude.
Four corners, 0.5 mile east of Old Pettys post-office, 80 feet northeast to	0 / //	0 / //
oak tree, 40 feet north to oak	35 44 45.3	86 03 35.0
south to gate	35 45 17.9	86 04 58.5
Bent, three corners, 1.75 miles southeast of, T road south to Jamison's brandy distillery, 20 feet northwest to oak tree, 100 feet south to bridge	35 45 21.0	PC 00 10 1
Forks of road, 100 feet northwest of barn and 300 feet southeast of Horse Spring Fork, roads northwest down and southeast up, 40 feet	35 45 21.0	86 06 19.1
southeast to barnyard gate, 60 feet northeast to locust tree.  Burt Carsons Fork, center of, at ford 0.25 mile southwest of.	35 45 39.0 35 45 58.1	86 06 53.3 86 07 53.9
West side of Woodbury-Hollow Springs road, 80 feet west of center of Carsons Fork, at junction with public road leading southwest over ridge to Bradyville and 230 feet north of new store on Bradyville road,		
ridge to Bradyville and 250 feet north of new store on Bradyville road,		
in limestone rock, aluminum tablet stamped "Prim. Trav. Sta. No. 6, 1906".	35 44 45.0	86 07 44.8
Second-class T road to northeast down hollow 5 feet southwest to		
stone fence, 30 feet north to bench of sycamore sprouts	35 44 25.3	86 09 00.9
to east, 40 feet southeast to corner of store porch, 35 feet northeast to	95 44 99 6	00 50 7
store porch.  Three corners, 1.12 miles west of Readyville, second-class T road to	35 44 22, 6	86 09 56.7
north, 25 feet northwest to gate, 10 feet south to rail fence	35 44 46.5	86 10 49.3
corner of junction of pike with road north down Cripple Creek to		
Bradyville, 2,000 feet west of church, in limestone bowlder, aluminum tablet stamped "Prim. Trav. Sta. No. 7, 1906"	35 44 50.4	86 11 27.7
Forks of road uphill to northeast, 60 feet north to locust tree	35 45 54.6	86 11 31.2
Three corners, public T road to norta, 10 feet south to B. M. Beeton's mail box, 30 feet northeast to peach tree.  Three corners, 0.75 mile south of pike, second-class T road northwest,	35 46 51.7	86 12 23.1
Three corners, 0.75 mile south of pike, second-class T road northwest, 40 feet south to large oak, 30 feet northwest to cedar	35 48 21.1	86 12 17.4
Readyville post-office, forks of road <sup>1</sup> / <sub>4</sub> mile north of	35 49 44.9	86 10 44.8
Readyville, forks 1 mile north of, road north and northwest, 15 feet north to stone walk, 40 feet east to wire fence.	35 50 04.7	86 11 23.8
Readyville, four corners 2 miles north of, crossroads, 10 feet southwest		86 11 11.1
to three cedars, 50 feet east to cedar		
Murfreesboro-Auburn pike in north edge of at three corners 500 feet	35 51 48.5	86 11 31.0
Murfreesboro-Auburn pike, in north edge of, at three corners, 500 feet east of Antioch Church, T road south to Readywile and 3.3 miles	05 51 46 0	86 11 31.4
north of, aluminum tablet stamped "Prim. Trav. Sta. No. 1, 1906".  Four corners, second-class crossroads, 10 feet southwest to corner of	35 51 48.8	86 11 31.4
fence, 40 feet northeast to hickory tree	35 52 26, 6	86 12 10.4
church, 30 feet west to cedar.	35 53 29.3	86 12 01.5
Milton, crossroads, 1.6 miles south of, center of rock ledge, 40 feet east to elm, 50 feet west to mail box	35 54 50.4	86 11 36.0
Milton, Presbyterian Church, junction of Milton-Murfreesboro pike and Readyville road, 25 feet southwest to corner of wire fence, 35 feet		
southeast to corner of church vard fence	$35  55  46. \ 4$	86 10 56.1
Three corners, T road west, 20 feet southwest to small bridge, 30 feet east to gate, 10 feet northwest to J. H. Paty's mail box	35 56 42.0	86 10 42.7
Three corners, T road northwest, 10 feet north to corner of rock fence,	35 58 01.6	86 10 28.0
12 feet west to mail box No. 74. Ewingsville schoolhouse, 3.1 miles north of Milton, on Milton-States-		
ville road, limestone rock, being northwest corner of Woodbury quadrangle, aluminum tablet stamped "Prim. Trav. Sta. No. 2,		
Forks of roads northwest to northeast, up small stream, 50 feet north	35 58 28.7	86 10 24.5
to poplar tree, 50 feet east to center of stream	35 58 27.3	86 09 09.6
Forks of roads, east down Kennedy Creek and uphill to Auburn, 10 feet south to rock fence.	35 58 03.3	86 08 25.2
Three corners, T road to south, 25 feet southwest to corner of rail fence, 25 feet southeast to H. W. Preston's mail box	35 58 13.3	86 05 50.2
Junction Kennedy Creek road and Murfreesboro pike and Herican road, 1.5 miles east of Auburn and about 300 feet north of Wilson-Cannon		
		00 04 00 4
county line, 30 feet south of center of pike, in limestone ledge, aluminum tablet stamped "Prim. Trav. Sta. No. 3, 1906"	35 57 55.9	86 04 32.4
der, 40 feet southwest to gate at store fence, 80 feet north to corner	25 50 25 0	86 04 14.3
of barn, 125 feet east to center Sanders Fork.  Prosperity, steeple of church.	35 58 35.0 35 58 47.0	
Three corners at east end of old bridge site across Sanders Fork, T road to north, 35 feet southwest to tree, 25 feet north to stone fence.	35 59 19.1	86 02 21.5
T road southeast, 40 feet southeast to gate	36 00 08.0	86 01 16.4
of store, 40 feet south to corner of blacksmith shop	36 00 41.1	86 00 00.7
Liberty, west edge of 80 feet north of northwest corner of Salem Bab-		
tist Church, in limestone ledge, aluminum tablet stamped "Prim. Trav. Sta. No. 4, 1906".	36 00 13.1	85 58 27.6

#### VIRGINIA.

#### TRIANGULATION STATIONS.

#### FLOYD AND PATRICK COUNTIES.

#### FLOYD AND STUART QUADRANGLES.

In the fall of 1905 W. H. Lovell, topographer, extended triangulation control over the Floyd quadrangle and the northern portion of the Stuart quadrangle. Seven new stations, based on Buffalo and Bull of the Coast and Geodetic Survey, were occupied.

#### BUFFALO, FLOYD COUNTY.

On a high narrow ridge cleared on all sides, about 15 miles by road southwest of Floyd. Best reached from J. A. Alderman's house by good path. A station of the Coast Survey.

Station mark: A bronze tablet in solid ledge.

[Latitude 36° 47′ 46.15″, longitude 80° 28′ 39.05″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Stocker. Haycock Bull. Hylton Turner	231 42 41 248 20 16 296 49 47 305 38 00 321 10 54	51 48 39 68 27 47 116 58 51 125 43 07 141 14 57	Meters. 4. 27487 4. 30184 4. 40298 4. 19545 4. 20722

#### HAYCOCK, FLOYD COUNTY.

On a high partly cleared hill about 5 miles southeast of Floyd and 0.75 mile from Haycock post-office, on what is known as the Lee farm. Wagon can be driven to signal.

Station mark: A bronze tablet set in sandstone rock.

[Latitude 36° 51′ 45.4″, longitude 80° 16′ 07.2″.]

To station—	. Azimuth.	zimuth. Back azimuth.			
Hylton. Buffalo. Stocker. Bull.	19 40 50 68 27 47 138 09 26 348 16 41	99 38 30 248 20 16 318 08 23 168 18 15	Meters. 4. 24422 4. 30184 3. 75940 4. 28360		

### STOCKER, FLOYD COUNTY.

On Stockers Knob, about 0.75 mile south of Floyd court-house, near Floyd-Stuart pike. Hill cleared except to west. Can drive to station.

Station mark: A drill hole in quartz rock.

[Latitude 36° 54′ 04.2", longitude 80° 18′ 42.1".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Hylton. Buffalo. Haycock. Bull.	5 40 50 51 48 39 318 08 23 341 27 12	185 40 00 231 42 41 138 09 26 161 30 19	Meters. 4. 32029 4. 27487 3. 75940 4. 38671

#### BULL, PATRICK COUNTY.

On the highest peak of a group of high wooded hills a few miles north of Stuart. Best reached by following the Stuart-Patrick Springs highway to a point 4 miles from Stuart and 1 mile east of Mr. Orr's house. A path leads up south spur to summit.

Station mark: A bronze tablet in rock set in ground.

[Latitude 36° 41′ 34.97″, longitude 80° 13′ 29.93″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Nocl. Carter. Turner. Hylton Buffalo. Stocker. Haycock.	24 11 46 43 44 02 84 55 08 103 12 04 116 58 51 161 30 19 168 18 15	204 10 22 223 41 16 264 50 08 283 08 08 296 49 47 341 27 12 348 16 41	Meters, 3, 93032 4, 00004 4, 09753 4, 00330 4, 40298 4, 38671 4, 28360

#### CARTER, PATRICK COUNTY.

About 3 miles southwest of Stuart, on the summit of a ridge called Carters Mountain, on land of William Hayden. View intercepted by woods to west and northwest.

Station mark: A bronze tablet in sandstone rock.

[Latitude 36° 37′ 40.4″. Longitude 80° 18′ 18.2″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Hylton. Bull. Stuart Noel.	0 / // 163 02 00 223 41 16 242 01 00 278 58 00	343 00 50 43 44 02 62 02 00 98 59 00	Meters, 3, 99821 4, 00004 3, 52906 3, 53924

## HYLTON, PATRICK COUNTY.

On a high, bare ridge about 250 feet east of the highway leading from Stuart to Cruise and within 0.12 mile of Cruise post-office, on land owned by A. A. Hylton, who lives a few hundred feet south of the station.

Station mark: A dead tree 60 feet high with a triangle of six nails driven in the side facing Buffalo.

[Latitude 36° 42′ 49.4″. Longitude 80° 20′ 05.4″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Turner. Buffalo. Stocker. Haycock. Bull. Noel. Carter.	37 51 23 125 43 07 185 40 00 199 38 30 283 08 08 327 49 10 343 00 50	217 49 50 305 38 00 5 40 50 19 40 50 103 12 04 147 51 42 163 02 00	Meters. 3. 63573 4. 19545 4. 32029 4. 24422 4. 00330 4. 07515 3. 99821

#### NOEL, PATRICK COUNTY.

Three miles south of Stuart, in an open field 100 feet west of public road, on land of Mrs. Noel.

Station mark: A bronze tablet in rock at pile of stones.

[Latitude 36° 37′ 22.9″. Longitude 80° 15′ 50.5″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Carter Hylton Bull	98 58 00 147 51 42 204 10 22	278 58 00 327 49 10 24 11 46	Meters. 3, 53924 4, 07515 3, 93032

#### STUART METHODIST EPISCOPAL CHURCH SPIRE, PATRICK COUNTY.

# Station mark: Center of spire.

[Latitude 36° 38′ 31.9″. Longitude 80° 16′ 08.0″.]

To station	Azimuth.	Back azimuth.	Log. distance.
Carter	$\begin{array}{ccccc} \circ & & ' & '' \\ 62 & 02 & 00 \\ 348 & 29 & 00 \end{array}$	$\begin{array}{ccccc} \circ & \prime & \prime \prime \\ 242 & 01 & 00 \\ 168 & 29 & 00 \end{array}$	Meters. 3, 52906 3, 33639

#### TURNER, PATRICK COUNTY.

About 4 miles southwest of Cruise post-office, on land of Rufus Turner, within 200 yards of road and house.

Station mark: Dead stump of tree 9 feet high having triangle of nails driven in west side.

[Latitude 36° 40′ 58.7". Longitude 80° 21′ 52.1".]

To station—	Azimuth.		Back az	imut	h.	Log. distance.
Buffalo Hylton Bull	0 / 141 14 217 49 264 50	57 50 08	321 37 84	10 51 55	54 23 08	Meters. 4. 20722 3. 63573 4. 09753

VIRGINIA. 103

ALLEGHANY, BATH, BEDFORD, BOTETOURT, CRAIG, AND ROCKBRIDGE COUNTIES.

#### BUCHANAN AND FINCASTLE QUADRANGLES.

In the spring of 1906 Oscar Jones, topographer, located four new stations for the control of two 15-minute quadrangles. Positions are based on Bald Knob, Flat Top, and Potts, United States standard datum.

RICH PATCH, ALLEGHANY AND BOTETOURT COUNTIES.

(Not occupied.)

On a flat timbered summit of Rich Patch Mountain, 4 miles north of Oriskany, the nearest railroad station. May be reached by road from Oriskany to old Grace Furnace, thence by path which crosses mountain 2 miles southwest of station.

Station mark: A monument of stone 6 feet in diameter at the base and 5 feet high, piled around the base of an oak tree 12 inches in diameter in which is placed a signal.

[Latitude 37° 40′ 38.09″. Longitude 79° 58′ 14.37″.]

To station—	Azimuth.		Azimuth. Back azimuth.			uth.	Log. distance.
Sugar Loaf Flat Top Caldwell	274 306 4	00	54. 9 46. 9 39. 2	126		01. 6 58. 9 06. 1	Meters. 4, 387810 4, 627556 4, 239700

## POTTS, ALLEGHANY AND CRAIG COUNTIES.

A station of the Geological Survey first established in 1885, on the Craig-Alleghany county line, on a rounded knob on Potts Mountain east of the Fincastle-Sweet Springs road, 12 miles by road and trail north of Newcastle. The old stage from Newcastle to Sweet Springs crosses the mountain 0.25 mile west of the station.

Station mark: The birch signal tree, around which is a mound of stone.

Reference marks: Two holes drilled in solid rock: No. 1, station bears N. 22° E magnetic, distant 12.1 feet; No. 2, station bears S. 42° W. magnetic, distant 7.7 feet.

[Latitude 37° 36′ 02.9″. Longitude 80° 08′ 45.0″.]

To station	Azimuth.	Back azimuth.	Log. distance.
Bald Knob	215 39 03.8	35 49 53.1	Meters. 4. 647675 4. 605446 4 719626 4. 222150
Sugar Loaf	260 46 54.7	81 03 25.9	
Flat top	288 12 03.4	108 32 37.9	
Caldwell	301 55 13.3	122 01 04.7	

BALD KNOB, BATH COUNTY.

Coast Survey station on Warm Springs Mountain, about 3 miles (air line) south of Healing Springs, 1,000 feet north of highest summit and 20 feet lower. Millboro depot and Covington, nearest railroad stations.

Station mark: (C. and G. S.; could not be found.)

Reference marks: One stone post bearing S. 87° E. true, distant 7 feet; one hole bearing S. 87° W. true, distant 7.28 feet; one hole bearing N. 8° W. true, distant 10.58 feet.

[Latitude 37° 55′ 32.58″. Longitude 79° 51′ 04.77″.]

To station—	Azimuth.	Log. distance.	
Sugar Loaf. Flat Top. Potts.	335 03 49.0 335 40 48.5 35 49 53.1	155 09 34.2 155 50 39.8 215 39 05.8	Meters. 4. 515084 4. 760975 4. 647675

#### CALDWELL, BOTETOURT COUNTY.

A point on the southwest end of Caldwell Mountain, about 7 miles west of Fincastle. Station may be reached from Fincastle by following the Newcastle road almost to the top of the mountain, turning to the left at an apple orchard on the summit. There is a road up the hollow to a point within 1 mile of the station. Good view.

Station mark: A bronze tablet cemented in solid rock.

Reference marks: Arrow cut in rock bearing N. 63½° E. magnetic, distant 6.75 feet; arrow cut in rock bearing N. 59½° W. magnetic, distant 2.68 feet.

[Latitude 37° 31′ 16.46″. Longitude 79° 59′ 08.55″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Potts Rich Patch Sngar Loaf Flat Top.	122 01 04.7 184 23 06.1 239 18 30.9 282 04 03.3	301 55 13.3 4 23 39.2 59 29 09.6 102 18 45.8	Meters. 4: 22215( 4: 23970( 4: 47484) 4: 56168(

#### SUGAR LOAF, BOTETOURT COUNTY.

On the east end of Sugar Loaf Mountain, 12 miles north of Buchanan. Buchanan-Daggers Springs road up Purgatory Creek crosses divide 0.75 mile east of station. The top is cleared, giving a good view in all directions.

Station mark: A bronze tablet set in cement 18 inches below the surface, over which is built a mound of stone 6 feet in diameter at the base and 5 feet high.

Reference marks: A 1-inch hole drilled in solid rock bearing N. 65° W. magnetic, distant 12 feet; a 1-inch hole drilled in solid rock bearing N. 70° E. magnetic, distant 14.60 feet.

[Latitude 37° 39′ 29.27″. Longitude 79° 41′ 41.59″.]

To station—	Λzi	mut	h.	Back a	azin	uth.	Log. distance.
Caldwell. Potts. Rich Patch Bald Knob Short Hill Flat Top.	59 81 95 155 254 336	29 03 04 09 24 35			53 03 28	30. 9 54. 7 54. 9 49. 0 18. 3 09. 0	Meters. 4. 474849 4. 605446 4. 387810 4. 515084 3. 987007 4. 396856

FLAT TOP, BOTETOURT AND BEDFORD COUNTIES.

A station of the Coast Survey 10 miles northwest of Liberty, Bedford County. Rough wagon road within one-fourth mile of station.

Station mark: A bronze tablet cemented in stone bowlder, replacing Coast Survey bench mark, which had been removed.

[Latitude 37° 27′ 06.78″. Longitude 79° 34′ 58.40″.]

To station—	Azimuth.			Back a	azin	uth.	Log. distance.
Caldwell. Potts Rich Patch Bald Knob Sugar Loaf. Short Hill	102 108 126 155 156 178	18 32 14 50 39 48	45. 8 37. 9 58. 9 39. 8 09. 0 18. 1	282 288 306 335 336 358	04 12 00 40 35 48	03. 3 03. 4 46. 9 48. 5 03. 2 04. 9	Meters. 4.561680 4.719626 4.627556 4.760975 4.396856 4.406521

## SHORT HILL, ROCKBRIDGE COUNTY.

#### (Not occupied.)

On mountain known as Short Hill, about 5 miles northwest of Natural Bridge. A road crosses the ridge about 0.75 mile north of the station. There are two knolls near each other, the east one covered with timber, the west one bare. The station is on the west knoll. A good view can be had in all directions.

Station mark: A mound of stone 8 feet in diameter at the base and 6 feet high.

[Latitude 37° 40′ 53.72″. Longitude 79° 35′ 20.10″.]

To station—	Azimuth.			Azimuth. Back azimuth.					Log. distance.
Flat Top Sugar Loaf			04. 9 18. 3	0 178 254		18. 1 25. 2	Meters. 4. 406521 3. 987007		

#### WEST VIRGINIA.

#### TRIANGULATION STATIONS.

BRAXTON, CALHOUN, CLAY, KANAWHA, ROANE, AND WIRT COUNTIES.

ARNOLDSBURG, FLATWOOD, LITTLE OTTER, MINNORA, SPENCER, AND WALTON QUADRANGLES.

Triangulation control was extended in 1904 by C. A. Clunet, field assistant, from stations Ruble, Staats, and Weed. Twenty-three new stations were located on the United States standard datum.

#### COON, BRAXTON COUNTY.

On a high peak at the head of Coon Creek, 2 miles northwest of Hoover post-office and 6 miles southwest of Sutton; timber is mostly cleared from top of knob. Land is owned by T. M. Dean, who lives at Hoover. A ridge road runs 300 yards south of signal.

Station mark: A sandstone post 36 by 8 by 8 inches, set 30 inches in the ground and having a stamped bronze triangulation tablet cemented in the top.

Reference mark: The chestnut oak signal tree, distant 17.5 feet, true azimuth 333°.

## [Latitude 38° 36′ 53.36″. Longitude 80° 46′ 49.92″.]

To station—	Azimuth.			Azimuth. Back azimuth.			
Harrison. Pilot Frame Mule Sugar High Green	111 164 240	03 33 48	34. 0 57. 0 59. 0	290 344 60	17 52 32 56	21. 0 44. 8 58. 8 46. 3 47. 0	Meters. 4, 274113 4, 506895 4, 133550 4, 420508 4, 012311 4, 316880 4, 140950

#### FRAME, BRAXTON COUNTY.

## (Not occupied. Position unchecked.)

On a high, wooded peak 1 mile northeast of Servia post-office. Station mark: A large chestnut tree having cleats nailed up trunk to top, which is cut out.

# [Latitude 38° 37′ 40.3″. Longitude 81° 56′ 10.1″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Pilot	c , ,,	0 , ,,	Meters. 4 30581 4.13355

#### GIP, BRAXTON COUNTY.

# (Not occupied. Position unchecked.)

On a high, partially wooded summit known locally as Rattlesnake Hill, 0.5 mile northeast of Gip post-office, on land of Mr. Miller, who lives at Gip.

Station mark: A stone post 24 by 8 by 8 inches, set 20 inches in the ground.

Reference marks: A large chestnut-oak tree (signal tree) 5 feet east of station.

## [Latitude 38° 40′ 15.9″. Longitude 80° 58′ 55.9″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Weedy		0 / //	Meters, 4,17697 3,88757

#### GREEN, BRAXTON AND NICHOLAS COUNTIES.

## (Not occupied. Position unchecked.)

On a high, wooded knob 5 miles southeast of Littlebirch post-office and 3 miles north of Skyles post-office, at the head of Carpenter Fork to the north and Mill Creek to the west, on the Braxton-Nicholas county line and 0.5 mile west of Webster County line. Station is 150 yards east of county road and 300 yards north of forks of road at top of hill at George Wynn's house.

Signal: A flag and target on top of red-oak tree 20 feet south of fence line, distant from station 22 feet.

Station mark: A sandstone post 36 by 8 by 8 inches, set 28 inches in the ground and having a bronze triangulation tablet cemented in the top.

#### [Latitude 38° 31′ 39.4". Longitude 79° 40′ 01.7".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Coon. High	0 ' ''	0 / //	Meters. 4. 14095 4. 33104

#### HIGH, BRAXTON COUNTY.

On a high knob, mostly cleared, 12 miles northeast of Sutton and 2 miles west of Caress post-office, in pasture on land of John Marple, who lives in hollow 0.5 mile northwest of station. Station is 3 feet north of east-west fence line, 100 yards north of forks of county road and same distance east of Methodist Church.

Station mark: A sandstone post 36 by 8 by 8 inches, set 30 inches in the ground and having a bronze triangulation tablet cemented in top.

[Latitude 38° 42′ 20.73″. Longitude 79° 34′ 20.41″.]

To station—	Azimuth.			Log. distance.	
Green. Coon Sugar.	22 60 89	41 56 35	40 47 10	240 48 59 269 26 10	Meters. 4. 3310 4. 3168 4. 3190

#### SUGAR, BRAXTON COUNTY.

At the head of Sugar Creek, on a high knob locally known as Suga Knob, 4 miles northwest of Gassaway station, on the Coal and Coke Railway, on land of Mr. Dodery, east side of summit cleared and wesside timbered.

Station mark: A stone post.

Reference marks: The tall, straight hickory tree on north-soutl fence line which divides the woods from cleared land, distant fron station 14.6 feet, azimuth 175° 16′.

[Latitude 38° 42′ 14.94″. Longitude 79° 49′ 43.22″.]

To station—	Azimuth.		Azimuth. Back azimuth.			uth.	Log. distance.
Harrison. Mule High Coon.	88 269	47 26	12. 8 22. 3 10. 0 46. 3	268 89	37 35	31. 9 57. 3 10. 0 57. 0	Meters, 4. 37721 4. 33921 4. 31901 4. 0123

## DESERT, CALHOUN COUNTY.

On a high, cleared peak in pasture 2 mile south of Beech post office and 0.25 mile east of Roane County line, on land of Josep Wagner, who lives on east slope of knob, locally known as Deser Peak.

Station mark: A sandstone post 36 by 7 by 7 inches, set 32 inche in the ground and having a bronze triangulation tablet cemented i top.

Signal: A tall chestnut-oak tree near top of hill.

[Latitude 38° 44′ 32.91″. Longitude 81° 09′ 59.88″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Craig Rattlesnake Millstone Mule.	0 / // 128 34 26.1 172 22 36.1 232 24 31.0 297 44 21.2	308 28 56.2 352 21 33.6 52 28 01.0 117 48 14.5	Meters. 4. 2107 4. 2580 4. 0098 4. 0079

#### MILLSTONE, CALHOUN COUNTY.

On a high, cleared knob 3.5 miles northeast of Arnoldsburg and 0.5 mile southwest of Millstone post-office, on land of Mr. Altizer, of Arnoldsburg.

Station mark: A stone post 36 by 7 by 7 inches, set 30 inches in the ground and having a bronze triangulation tablet cemented in the top.

[Latitude 38° 47′ 55.2". Longitude 81° 04′ 24".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Desert Rattlesnake Kite	52 28 01 138 09 47	232 24 31 318 05 14	Meters. 4. 00988 4. 19694 4. 21711

#### MULE, CALHOUN COUNTY.

On a high, sharp peak, mostly cleared, 1.5 miles southeast of Minnora post-office, on land of Charles Knoth, who lives on south side of hill. Road almost to top. Locally known as Mule Knob.

Station mark: A stone post, 28 by 9 by 9 inches, set 26 inches in the ground and having a bronze tablet cemented in the top.

[Latitude 38° 41′ 59.01″. Longitude 81° 03′ 46.86″.]

To station—	Azimuth.			Back a	zim	uth.	Log. distance.
Pilot Weedy. Spencer. Desert. Craig. Lukens. Rattlesnake. Sugar. Coon.	28 99 117 124 135 153 268 290	26 08 43 48 28 51 21 37 52 18	22. 8 46. 4 53. 5 14. 5 02. 0 21. 3 33. 5 57. 3 58. 8 06. 0	197 208 279 297 304 315 333 88 111	23 06 32 44 18 42 16 47 03	47. 9 15. 6 54. 5 21. 2 39. 0 09. 8 37. 3 22. 3 34. 0	Meters. 4. 302253 4. 093060 4. 411902 4. 007943 4. 420269 4. 433672 4. 404923 4. 339282 4. 420508 3. 887570
Gip Harrison.		53	09. 5	155	56	52. 5	4. 326130

## KITE, CALHOUN COUNTY.

On a high, cleared knob, 3 miles northeast of Grantsville and 0.25 mile southeast of Glenville road, on land belonging to Mrs. Maggie Spoon, who lives on south side of hill.

Station mark: A stone post, 36 by 8 by 8 inches, set 30 inches in the ground and having a bronze triangulation tablet cemented in the top.

[Latitude 38° 56′ 46.7″. Longitude 81° 03′ 11.3″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Millstone	, ,,	o / //	Meters. 4. 21711 4. 11750

#### LUKENS, CALHOUN-WIRT COUNTY LINE.

About 5 miles northwest of Richardson, on a high, partly cleared knob, on land owned by Mr. Quick and about 0.5 mile from house of Mr. Lukens. There are a few chestnut trees on the north side of the knob and pines on the south. There is also an old peach orchard on top.

Station mark: A blue freestone post, 36 by 8 by 8 inches, set 30 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 38° 53′ 46.84″. Longitude 81° 18′ 27.05″.]

To station—	Azimuth.			Back	aziı	Log. distance.	
Craig Poplar Ball Weed Ruble Rattlesnake Mule	3 18 55 97 183 264 315	51 05 26 40 07 52 42		183 198 235 277 3 84 135	32 08 57	13.84	Meters. 3. 8436737 4. 1291083 4. 0408885 4. 2326080 4. 1101241 3. 9937419 4. 4836720

#### RATTLESNAKE, CALHOUN COUNTY.

On a high peak, mostly cleared of timber, at the head of Annamoriah Run, 0.5 mile west of Joker post-office, on land of Camden Somers, of Clarksburg, locally known as Rattlesnake Knob.

Station mark: A bronze tablet cemented in solid rock.

Reference marks: A tall lone pine tree 21.36 feet due west; arrow cut in solid rock 11.13 feet due south.

[Latitude 38° 54′ 15.16". Longitude 81° 11′ 39.62."]

To station—	Azimuth.					Log. distance.	
Spencer Craig Lukens Ruble Kite	37 52 84 142	22 45 57 49	26, 53 14, 47 08, 33 37, 84	217 232 264 322	16 40 52 45	22. 43 46. 59 52. 47 40. 06	Meters. 4. 363776; 4. 1117256 3. 993741; 4. 177788; 4. 117500
Millstone Mule Desert	318 333 352	16	14. 00 37. 30 33. 60	138 153 172	09 21 22	47. 00 33. 50 36. 10	4. 196940 4. 404923 4. 258036

#### HARRISON, CLAY COUNTY.

On a high, wooded peak 1 mile northwest of Harrison post-office and 1 mile east of Sand Fork, on the Brackerhoff tract of land. A wood road runs almost to signal tree from the south from the Clay-Sutton road on top of the hill 0.5 mile east of Sand Fork.

Signal: A flag in a large chestnut oak having cleats nailed up to platform in top of tree.

Station mark: A bronze triangulation tablet cemented in solid rock.

Reference marks: Chestnut-oak signal tree, distant 13.8 feet, azimuth 277° 56'.

[Latitude 38° 31′ 31.62″. Longitude 80° 57′ 49.48″.]

To station—	Azimuth.			Azimuth. Back azimuth.				
Pilot. Mule. Sugar. Coon.	155	56 37	03. 7 52. 5 31. 9 21. 0	335 33	53 43	46, 5 09, 5 12, 8 12, 2	Meters. 4. 166418 4. 326130 4. 377235 4. 274113	

#### PILOT, CLAY COUNTY.

On a high knob which has been cleared of timber on top, 0.5 mile northwest of Valley Fork post-office, on land owned by Swann, Brown & Co. Road crosses gap 0.5 mile east of station.

Station mark: A stone post, 36 by 8 by 8 inches, set 30 inches in the ground and having a bronze triangulation tablet cemented in the top.

[Latitude 38° 31′ 38.40″. Longitude 81° 07′ 55.02.″]

To station—	Azimuth.			Back a	ızin	iith.	Log. distance.
Campbell Nichols Spencer Weedy Mule Frame Coon Harrison	99 127 140 181 197 237 252 270	29 34 21 07 23 29 17 45	50. 6 30. 5 51. 7 06. 1 47. 9 12. 0 44. 8 46. 5	279 307 320 4 17 72 90	20 28 13 07 26 30 52	28. 9 10. 3 22. 8 53. 5	Meters. 4, 355820 4, 245792 4, 484208 3, 914430 4, 302255 4, 305810 4, 506893 4, 166418

## GUNSTOCK, KANAWHA COUNTY.

On a high, wood-topped peak, 2 miles south of Kettle post-office and 1 mile south of the Roane County line, on land belonging to M. A. Tuipin, who lives on the northeast side of the hill.

Station mark: A stone post, 36 by 8 by 8 inches, set 30 inches in the ground and having a bronze triangulation tablet cemented in the top.

[Latitude 38° 32′ 51.34″. Longitude 81° 29′ 58.31.″]

· To station—	Azimuth.	Back azimuth.	Log. distance.
Countsville Spencer Nichols Campbell	198 16 58.0 210 30 57.8 244 47 27.6 261 21 08.9	30 36 21.2 64 55 13.1 81 25 17.7	Meters, 4, 235120 4, 391509 4, 300013 3, 989973

#### BALL, ROANE COUNTY.

About 5 miles northwest of Spencer and 1.5 miles southwest of Kyger, on a cleared ridge, near its north end, on land of Mr. Ball and about 0.75 mile nearly east of his house.

Station mark: A blue freestone post, 36 by 8 by 8 inches, set 30 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

Reference mark: A dead snag used for signal, distant 4.3 feet, true azimuth 31° 49′.

[Latitude 38° 50′ 24.53′′. Longitude 81° 24′ 42.21′′.]

To station—	Azimuth.			Back	aziı	Log. distance.	
Staats. Weed. Lukens. Craig. Poplar.	° 111 137 235 274 323	19 08 22 47 22	39. 49 05. 22 13. 84 04. 47 40. 70	291 317 55 94	16 04 26 50	19. 98 39. 56 09. 26 47. 55 47. 25	Meters. 3, 915424( 4, 064592; 4, 040888( 3, 935014) 3, 912215(

#### CAMPBELL, ROANE COUNTY.

On a high bare knob 2 miles east of Dodd post-office, in pasture on land owned by W. C. Campbell, who lives on the west side of the hill. Signal: A lone tree with limbs cut off.

Station mark: A stone post, 36 by 8 by 8 inches, set 30 inches in the ground and having a bronze triangulation tablet cemented in the top.

Reference mark: The lone trimmed signal tree, distant 31.6 feet, true azimuth 142° 00′.

[Latitude 38° 33′ 38.81." Longitude 81° 23′ 19.30".]

To station —	Azimuth.	Back azimuth.	Log. distance.
Gunstock. Spencer. Nichols.	81 25 17.7 188 16 19.5 230 07 11.1 279 20 14.7	0 / // 261 21 08.9 8 17 33.7 50 10 47.7 99 29 50.6	Meters. 3, 989973 4, 300063 4, 039300 4, 355820

#### COUNTSVILLE, ROANE COUNTY.

#### (Not occupied. Position unchecked.)

On a high cleared knob, 0.25 mile east of Countsville post-office and 100 yards east of Walton road.

Station mark: A tall locust tree having a flag in top.

[Latitude 38° 41′ 40.4″. Longitude 81° 26′ 15.2″.]

To station—	Azimuth.	Back azimuth.	Log, distance,
GunstockSpencer	, ,,	, ,,	Meters. 4. 23512 3. 93667

#### CRAIG, ROANE COUNTY.

About 5 miles northeast of Spencer, on a bald hill just north of fence around graveyard, on land of Scott Craig and 0.25 mile southeast of his residence. The hill is high and prominent, having three oak trees along a fence row on the north, and a peach orchard covers the east side of knob.

Station mark: A freestone post, dressed, 36 by 8 by 8 inches, set 30 inches in ground, in center of top of which is cemented a bronze triangulation tablet.

[Latitude 38° 50′ 01.09′′. Longitude 81° 18′ 46.48′′.]

To station—	Azimuth.			Back	aziı	Log. distance.	
Spencer Poplar Bail: Weed Lukens Rattlesnake Mule Desert	19 32 94 119 183 232 304 308		39, 82 11, 53 47, 55 17, 36 49, 06 46, 59 39, 00 56, 20	199 212 274 299 3 52 124 128	47 11 51	03, 39 35, 13 04, 47 08, 45 01, 25 14, 47 02, 00 26, 10	Meters. 4. 0483462 3. 8398566 3. 9350141 4. 2760014 3. 8436737 4. 1117250 4. 4202690 4. 2107520

#### NICHOLS, ROANE COUNTY.

On the high peaked top of a very large rock, 4 miles south of Looney-ville, 2 miles northeast of Kester post-office, and 1 mile south of Vineyard Gap, on land owned by Lige Nichols, who lives 0.25 mile northwest of summit in hollow.

Signal: A lone snaggy tree.

Station mark: A bronze triangulation tablet cemented in solid rock.

Reference marks: The lone snaglike signal tree, distant 29.2 feet,
due south.

[Latitude 38° 37′ 26.30″. Longitude 81° 17′ 32.02″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Campbell. Gunstock. Spencer. Pilot.	50 10 47.7 64 55 13.1 156 34 45.3 307 28 30.7	230 07 11.4 244 47 27.6 336 32 22.5 127 34 30.5	Meters. 4, 039300 4, 300013 4, 142326 4, 245792

#### POPLAR, ROANE COUNTY.

About 1.5 miles southwest of Spencer, on a high bald knob on north side of which stands a lone poplar tree 20 inches in diameter with a broken top. Signal is lone poplar tree.

Station mark: A rough sandstone post, 30 by 14 by 5 inches, set 24 inches in the ground, in center of top of which is countersunk and cemented a bronze triangulation tablet.

Reference marks: Arrow head cut in solid rock nearly east and 38.25 feet from station mark; the lone poplar signal tree is distant 29.9 feet, true azimuth 190° 47′.

[Latitude 38° 46′ 51.84". Longitude 81° 21′ 20.30".]

To station—	Azim	uth.	Back	aziı	nuth.	Log. distance.
Spencer Staats Ball Lukens Craig		37.73 4 47.25 4 02.62	180 307 323 18	01 14 22 05	59. 96 11. 76 40. 70 51. 27 11. 53	Meters. 3. 6726746 4. 1976406 3. 9122156 4. 1291086 3. 8398566

#### SPENCER, ROANE COUNTY.

On a high, cleared knob with a few scattering trees, 5 miles south of Spencer and 1 mile northeast of Speed post-office, on land belonging to Mr. Spencer, who lives on east side of hill.

Station mark: A stone post 36 by 8 by 8 inches, set 30 inches in the ground, in the top of which is cemented a bronze triangulation tablet.

[Latitude 38° 44′ 19.22″. Longitude 81° 21′ 20.42″.]

To station—	.\ 7	th.	Back	azi	muth.	Log. distance.	
Campbell. Gunstock. Countsville. Poplar Craig Rattlesnake. Mule Weed Pilot Nichols.		36 01 24 16 32 46 13	33. 70 21. 20 59. 96 03. 39 22. 43 54. 50 15. 50 28. 90 22. 50	360 19 37 99 127 140 156	30 02 25 22 43 54 21	19. 50 57. 80 00. 03 39. 82 26. 53 53. 50 42. 90 51. 70 45. 30	Meters. 4.300063 4.391509 3.936670: 3.672674 4.048346 4.363776 4.411902 4.395467 4.484208 4.142326

#### STAATS, ROANE COUNTY.

On the highest part of the bare, sharply rounded south knob of double-headed mountain, the north knob of which is wooded, abou 3 miles southeast of Liverpool and 1 mile northwest of Latimer. or land owned by W. T. Staats, whose house is in the valley.

Station mark: A sandstone post 36 by 9 by 9 inches, set 30 inche in the ground, in center of top of which is cemented a bronze trian gulation tablet.

[Latitude 38° 52′ 01.49″. Longitude 81° 30′ 00.23″.]

To station—	Az	imu	ıth.	Back	azin	nuth.	Log. distance.
Reynolds. Balis. Weed Ruble. Ball. Poplar	59 137 177 227 291 307	58 16 35 07 16 14	30.110	239 317 357 47 111 127	12 35 15 19	50. 09 31. 56 10. 40 22. 24 39. 49 37. 73	Meters. 4. 29081 4. 11525 3. 74163 4. 37504 3. 91542 4. 19764

# WEEDY, ROANE COUNTY.

On a high, bare, cultivated knob 5 miles east of Newton and 2 miles southeast of Uler post-office, on land belonging to J. J. Smith, who lives at foot of hill on north side.

Signal: A lumber tripod.

Station mark: A stone post 36 by 8 by 8 inches, set 30 inches in the ground, and having a bronze triangulation tablet cemented in center of top.

[Latitude 38° 36′ 04.66″. Longitude 81° 07′ 48.40″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
		28 08 46, 4	4. 3954670 4. 0930600

#### RUBLE, WIRT COUNTY.

On a very high, wooded knob at south end of ridge, 2.5 miles north of Burning Springs, at head of Two Run on east and Charleston Run on west, on land owned by C. L. Ruble, who lives on the northeast side of ridge. It is about 0.25 mile east of the Ruble log church. Locust trees cover east side of the summit.

Station mark: A sandstone post 36 by 9 by 9 inches, set 36 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 39° 00′ 44.10″. Longitude 81° 17′ 57.79″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Lukens. Staats. Weed. Balis. Windy. lephany. Freed. Rattlesnake.	111 45 25.77 148 42 28.80	183 07 56, 34 227 07 48, 19 238 54 07, 75 255 54 05, 29 274 20 57, 36 291 41 08, 73 328 38 06, 99 142 49 37, 84	Meters, 4, 1101241 4, 3750402 4, 3132201 4, 4319306 4, 2992679 4, 0240129 4, 2831913 4, 1777789

WEED, WIRT, JACKSON, AND ROANE COUNTIES.

At highest point of a cultivated knob on boundary of Wirt, Jackson, and Roane counties, 3 miles northeast of Liverpool, on land of D. W. Dougherty, whose residence, a small log house, is situated 200 feet northeast of the station, at a slightly lower elevation. Station is about 7 feet east of fence and about 100 feet south of road. (No poundary post was found.)

Bull. 310-07-9

Station mark: A sandstone post 36 by 9 by 9 inches, set 33 inches in the ground, in the center of top of which is cemented a bronze triangulation tablet.

[Latitude 38° 55′ 00.21″. Longitude 81° 30′ 09.86″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Balis. Windy Jephany Ruble Lukens Craig Ball Staats	208 12 38.91 238 54 07.75 277 32 54.51	95 / " 295 12 30.91 349 29 35.35 28 16 02.67 59 01 48.11 97 40 15.91 119 18 17.36 137 08 05.22 177 35 16.45	Meters. 3, 9789552 4, 0915521 4, 2168738 4, 3132201 4, 2326080 4, 2760014 4, 0645923 3, 7416364

#### WISCONSIN.

#### PRIMARY TRAVERSE.

#### DANE COUNTY.

# CROSS PLAINS QUADRANGLE.

The following geographic positions were determined by primary traverse in 1905 by George T. Hawkins, topographer. The line starts from Coast and Geodetic Survey astronomic pier at Madison and follows highways west to the edge of the Cross Plains quadrangle; thence south, west, north, east, and south to the point where the line first touched the quadrangle. The line is connected with the Norwegian Church spire, a United States Coast and Geodetic Survey triangulation station near Mount Horeb. Positions are given on approximate United States standard datum.

Geographic positions along highways.

Station.	La	titu	de.	Long	gitu	de.
	0	,	"	0	,	"
Madison astronomic station.	43	04	30, 6	89	24	07.1
T. 7 N., R. 8 E., corner sees. 13, 14, 23, and 24, crossroads		04	31. 3	89	30	08.
T. 7 N., R. 8 E., hub at corner secs. 23, 24, 25, and 26, crossroads	43	03	38. 7		30	09.
T. 7 N., R. 8 E., corner secs. 25, 26, 35, and 36, T road east	43	02	46, 7	89	30	11.
Township line east-west road on same		01	54.0	89	30	42.
Blizzard (J.) house, across road in front of, 6 feet north of telegraph pole, in sec. 2, on southeast side of road running northeast and south-						
west, iron post stamped "Prim. Trav. Sta. No. 7, 1905"	43	01	29.7	89	31	11.
Verona, five corners, 2 miles north of		00	57. 9	89		00.
Verona, road north 2 miles north by 1.5 miles west of		00	47. 0	89		46.
Rs. 7 and 8 E., line between		00	35, 3	89		07.
Clantorf, T road north	43	00	35. 1	89	37	18.
Clantorf, 1,800 feet west of, on south side of road, 2 feet north of wire						
fence, iron post stamped "Prim. Trav. Sta. No. 8, 1905"	43	00	29.8	89	37	42.
Norwegian Church, three corners 0.75 mile southeast of	43	00	09. 8	89	40	37.
Norwegian Church spire	43	00	21. 5	89	41	29.
T. 6 N., Rs. 6 and 7 È., quarter corner between secs. 7 and 12	43	00	36, 7	89	43	14
Mount Horeb, in northeast part of, 40 feet northeast of creamery and 5 feet southwest of corner of wire fence, iron post stamped "Prim.						
Tray. Sta. No. 9, 1905".	43	00	45, 5	80	43	48.
Tps. 6 and 7 N., R. 6 E., quarter corner between sees. 1 and 36.		01	55. 2		43	51.
Cheese factory, three corners.		04	06. 0		43	44.
Creamery, T road west.	43	05			44	12.
Tps. 7 and 8 N., R. 6 E., corner sees. 2, 3, 34, and 35.		07	08. 3	89	45	33.
Black Earth, in southwest part of, on west side of north-south road and 200 feet south of forks to northwest, iron bench-mark post	, 10	0.	00. 0	00	10	00.
stamped "Prim. Trav. Sta. No. 10, 1905".	12	08	03, 8	89	44	58.
Stamped 111111. 11av. Sta. 1vo. 10, 1905	40	00	00.0	0.0	4.1	00.

Geographic positions along Chicago, Milwaukee and St. Paul Railway between Black Earth and Roxbury.

Station.		titu	de.	Lon	gitu	de.
slack Earth, road crossing at three corners about 1.5 miles northwest of.  (azomanie, Catholic Church spire.  '.8 N., R. 6 E., corner sees. 2, 3, 10, and 11, four corners.  '9s. 8 and 9 N., R. 6 E., Chicago, Milwaukee and St. Paul Rwy., at township line crossing.	43 43	09 10 11	13. 9 23. 4 29. 5	89 89 89	46 47 45	07. 8 30. 9 33. 4 08. 7
n north side of east-west road, 410 feet east of railroad and 2 feet south of wire fence, iron post stamped "Prim. Trav. Sta. No. 11, 1905".  9 N., Rs. 6 and 7 E., corner secs. 13, 18, 19, and 24.  9 N., R 7 E., corner secs. 17, 18, 19, and 20, T road south.  ioxbury, crossroads.  9 N., R 7 E., sec. 23, three corners near by, T road west.	43 43 43	14 14 14	58, 5 58, 6 59, 2 58, 8 32, 2	89 89 89 89	43 42 40	30. 2 11. 3 00. 0 30. 5 05. 7

# Geographic positions along highways.

Station.		itude	٠.	Long	gitu	de.
9 N., R. 7 E., in sec. 24, on east side of road running northwest and southeast, 6 feet west of fence and 1,900 feet northwest of stone church painted white, iron post stamped "Prim. Trav. Sta. No. 12, 1905".  9 N., R. 8 E., quarter corner between secs. 19 and 24.  9 N., R. 8 E., quarter corner between secs. 19 and 20, Troad north.  9 N., R. 8 E., corner secs. 20, 21, 28, and 29.  9 N., R. 8 E., corner secs. 21, 22, 27, and 28, crossroads.  8 N., R. 8 E., corner secs. 22, 23, 26, and 27, Troad north.  9 N., R. 8 E., ozimile east and 440 feet south of corner secs. 22, 23, 26, and 27, east side of north-south road, 2 feet west of wire fence, iron post stamped "Prim. Trav. Sta. No. 13, 1905".  9 N., R. 8 E., four corners in south part of sec. 26.  ps. 8 and 9 N., R. 8 E., crossing of township line between hoolhouse, troad south.  shoolhouse, troad south.  8 N., R. 8 E., quarter corner between secs. 13 and 24.  8 N., R. 8 E., quarter corner between secs. 25 and 36.  ps. 7 and 8 N., R. 8 E., quarter corner between secs. 1 and 36, 770 feet north of, 3 feet from wire fence, on west side of north-south road, iron forth of, 3 feet from wire fence, on west side of north-south road, iron forth of, 3 feet from wire fence, on west side of north-south road, iron forth of, 3 feet from wire fence, on west side of north-south road, iron	43 43 43 43 43 43 43 43	14 0 14 0 14 0 13 2 12 2 12 1 10 3 09 4	0. 8 2. 6 3. 4 8. 1 8. 7	80 89 89 89 89 89 89 89 89 89 89	36 34 33 32 31 30 30 30 50 29 29	21. 5 02. 0 51. 6 39. 4 27. 4 15. 7 57. 2 22. 3 22. 7 24. 9 47. 0 29. 9 29. 5
post stamped "Prim. Trav. Sta. No. 14, 1905". heasant Branch, three corners.	43 43		2. 1 5. 2	89 89	29 29	

## ROCK AND WALWORTH COUNTIES.

## DELAVAN, JANESVILLE, AND SHOPIERE QUADRANGLES.

Geographic positions in these quadrangles were obtained by prinary traverse in 1905 by George T. Hawkins, topographer. The ne starts from the position of the crossroads 2.75 miles northeast of anesville, follows highways south, east, and north near the borders of he Shopiere quadrangle, and is connected with the city school at anesville, the Congregational Church spire at Beloit, and the adjusted osition of bench-mark post No. 8, 1904, 6.5 miles south of Whitewater.

It also extends from the southwest corner of the Delavan quadangle east and north to the Yerkes Observatory.

# JANESVILLE QUADRANGLE (ROCK COUNTY).

# Geographic positions along highways.

Station.	La	titu	ide.	Lo	ngitn	ide.	
Janesville, four corners 2.75 miles northeast of.  Janesville, dorne of city school.  T. 2 N., Rs. 12 and 13 E., quarter corner between sees. 7 and 12, T road west.  T. 2 N., Rs. 12 and 13 E., quarter corner between sees. 13 and 18, cross-roads.  On east side of north-south road, 2 feet from wire fence, D. A. Beckus's house bears N. 30° W., distant 340 feet, fron post stamped "Prim. Trav. Sta. No. 1, 1905".  T. 2 N., Rs. 12 and 13 E., corner sees. 25, 30, 31, and 36, crossroads.  Tps. 1 and 2 N., Rs. 12 and 13 E., corner sees. 1, 6, 31, and 36, crossroads.  T. 1 N., Rs. 12 and 13 E., corner sees. 1, 6, 7, and 12, crossroads.  T. 1 N., Rs. 12 and 13 E., quarter corner between sees. 19 and 24, T road west.  Beloit, Congregational Church spire.	42 42 42 42 42 42 42 42 42 42	43 40 38 38 37 35 35 34 31	12. 2 55. 1 58. 4 05. 9 03. 5 55. 2 03. 2 06. 8 56. 1 05. 7	89 88 88 88 88 88	3 59 9 00 9 00 9 00 9 00 9 00 9 00	57. 41. 41. 41. 39. 40.	. ( (

## SHOPIERE QUADRANGLE (ROCK COUNTY).

# Geographic positions along highways.

Station.	La	titu	de.	Long	gitu	de.
Beloit, 2 miles cast of, 870 feet cast of Chicago, Milwankee and St. Paul Rwy., on south side of cast-west road, 2 feet north of wire fence, iron post stamped "Prim. Trav. Sta. No. 2, 1905".  7. 1N., R. 13 E., corner sees, 27, 28, 33, and 34, T road south.  T. 1 N., R. 13 E., quarter corner between sees, 26 and 35, T road south.  T. 1 N., Rs. 13 and 14 E., corner sees, 25, 30, 31, and 36, crossroads. Salisbury (L. A.) honse, 240 feet northeast of, on south side of castwest road, 2 feet from wire fence, iron post stamped "Prim. Trav. Sta. No. 5, 1905"  T. 1 N., R. 14 E., quarter corner on south side of see, 32, State line.  T. 1 N., R. 14 E., quarter corner between sees, 27 and 34, crossroads.  T. 1 N., R. 14 E., corner sees, 25, 26, 35, and 36.  T. 1 N., R. 14 E., quarter corner between sees, 29 and 32, 1,600 feet west of, north side of east-west road, 3 feet from plank fence, iron post stamped "Prim. Trav. Sta. No. 4, 1905"  T. 1 N., R. 15 E., corner sees, 29 and 32, crossroads.	42 42 42 42 42	30 30 30 30 30 29 30 30	36. 1 33. 7 30. 9 29. 6 36. 3 24. 9 23. 6 24. 6 25. 2	88 88 88 88 88 88 88	51 49 47	37. 53. 31. 45.

#### DELAVAN QUADRANGLE (WALWORTH COUNTY)

# Geographic positions along highways.

Station.	Latitude.	Longitude	
T. 1 N., R. 15 E., quarter corner between secs. 21 and 28, T road west. T. 1 N., R. 15 E., quarter corner between secs. 9 and 16, crossroads	42 31 19.8 42 33 04.2 42 34 51.1 42 36 09.6	88 43 38.7 88 43 38.6 88 43 38.2 88 43 38.7	
south road, 2 feet from wire fence, iron post stamped "Prin: Trav. Sta. No. 6, 1905".  Turtle Creek, T road east 0.25 mile north of.  Turtle Creek, T road west 0.75 mile north of.  Township line, four eorners 1 mile south of.  Tps. 2 and 3 N., R. 15 E., eorner sees. 4, 5, 32, and 33, crossroads.  T. 3 N., R. 15 E., quarter eorner between sees. 28 and 22, crossroads.  Richmond, 0.75 mile southeast of, T road east.  T. 3 N., R. 15 E., quarter eorner between sees. 5 and 8, 70 feet south-	42 36 40.7 42 37 53.1 42 38 18.8 42 39 11.0 42 40 03.7 42 41 22.3 42 42 27.2	88 43 39.1 88 44 32.7 88 44 33.7 88 44 33.7 88 44 14.9 88 41 17.8 88 44 20.6	
west of schoolhouse, district No. 5, at southwest corner of school yard, 6,5 miles south of Whitewater, 35 feet northeast of crossroads, iron post stamped "Prim Trav. Sta. No. 8, 1904".  T. 1 N., R. 15 E., eorner sees. 26, 27, 34, and 35, crossroads.  T. 1 N., R. 15 E., at corner sees. 25, 26, 35, and 36, crossroads.  T. 1 N., R. 15 and 16 E., corner sees. 25, 30, 31, and 36, crossroads.  T. 1 N., T. 16 E., corner sees. 29, 30, 31, and 32, crossroads.  T. 1 N., T. 16 E., corner sees. 29, 30, 31, and 32, 370 feet ast of, on north	42 44 24.7 42 30 30.1 42 30 31.8 42 30 33.8 42 3 34.4	88 44 58.7 88 41 51.7 88 40 41.2 88 39 31.5 88 38 18.0	
side of east-west road, iron post stamped "Prim. Trav. Sta. No. 5, 1995"  T. 1 N., R. 16 E., corner secs. 28, 29, 32, and 33, crossroads.  T. 1 N., R. 16 E., corner secs. 27, 28, 33, and 34, crossroads.  T. 1 N., R. 16 E., quarter corner between secs. 21 and 22, crossroads.  T. 1 N., R. 16 E., quarter corner between secs. 15 and 16, crossroads.  T. 1 N., R. 16 E., quarter corner between secs. 10 and 11, crossroads.  Yerkes Observatory dome.	42 30 34.6 42 30 34.2 42 30 33.3 42 31 52.4 42 32 44.4 42 33 36.4 42 34 13.6	88 38 13.0 88 37 07.8 88 35 56.1 88 35 57.3 88 35 57.8 88 34 48.2 88 33 23.5	

DODGE, MILWAUKEE, OZAUKEE, AND WASHINGTON COUNTIES.

CLYMAN, HARTFORD, PORT WASHINGTON, WAUKESHA; AND WESTBEND QUADRANGLES,

The following geographic positions were determined by George T. Hawkins, topographer, in 1905. The line starts from bench mark No. 16, 1904, 3 miles north of Ashippun, follows highways north near the border of the Clyman quadrangle to the northwest corner of the Hartford quadrangle, thence east to Lake Michigan; starting from the northeast corner of the Westbend quadrangle, it runs southward to bench mark No. 22, 1904, at North Greenfield.

The line is tied to Woodland triangulation station of the United States Lake Survey, to Kewaskum triangulation station of the United States Geological Survey, and to primary traverse position at Belgium, 1901.

# HARTFORD QUADRANGLE (DODGE AND WASHINGTON COUNTIES).

# Geographic positions along highways.

Station.	Latitude.	Longitude		
Ashippun, 3 miles north of, iron post No. 16, 1904.  Tps. 9 and 10 N., R. 17 E., corner sees. 5, 6, 31, and 32, T road east  T. 10 N., R. 17 E., corner sees. 29, 30, 31, and 32, T road east  T. 10 N., R. 17 E., corner sees. 17, 18, 19, and 20, crossroads  T. 10 N., R. 17 E., corner sees. 17, 18, 19, and 20, crossroads  T. 10 N., R. 17 E., quarter corner see. 5, north side of, T road south  Woodland triangulation station, in SW. \(\frac{1}{2}\) see. 33, Herman Township,  1.12 miles east of Woodland railway station and 10 meters north of middle of road, on Herman-Rubicon township line. Height of station used was 47 feet. Station mark: A stone post 2.5 feet below surface. Reference marks: Three stone posts—one S. 12 38' E., distant 17.07 meters; one S. 87° 46' 26' W., distant 320.59 meters, and	o / // 43 16 07.5 43 16 59.1 43 17 51.8 43 18 38.2 43 19 35.3 43 22 14.4	88 31 5 88 31 0 88 31 0 88 31 0 88 31 0 88 31 0		
one S. 88° 41′ 24″ E., distant 484.49 meters. Height of ground at station, 607.2 feet. T. 11 N., R. 17 E., south corner secs. 31 and 32, 240 feet north and 10	43 22 14.8	88 29 4		
feet east of, on east side of north-south road, iron post stamped "Prim. Trav. Sta. No. 15, 1905".  T. 11 N., R. 17 E., south corner sees 31 and 32, T road north.  T. 11 N., R. 17 E., corner sees. 29, 30, 31, and 32, crossroads.  T. 11 N., R. 17 E., corner sees. 19, 20, 29, and 30, crossroads.  T. 11 N., R. 17 E., corner sees. 17, 18, 19, and 20, crossroads.  T. 11 N., R. 17 E., corner sees. 7, 8, 17, and 18, crossroads.  T. 11 N., R. 17 E., corner sees. 5, 6, 7, and 8, crossroads.  T. 11 N., R. 17 E., corner sees. 5, 6, 31, and 32, T road west.  T. 12 N., R. 17 E., corner sees. 29, 30, 31, and 32, crossroads.  T. 12 N., R. 17 E., quarter corner between sees. 29 and 30, crossroads.  T. 12 N., R. 17 E., 966 feet west of quarter corner between sees. 29 and 30, north side of east-west road, iron post stamped "Prim. Trav.	43 22 16.7 43 22 14.3 43 23 06.4 43 23 58.6 43 24 50.7 43 25 42.5 43 26 34.7 43 27 25.1 43 28 43.7	88 30 ( 88 30 ( 88 30 ( 88 30 ( 88 30 ( 88 30 ( 88 29 ‡ 88 29 ‡ 88 29 ‡		
Sta. No. 16, 1905". T. 12 N., R. 16 E., quarter corner between secs. 25 and 30, T roads Mayville, T road east 1 mile south of. T. 12 N., R. 17 E., quarter corner between secs. 28 and 29. T. 12 N., R. 17 E., corner secs. 23, 24, 25, and 26, T road north. T. 12 N., Rs. 17 and 18 E., 16 feet north and 42 feet west of corner secs.	43 28 43.8 43 28 44.5 43 28 46.5 43 28 43.7 43 29 08.8	88 30 1 88 31 1 88 32 4 88 28 4 88 25 1		
19, 30, 24, and 25, north side of east-west road, iron post stamped "Prim. Trav. Sta. No. 17, 1905." elevation 1,026,072 feet.  T. 12 N., Rs. 17 and 18 E., corner sees. 19, 30, 25, and 24, T road west Rock River, iron bridge over, center of.  T. 12 N., R. 18 E., eorner sees. 27, 28, 33, and 34, T road south T. 12 N., R. 18 E., eorner sees. 26, 27, 34, and 35, crossroads  T. 12 N., R. 18 E., eorner sees. 25, 26, 35, and 36, T road south T. 12 N., Rs. 18 and 19 E., corner sees. 25, 30, 31, and 36, crossroads T. 12 N., Rs. 18 and 19 E., corner sees. 25, 19, 24, and 13, T road east T. 12 N., Rs. 18 and 19 E., corner sees. 18, 19, 24, and 13, T road east T. 12 N., R. 19 E., corner sees. 17, 18, 19, and 20, 450 feet east of, on north side of east-west road, 3 feet south of wire fence, iron post	43 29 09.5 43 29 09.3 43 28 33.6 43 28 16.2 43 28 14.6 43 28 14.4 43 29 06.8 43 29 59.3	88 24 ( 88 24 ( 88 22   88 20   88 19   88 18 ( 88 16   88 16		
stamped "Prim. Trav. Sta. No. 18, 1905".	43 29 59.0	88 15		

# WESTBEND QUADRANGLE (OZAUKEE AND WASHINGTON COUNTIES).

# Geographic positions along highways.

Station.		Latitude.			Longitud	
	0	,	"	0	,	
T. 12 N., R. 19 E., corner sees. 16, 17, 20, and 21, crossroads. T. 12 N., R. 19 E., corner sees. 15, 16, 21, and 22, crossroads. Three corners, 40 feet west of, 2 feet north of wire fence, iron post stamped "Prim. Trav. Sta. No. 19, 1905," adjusted elevation 968,749			57.9 56.7		14 13	
feet			48.0		10	
T. 12 N., Rs. 19 and 20 E., corner secs. 13, 18, 19, and 24, crossroads		29	55.3		09	
T. 12 N., Rs. 19 and 20 E., corner sees. 17, 18, 19, and 20, crossroads T. 12 N., R. 20 E., corner sees. 16, 17, 20, and 21, T road south		29 29	54.0 53.5		08	
T. 12 N., R. 20 E., corner secs. 15, 16, 21, and 22, crossroads.		29	53.1		06	
T. 12 N., R. 20 E., corner sees. 13, 14, 23, and 24, crossroads. T. 12 N., R. 20 E., corner sees. 13, 14, 23, and 24, 55 feet south and 15 feet east of, on east side of north-south road, iron post stamped					03	
"Prim. Trav. Sta. No. 20, 1905," adjusted elevation 847 .971 feet	43	29	52.9		03	
T. 12 N., Rs. 20 and 21 E., corner sees. 18, 19, 24, and 13, T road north. T. 12 N., R. 21 E., corner sees, 16, 17, 20, and 21, crossroads.		29 29	53.6 54.0		02	

# PORT WASHINGTON QUADRANGLE (OZAUKEE COUNTY.)

# Geographic positions along highways.

Station.	Latitude.	Longitude.
T. 12, R. 21 E., corner secs. 15, 16, 21, and 22, T road west T. 12 N., R. 21 E., corner secs. 13, 14, 23, and 24, crossroads T. 12 N., R.s. 21 and 22 E., corner secs. 13, 18, 19, and 24, T road south. T. 12 N., R. 22 E., corner secs. 17, 18, 19, and 20, crossroads. T. 12 N., R. 22 E., corner secs. 16, 17, 20, and 21, crossroads. T. 12 N., R. 22 E., corner secs. 15, 16, 21, and 22, crossroads. Belgium station. T. 12 N., R. 22 E., corner secs. 13, 14, 23, and 24, crossroads. T. 12 N., R.s. 22 and 23 E., corner secs. 18, 19, 24, and 13, crossroads. T. 12 N., Rs. 22 and 23 E., corner secs. 18, 19, 24, and 13, 30 feet north and 15 feet east of, fron post stamped "Prim. Trav. Sta. No. 21, 1905" Fredonia, crossroads 0.75 mile north of. T. 12 N., R. 21 E., quarter corner between secs. 28 and 33, T road north. T. 12 N., R. 21 E., south quarter corner between secs. 33 and 34, T road north. T. 11 N., R. 21 E., north corner secs. 3 and 4, T road south. T. 11 N., R. 21 E., corner secs. 3, 4, 9, and 10, crossroads.	43 29 55.0 43 29 55.4 43 29 58.7 43 29 58.7 43 29 58.2 43 29 58.2 43 29 55.2 43 29 57.6 43 29 01.9 43 27 18.0 43 27 18.0 43 27 18.0 43 27 18.0	87 58 49.5 87 56 25.8 87 55 13.5 87 54 00.8 87 52 48.7 87 51 17.0 87 49 13.3 87 48 02.2 87 48 02.2 87 59 24.1 87 58 47.6 87 58 48.7 87 58 48.7 87 58 48.7
T. 11 N., R. 21 E., corner secs. 15, 16, 21, and 22, crossroads. T. 11 N., R. 21 E., corner secs. 27, 28, 33, and 34, crossroads. T. 12 N., R. 21 E., south corner secs. 33 and 34, T road north.	43 24 40.4 43 .2 55.7	87 58 49.5 87 58 49.5 87 58 47.8 87 58 46.8
T. 11 N., R. 21 E., south corner sees. 33 and 34, 16 feet south of, on south side of east-west road, 3 feet north of stone fence, iron post stamped 'Prim. Trav. Sta. No. 22, 1905'.  T. 10 N., R. 21 E., corner sees. 2, 3, 10, and 11, crossroads.  T. 10 N., R. 21 E., corner sees. 10, 11, 14, and 15, crossroads.  T. 10 N., R. 21 E., corner sees. 14, 15, 22, and 23, crossroads.  T. 10 N., R. 21 E., corner sees. 27, 28, 33, and 34, crossroads.  T. 9 N., R. 21 E., north corner sees. 3 and 4, T road north.  T. 10 N., R. 21 E., south corner sees. 33 and 34, T road north.  T. 9 N., R. 21 E., corner sees. 3, 4, 9, and 10, crossroads.	43 20 14.6 43 19 22.6 43 17 36.5 43 16 44.4	87 58 46.8 87 59 06.0 87 59 05.0 87 59 04.4 88 00 14.2 88 00 13.7 88 00 13.2 88 00 12.5

# WAUKESHA QUADRANGLE (WASHINGTON AND WAUKESHA COUNTIES.)

# Geographic positions along highways.

Station.	Latitude.	Longitude.
T. 9 N., R. 21 E., corner secs. 9, 10, 15, and 16, 2,000 feet south of, on east side of north-south road, iron post stamped ''Prim. Trav. Sta. No. 23, 1905''.  T. 9 N., R. 21 E., corner secs. 15, 16, 21, and 22, crossroads.  T. 9 N., R. 21 E., corner secs. 21, 22, 27, and 28, crossroads.  T. 9 N., R. 21 E., corner secs. 27, 28, 33, and 34, crossroads.  T. 9 N., R. 21 E., corner secs. 3, 4, 9, and 10, crossroads.  T. 8 N., R. 21 E., corner secs. 9, 10, 15, and 16, crossroads.  T. 8 N., R. 21 E., corner secs. 9, 10, 15, and 16, crossroads.  T. 8 N., R. 21 E., corner secs. 15, 16, 21, and 22, crossroads.  T. 8 N., R. 21 E., corner secs. 21, 22, 27, and 28, crossroads.  T. 8 N., R. 21 E., corner secs. 21, 22, 27, and 28, 1,760 feet south of, 1 foot	43 13 18.1 43 12 25.9 43 11 33.3 43 10 40.6 43 09 47.9	88 00 11.7 88 00 11.7 88 00 12.0 88 00 12.3 88 00 13.0 88 00 13.0 88 00 14.7 88 00 15.8 88 00 15.8
east of wire fence, on north-south road, iron post stamped "Prim. Trav. Sta. No. 24, 1905" T. 8 N., R. 21 E., south corner secs. 33 and 34, T road north. T. 7 N., R. 21 E., north corner secs. 3 and 4, T road south. T. 7 N., R. 21 E., corner secs. 3, 4, 9, and 10, crossroads. T. 7 N., R. 21 E., corner secs. 9, 10, 15, and 16, crossroads. T. 7 N., R. 21 E., corner secs. 15, 16, 21, and 22, crossroads. North Greenfield, iron post No. 22, 1904.	43 06 20.3 43 05 24.2 43 04 31.7	88 00 20.6 88 00 21.2 88 00 23.8 88 00 25.0 88 00 25.5 88 00 25.5 88 00 25.9 88 00 47.6

# WESTERN DIVISION OF TOPOGRAPHY.

E. M. Douglas, Geographer in charge.

# CALIFORNIA.

# TRIANGULATION STATIONS.

# COLUSA AND YOLO COUNTIES.

COPAY, COLUSA, DUNNIGAN, RUMSEY, AND WOODLAND QUADRANGLES.

In 1905 C. F. Urquhart, topographer, extended triangulation over five 15-minute quadrangles in the Sacramento Valley, in cooperation with the State of California. Positions are based on Yolo northwest base and southeast base, United States standard datum, of the Coapand Geodetic Survey.

ARBUCKLE, COLUSA COUNTY.

(Not occupied.)

Station mark: The spire on Baptist Church in Arbuckle, in the southwest part of town, near the schoolhouse.

[Latitude 39° 00′ 54.526′′. Longitude 122° 03′ 23.352′′.]

To station—	Azimuth.			Azimuth. Back azimuth.				
Foothill. Stovall. Franklin. Gallup.		32 31 46 04	48. 78 54. 06 32. 38 13. 70	236 296 39 168	21 24 48 03	. 49	Meters. 4, 14786 4, 42607 3, 75207 4, 21092	

# ASH, COLUSA COUNTY.

On a hill in Mr. Ash's pasture, about 6 miles west and one-ha mile north of Arbuckle. The road from Arbuckle to Rumsey passe one-half mile south of the station, at a point about one-fourth mi west of the schoolhouse on Sand Creek. At this point there is wire gate leading into the Jones ranch, thence up old grade to the fence between the Jones and Ash ranches.

Signal:  $\Lambda$  lumber quadripod about 14 feet high.

Station mark: An iron bench-mark post set in ground under center of signal.

[Latitude 39° 01′ 15.437″. Longitude 122° 09′ 45.363″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Stovall Webster Arbuckle	0 / // 127 26 37.83 240 41 46.26 273 58 49.67	307 20 12.48 60 44 55.60 94 02 53.26	Meters. 4, 2671365 3, 9184686 3, 9644111

#### BARN, COLUSA COUNTY.

## (Not occupied.)

The cupola on large barn owned by Mr. Morris, about 6 miles north of Arbuckle.

Station mark: Center of cupola.

[Latitude 39° 06′ 03.067″. Longitude 122° 03′ 17.193″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Foothill Stovall Franklin	34 31 25.57 95 42 28.43 326 09 55.18	0 / // 214 26 15.11 275 31 57.88 146 11 26.06	Meters. 4.3212151 4.3825774 3.7942240

#### COLLEGE CITY, COLUSA COUNTY.

#### (Not occupied.)

Station mark: The spire on church in College City, about 3 miles east of Arbuckle, a station on the Southern Pacific Railroad.

[Latitude 39° 00′ 14.459′′. Longitude 122° 00′ 23.592′′.]

To station—	Azimuth.			aziı	nuth.	Log. distance.	
Foothill Stovall Franklin		02	45.06 15.56 14.18	247 294 352	49	45. 74 56. 26 55. 64	Meters. 4. 2386071 4. 4928252 3. 7499138

# COLUSA, COLUSA COUNTY.

## (Not occupied.)

The station is the top of what seemed to be a large, high water tank in Colusa. Windows showed in the square-shaped building, and on top there was a round tank.

[Latitude 39° 12′ 55.137". Longitude 122° 00′ 12.870".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Franklin Foothill Stovall	3 05 25.41 28 34 02.06 70 06 15.28	183 05 00.07 208 26 55.03 249 53 47.53	Meters. 4, 2529963 4, 5329373 4, 4806461

FOOTHILL, COLUSA COUNTY.

On a small bald point about 12 miles southwest of Arbuckl. There is a good road from Arbuckle to Pat. Molalley's ranch, of Petroleum Creek, a distance of 7 miles; thence up the creek 4 miles to a cabin, and about one-fourth mile beyond the cabin up left-hard creek to place where a cabin has been burned. There is a small shack standing and an old well. At this place wagon will have to be left. Thence up creek on horseback or foot between one-fourth and one-half mile, thence up ridge to left.

Signal: A tree set in the ground.

Station mark: An iron bench-mark post set in the ground near the signal tree.

[Latitude 38° 56′ 43.005″. Longitude 122° 11′ 30.267″.]

To station—	Azimuth.	Azimuth. Back azimuth.			Log. distance		
Stovall Williams Colusa Barn Webster Franklin Arbuckle College City Johns Smokestack Dunnigan Gallup.	188 1 208 2: 214 2: 218 0: 231 4: 236 2: 247 4: 266 0: 274 2: 288 2:	35. 26 13 35. 26 15. 11 145. 16 26 55. 03 26 15. 1 102 34. 13 40 21. 8 27 42. 44 45. 7 46. 7 23 01. 00 18 28. 2	8 3 28 34 34 38 38 1 51 56 44 67 55 86 55 94 66 108	08 13 34 31 06 47 32 56 18 39 31 25	16. 29 13. 94 02. 06 25. 57 49. 38 02. 84 48. 78 45. 06 17. 22 29. 83 27. 83 01. 57		Meters. 4. 3637: 4. 3756 4. 5329: 4. 3212 4. 1992. 4. 2907. 4. 1478 4. 2386 4. 2858 4. 4318 4. 3115 4. 2342.

# FRANKLIN, COLUSA COUNTY.

The pole set in the cupola of Franklin schoolhouse, about 5 mil north and east of Arbuckle and about 3 miles north of College Cit about one-eighth mile south of store where road turns east to go ov long bridge leading into Morman Basin.

Station mark: An iron bench-mark post set in the ground 50 fe from signal on line to Stovall station. The post is very near the fence in front of the school, between fence and northernmost hitchir post.

[Latitude 39° 03′ 15.331″. Longitude 122° 00′ 53.017″.]

To station—	Azimuth.		muth. Back azimuth.				Log. distance
Gallup. Stevens. Arbuckle. Foothill. Webster Stovall. Barn. Colusa. Smokestack. Mesa.	0 17 39 51 93 105 146 183 320 341	44 32 48 47 40 25 11 05 49 58	55. 09 09. 04 03. 97 02. 84 38. 53 51. 87 26. 06 00. 07 59. 37 46. 76	180 197 219 231 273 285 326 3 140 162	44 28 46 40 38 13 09 05 55 03	48. 19 05. 45 32. 38 21. 81 12. 51 50. 73 55. 18 25. 41 02. 34 29. 20	Meters. 4. 3063 4. 4921 3. 7520 4. 2907 3. 7469 4. 4548 3. 7942 4. 2529 4. 2640 4. 5453

#### JOHNS, COLUSA COUNTY.

# (Not occupied.)

Station mark: The flag pole on Johns schoolhouse, about 5 miles north of Dunnigan.

[Latitude 38° 57′ 24.129″. Longitude 121° 58′ 10.026″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Gallup Foothill Franklin	24 00 48.72 86 18 17.22 160 06 27.64	203 58 59. 45 266 09 54. 15 340 04 45. 06	Meters. 4. 0130554 4. 2858171 4. 0613867

## SMOKESTACK, COLUSA COUNTY.

Station mark: The smokestack of pumping plant on reclamation district 108. There is a road to it down Sacramento River from Grimes post-office, but the best way is to go from Captain Hull's residence by boat. Mr. Friel, who lives  $4\frac{1}{2}$  miles north of Dunnigan, has a very good boat and will act as boatman. The point is also known as Howell Point. No post was put in at this station, as the only land above water was the levee.

[Latitude 38° 55′ 33.303″. Longitude 121° 52′ 51.488″.]

To station—	Azimuth.		zimuth. Back azimuth.				Log. distance.
Mesa Curtis. Stevens Dunnigan Gallup Foothill Franklin Blodgett	2 36 53 60 63 94 140 349	17 47 49 03 14 39 55 17	48. 31 19. 63 05. 50 14. 41 09. 70 29. 83 20. 34 57. 53	182 216 233 239 243 274 320 169	17 43 40 59 02 27 49 18	28. 37 44. 96 00. 16 58. 43 39. 88 46. 75 59. 37 51. 31	Meters. 4. 2823401 4. 1391498 4. 4148425 3. 9384923 3. 5399159 4. 4318735 4. 2640047 4. 0466199

## STOVALL, COLUSA COUNTY.

On the highest of three peaks, known locally as the Three Sisters, on ridge in pasture of the Stovall-Wilcoxon Company. It is about 3 miles west by northwest of the Stovall residence and about 1½ miles south of the Mountain House post-office. The hill is probably 1,500 or 2,000 feet high and scattering oak and pine trees are on it. The best way to climb it is from the Mountain House, where there are accommodations for men and animals. The mountain is 11 miles from Williams and 18 from Arbuckle. There are several high trees on the northeast side of the mountain which would interfere with observations in the direction of Maxwell.

Signal: A small tree set in the ground on highest point.

Station mark: An iron bench-mark post.

[Latitude 39° 07′ 19.704′ . Longitude 122° 19′ 56.753″.]

To station—	Azimu	uth.	Back a	zimuth.	Log. distance.	
Colusa. Williams Barn. Franklin Webster College City Arbuckle. Ash. Foothill	249 53 255 57 275 31 285 13 288 03 294 49 296 21 307 20 328 08	43. 23 57. 88 50. 73 26. 68 56. 26 24. 88 12. 48	76 95 105 108 115 116 127	42 28. 43	Meters. 4. 48046 4. 204798 4. 382577 4. 454810 4. 362934 4. 492825 4. 426058 4. 267136 4. 363728	

## WEBSTER, COLUSA COUNTY.

Station mark: The cupola on schoolhouse, known as the Webster school, about 4 miles up the railroad from Arbuckle.

[Latitude 39° 03′ 26.880″. Longitude 122° 04′ 44.758″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Foethill Ash Stovall Franklin	38 06 49.38 60 44 55.60 108 13 01.73 273 38 12.51	218 02 34.18 240 41 46.26 288 03 26.68 93 40 38.53	Meters. 4, 199250; 3, 918468; 4, 362934() 3, 746905;

## WILLIAMS, COLUSA COUNTY.

# (Not occupied.)

Station mark: The cupola on large school building in Williams,  $\varepsilon$  station on the Southern Pacific Railroad.

[Latitude 39° 09′ 25.252″. Longitude 122° 09′ 09.261″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Foothill. Stovall. Webster.	8 13 13.94 76 04 31.94 330 04 31.08	0 / // 188 11 45.10 255 57 43.23 150 07 17.91	Meters, 4, 375645- 4, 204798- 4, 105457

#### BLACKS, YOLO COUNTY.

## (Not occupied.)

Station mark: The spire on church at Blacks station, or Zamora,  $\varepsilon$  station on the Southern Pacific Railroad.

[ Latitude 38° 48′ 06.340′′. Longitude 121° 52′ 53.883′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Mesa Curtis Blodgett	7 40 18.80 108 31 33.65 216 37 09.80	187 40 00.08 288 28 00.44	3. 937175:

#### BLODGETT, YOLO COUNTY.

A high windmill in Mr. Blodgett's yard, about 3½ miles northeast of Zamora or Blacks station, on the Southern Pacific Railroad, and about one-fourth mile from the edge of water known as the Tule. There are several windmills in the vicinity, but this is the highest and has white cloth around the derrick just below the platform.

Signal: Center of derrick.

Station mark: Iron post extending into ground.

[ Latitude 38° 49′ 38.530″. Longitude 121° 51′ 25.789″.]

. To station	Αz	imu	th.	Back	aziı	nuth.	Log. distance.
Mesa Blacks. Turtis. Gallup Mumma Bmokestack.	 36 89 109 153	38 29 34 03	51. 16 04. 82 43. 21 14. 52 53. 68 51. 31	216 269 289 333	37 25 28 01	37, 55 09, 86 15, 04 11, 83 28, 58 57, 53	Meters. 3, 9384519 3, 5492765 4, 0136002 4, 1700617 4, 0866882 4, 0466199

# BRICK HOUSE, YOLO COUNTY.

# (Not occupied.)

Station mark: The chimney on a large brick house in Hungry Hollow, about 4 miles north and 1 mile east of Capay post-office.

[ Latitude 38° 45′ 12.757″. Longitude 122° 01′ 28.258″].

To station—	Azimuth.	Back azimuth.	Log. distance.
Stevens Curtis Mesa	113 53 14.48 207 29 42.47 269 59 30.93		Meters. 3, 9686716 3, 9604774 4, 0685796

#### CORBIN, YOLO COUNTY.

On a round prairie hill in the foothills, about 3½ miles southwest of George Scott's residence and on land owned by him, about 1.5 miles west of the Corbin ranch. Mr. Scott's residence is about 3 miles south and 1 mile west of Madison post-office.

Signal: A lumber quadripod.

Station mark: An iron bench-mark post set 40 inches in the ground.

[Latitude 38° 37′ 08.411″. Longitude 122° 02′ 33.280″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Stevens. Esparta Mesa Yolo northwest base. Scott Winters	159 38 45.52 196 27 37.03 221 38 12.54 247 23 55.40 288 09 52.42 337 37 42.76	16 28 39.23 41 43 56.32 67 30 50.55 108 16 15.00	Meters. 4, 2998654 3, 9290019 4, 3007868 4, 2406557 4, 1937828 4, 1096763

CURTIS, YOLO COUNTY.

On land of Al. Bummerly used as pasture, about 5 miles south of Dunnigan. A road leads from Dunnigan to the Curtis residence on the Bernmerly ranch, thence into the hills. Mr. Curtis or anyone at his ranch can give directions to station. It is probably the highest hill in the vicinity.

Signal: A lumber quadripod about 14 feet high with white and

black cloth on it.

Station mark: An iron bench-mark post set in the ground under center of signal.

[Latitude 38° 49′ 35.365″. Longitude 121° 58′ 33.517″].

To station—	Azimuth.		Azimuth. Back azimuth.				Log. distance.
Brick house Roth Stevens Gallup Mumma Smokestack Blodgett Blacks Mesa	203	31 55 13 15 29 43 25 28 14	44. 99 51. 00 25. 02 44. 96 15. 04 00. 44	207 228 251 324 23 36 89 108 137	29 53 08 14 31 47 29 31 17	42. 47 01. 05 14. 59 16. 62 29. 38 19. 63 43. 21 33. 63 40. 13	Meters. 3,9604774 3,8917122 4,1283773 3,7931496 4,0782451 4,1391498 4,0136002 3,9371752 4,0427297

### DAVISVILLE, YOLO COUNTY.

(Not occupied.)

Station mark: Center of a very high eucalyptus tree with the limbs cut off within 15 feet of top, in the town of Davis.

[Latitude 38° 32′ 35.496″. Longitude 121° 44′ 23.477″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Yolo southeast base	0 / // 72 30 06.54 107 03 22.57	0 / // 252 27 52.57 286 58 25.53	Meters. 3. 7373120 4. 0815727

### DUNNIGAN, YOLO COUNTY.

(Not occupied.)

Station mark: The spire on church in Dunnigan, a station on the Southern Pacific Railroad.

[Latitude 38° 53′ 12.688″. Longitude 121° 58′ 03.530″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Stevens.	50 39 19.48	230 33 30.05	Meters. 4. 2402921 3. 6680244 4. 3115246 3. 9384923 4. 2115660
Gallup	69 07 14.38	249 05 21.11	
Foothill.	108 31 27.83	288 23 01.06	
Smokestack.	239 59 58.43	60 03 14.41	
Mesa.	335 25 59.53	155 28 55.21	

#### ESPARTA, YOLO COUNTY.

# (Not occupied.)

Station mark: The pole in cupola on the large school building in parta, on branch line of Southern Pacific Railroad from Elmira to msey.

[Latitude 38° 41′ 32.507″. Longitude 122° 00′ 53.717″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
pinens	0 / // 16 28 39.23 138 30 21.64 238 01 00.86 316 18 45.36	196 27 37.03 318 26 19.44 58 05 42.62 136 24 06.08	Meters. 3, 9290019 4, 1491683 4, 1079913 4, 2553407

#### FAIRVIEW, YOLO COUNTY.

## (Not occupied.)

Station mark: The pole in cupola of Fairview School, on road ween Dunnigan and Capay, about 6 or 7 miles from Dunnigan.

[Latitude 38° 49′ 55.005″. Longitude 122° 02′ 32.789″.]

To station—	Azimuth.			Back	aziı	nuth.	Log. distance.
	54 205		30.34 50.26		33 46	29.87 45.96	Meters. 3.9306902 3.6923959

### GALLUP, YOLO COUNTY.

On a round cultivated hill, highest in vicinity, about 3 miles westthwest of Dunnigan, a small town on the Southern Pacific Railad. It is on land of Mr. Gallup, of Sacramento, at present rented Mr. Dubois. A buggy can be driven to summit, but to do so one uld have to go through a cultivated field. A good road from Duncan to Mr. Dubois's residence must be traveled, but leave it and low divide just as his residence comes into view.

Signal: A lumber quadripod.

ens.

Station mark: An iron post under center of signal.

[Latitude 38° 52′ 18.830′′. Longitude 122° 01′ 03.990′′.]

To station—	Azimuth.			Back azimuth.			Log. distance.
view. ens. thill	25 44 118 180	25 44	45.96 21.96 01.57 48.19	205 224 298 0	45 04 18 44	50.26 25.74 28.22 55.09	Meters, 3.6923959 4.1158360 4.2342202 4.3063418
is. nma. kestack nigan lgett a tis.	203 234 243 249 289 319 324	09 05	25.05 00.44	24 54 63 69 109 139 144	00 46 14 07 34 49 15	09.70 14.38 14.52	4.0130554 4.0123504 4.1237603 3.6680244 4.1700617 4.2359042 3.9731496

GREEN, YOLO COUNTY.

## (Not occupied.)

Station mark: Center of a high windmill in grove of Mrs. Green's yard,  $1\frac{1}{2}$  miles west and 9 miles south of Woodland.

[Latitude 38° 34′ 08.148″. Longitude 121° 48′ 13.514″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Scott Yolo southcast base	96 27 55.24 355 23 08.21	276 25 21.54	Meters, 3.778535 3.654689

#### HINES, YOLO COUNTY.

# (Not occupied.)

Station mark: Center of a very high eucalyptus tree near Mr. Hines' residence, one-half mile east of Plainfield.

[Latitude 38° 35′ 18.814″. Longitude 121° 47′ 44.868″.]

To station	Azimuth.	Back azimuth.	Log. distance.
Yolo southeast base. Scott. Yolo northwest base.	2 50 01.08 77 17 25.12 151 43 45.18		Meters. 3.825285 3.834285 4.057494

# MESA, YOLO COUNTY.

On a rolling prairie hill in Mrs. Bemmerly's pasture, 4 miles wes and 2 miles north of Yolo, about  $3\frac{1}{2}$  miles south of Blacks station and 1 mile west of Mr. Morgan's ranch.

Signal: Lumber quadripod with white and black cloth on it.

Station mark: An iron bench-mark post set 34 inches in the ground

[Latitude 38° 45′ 12.531″. Longitude 121° 53′ 23.281″.]

To station—	Azimuth.			Back azimuth.			Log. distance.
Corbin. Esparta. Monticello. Brickhouse Stevens. Roth. Curtis. Gallup. Dunnigan. Franklin. Smokestack Blacks. Blodgett. Yolo. Woodland. Yolo northwest base. Scott.	69 90 100 102 137 139 155 162 182 187 199 287 309 341	43 05 15 04 38 37 17 49 28 03 17 40 03 41 03 25 34	77 56.32 42.62 06.95 34.51 09.00 40.13 22.90 55.21 29.20 28.37 28.37 39.39 31.39 49.98 48.55	221 238 249 269 280 282 317 319 335 341 27 19 107 129 161 175	38 01 03 59 29 31 14 44 25 58 17 40 04 44 07 27 35	12.54 00.86 52.16 30.93 24.59 47.35 25.78 34.15 59.53 46.76 48.31 18.80 51.16 47.06 55.25 101.74 28.08	Meters. 4.30078 4.10799 4.41553 4.06857 4.31313 4.13654 4.04272 4.23590 4.21156 4.54536 4.28234 3.73303 3.93845 4.11833 3.93893 4.29822

#### MONTICELLO, YOLO COUNTY.

In extreme northeast corner of sec. 4, T. 9 N., R. 3 W. of Mount Diablo meridian, the highest summit of mountain range lying between acramento and Berryessa valleys, about 5 miles north of Monticello, n lower portion of Berryessa Valley. May be approached from this own, from which it is visible. Location known to people in neighorhood. The lower underground mark is a metallic cartridge placed all downward in a \frac{1}{2}-inch hole, 1\frac{1}{2} inches deep, drilled in bottom of a inch round hole 1 foot deep excavated in sandstone rock, the top of artridge being 2.5 feet below surface. Surface mark is a copper bolt ve-eighths inch by 5 inches, with a silver pin in it, set in cement in a ole in this stone. Bolt projects one-fourth inch above stone. A ough stone theodolite pier was then built to a height of 3.84 feet and apped with a flat stone 32 inches square, 31.288 feet north and 3.687 eet east of station; the latitude pier is 31.413 feet north and 8.823 eet east of station, and the vertical-circle pier bears S. 38° 17′ E. true) and is distant 19.786 meters from station.

[Latitude 38° 39′ 50.645′′. Longitude 122° 11′ 22.327.]

To station—	Azimuth.	Back azimuth.	Log. distance.
aca ount Helena lablo amalpais evens esa olo northwest base. olo southeast base.	343 53 24.67 91 04 27.64 344 21 34.46 23 32 08.73 203 03 32.18 249 03 52.16 266 35 03.73 293 47 19.46	0 / " 163 57 21.54 270 47 50.79 164 31 50.15 203 17 02.14 23 06 03.33 69 15 06.97 114 01 55.20	Meters. 4.5220726 4.5863347 4.9547254 4.9517165 4.1728090 4.4455587 4.4610020 4.5700850

#### MUMMA, YOLO COUNTY.

About 5 miles northeast of Dunnigan, a station on the Southern Cacific Railroad, on the very flat ground about 100 feet south of the Colo-Colusa county line and very near the overflow country known is The Tule. It is about one-fourth mile southeast from Thomas Iumma's residence, which is in Colusa County. The land on which is stands is not fenced, and a buggy can be driven to it.

Signal: A lumber quadripod about 16 feet high. To reach signal com Dunnigan, go north to county line, thence east to point.

Station mark: An iron bench-mark post set in the ground under enter of signal.

[Latitude 38° 55′ 35.451″. Longitude 121° 55′ 15.382″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
rtis.	23 31 29 38	203 29 25.02	Meters. 4. 0782451 4. 0123504 3. 5399159 4. 0866882
Iup.	54 46 03 95	234 42 25.05	
Okestack	269 02 39 88	89 04 10.29	
dgett	333 01 28 58	153 03 52.68	

ROTH, YOLO COUNTY.

(Not occupied.)

Station mark: The chimney on Mr. Roth's residence, 5 miles nortly of Capay, on the Capay-Dunnigan road.

[Latitude 38° 46′ 49. 244″. Longitude 122° 02′ 36.909″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Stevens Curtis Mesa	96 36 04, 55 228 53 01, 05 282 31 47, 35	276 32 06.77 48 55 33.57 102 37 34.00	Meters. 3. 838571 3. 891711 4. 136541

#### SCOTT, YOLO COUNTY.

On a low prairie hill with a lone locust tree on it. The land if sometimes used for grain, but it is a pasture at present. It is three fourths mile west of Isaac Quinn's residence, which is 3 miles wess and 1 mile south of Plainfield. Land is owned by George Scott.

Signal: A lumber quadripod with a black cloth on it.

Station mark: An iron bench-mark post set 30 inches in the ground

[Latitude 38° 34′ 30, 006′′. Longitude 121° 52′ 20.020′′.]

To station-	Azimuth.		Back azimuth.			Log. distance.	
Winters. Corbin. Stevens. Esparta. Mesa. Yolo northwest base. Woodland. Woodland high sehool Hlines. Green. Davisville. Yolo southeast base.	216 219	50 16 21 24 35 08 55 58 14 25 58 13	18. 74 15. 00 53. 96 06. 08 28. 08 37. 82 13. 58 49. 20 33. 53 21. 54 25. 53 59. 56	234 288 317 316 355 6 36 40 77 96 107	46 09 12 18 34 09 58 02 17 27 03 16	02, 62 52, 42 31, 02 45, 36 48, 55 00, 95 57, 43 32, 35 25, 12 55, 24 22, 57 42, 54	Meters. 4. 08569 4. 19376 4. 50644 4. 25534 4. 29822 4. 06534 4. 12877 3. \( \) \( \) \( \) 3426 4. 08157 4. 08157 3. \( \) 9. 1266

## STEVENS, YOLO COUNTY.

On high point in Mr. Stevens's pasture, the highest bald point of the ridge in the range of hills between the Capay Valley and Hung Hollow. To reach station, follow the Capay-Dunnigan road to M Roth's residence, 5 miles from the Capay post-office, thence west mile to Mr. Scheller's ranch, from which there is a good road uph to the signal. The road is very steep  $3\frac{1}{2}$  or 4 miles from Mr. Scheller's to signal.

Signal: An oak tree set in ground.

Station mark: An iron bench-mark post set in ground by side of ree.

[Latitude 38° 47′ 14.791″. Longitude 122° 07′ 20.733″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
fonticello ranklin iallup mokestack urtis fesa. Jolo northwest base oto southeast base cott orbin.	23 06 03.33 197 28 05.45 224 04 25.74 233 40 00.16 251 08 14.59 280 29 24.59 297 31 16.55 315 33 36.12 317 12 31.02 339 35 45.78	203 03 32, 18 17 32 09, 04 44 08 21, 96 53 49 05, 50 71 13 44, 99 100 38 09, 00 117 41 12, 32 135 45 42, 12 137 21 53, 96 159 38 45, 52	Meters. 4.1728090 4.4921667 4.1155360 4.4148425 4.1283773 4.3131381 4.4141826 4.6043066 4.5064425 4.2998654

WINDMILL, YOLO COUNTY.

(Not occupied.)

Station mark: Center of windmill about 1½ miles south-southwest f Yolo northwest base, Coast and Geodetic Survey monument.

[Latitude 38° 39′ 51.679′′. Longitude 121° 52′ 07.336′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
cottvinters.	o ' '' 1 46 22.74 31 13 34.82	0 / // 181 46 14.82 211 09 10.54	Meters. 3. 9966663 4. 2967123

#### WINTERS, YOLO COUNTY.

On a prominent bald hill with large oak tree near the northwest and of it, about 1 mile southwest of Winters, on Southern Pacific Railroad from Elmira to Rumsey.

Signal: A quadripod with white and black cloth on it.

Station mark: An iron bench-mark post set 40 inches in the ground.

[Latitude 38° 30′ 42.303′′. Longitude 121° 59′ 11.054′′.]

To station—'	Azimuth.	Back azimuth.	Log. distance.
orbin folo northwest base cott	157 39 48.83 211 01 37.33 234 46 02.62	337 37 42.76 31 06 25.84 54 50 18.74	Meters. 4. 1096763 4. 3362415 4. 0856900

WINTERS SCHOOL, YOLO COUNTY.

(Not occupied.)

Station mark: The pole in cupola on large school building at Winters, a town on the Elmira-Rumsey branch of the Southern Pacific Railroad.

[Latitude  $38^{\circ} 31' 22.293''$ . Longitude  $121^{\circ} 58' 22.572''$ .]

To station—	Azimuth.	Back azimuth.	Log. distance.
Corbin	0 ' '' 150 23 44.84 236 34 21.95	330 21 08.53 56 38 07.89	Meters. 4.089108 4.021836

#### WOODLAND CITY HALL, YOLO COUNTY.

(Not occupied.)

Station mark: The steeple on the city hall in Woodland.

[Latitude 38° 40′ 43.970″. Longitude 121° 46′ 21.428″.]

To station—	Azimuth.			Back azimuth.			Log. distance.
Scott. Yolo northwest base. Mesa	90	13	" 57. 43 32. 13 55. 25	216 270	10	13. 58 20. 19 31. 39	Meters. 4.15924 3.87062 4.1183

WOODLAND HIGH SCHOOL, YOLO COUNTY.

(Not occupied.)

Station mark: The pole in cupola on the Woodland high school about 1 mile south of the center of the town.

[Latitude 38° 40′ 04.132″. Longitude 121° 46′ 22.512″.]

To station—	Azimuth.	zimuth. Back azimuth.				
Scott. Yolo northwest base. Mesa	, 40 02 32.35 99 38 53.68 133 07 30.01	0 / // 219 58 49.20 279 35 42.44 313 03 06.85	Meters. 4.1287 3.8752 4.1436			

YOLO, YOLO COUNTY.

(Not occupied.)

Station mark: The steeple on the white church in Yolo, a town the Southern Pacific Railroad.

[Latitude 38° 43′ 57.487″. Longitude 121° 48′ 23.410″.]

To station—	Azimuth.			Azimuth. Back azimuth.				
Yolo northwest base	36 107	59 44	38. 45 47. 06	216 287	57 41	42.68 39.39	Meters 3.871 3.880	

YOLO NORTHWEST BASE, YOLO COUNTY.

In the SE,  $\frac{1}{4}$  sec. 28, T. 10 N., R. 1 E., Mount Diablo meridian,  $4\frac{1}{3}$  miles west of the railroad passing through Woodland, and immediately on the north side of county road running west toward Madison and Capay Valley.

Station mark: A needle hole in a German-silver plug in a copper polt in top of a granite block 35 inches long by 20 inches square at the passe and drest to 12 inches square at the top, having letters "U. S. C. & G. S." deeply cut on it. The top of the brick is  $4\frac{1}{2}$  feet below the surface and a glass hemisphere is placed over the copper bolt. The surface mark is a fine needle hole in a copper bolt set in lead on top of a granite block 25 inches square by 26 inches deep, having the etters "U. S. C. S. S. E. Yolo base" cut on it. Top of block is even with surface of ground and block itself is in center of a solid prickwork pier, having a base of 70 inches square at a depth of 50 nches below surface, battering to 54 inches square at surface. This prickwork was carried to a height of  $33\frac{1}{4}$  feet above surface and eapped with a granite slab 40 inches square by 8 inches thick with a  $1\frac{1}{4}$ -inch hole in the center. Charcoal and charcoal dust were mixt with the earth in filling around the subsurface part of the structure.

No reference marks.

[Latitude 38° 40′ 44.806″. Longitude 121° 51′ 28.553″.]

$\begin{array}{cccccccccccccccccccccccccccccccccccc$					
Yolo southeast base     343     05     07.93     163     07     18.98       Diablo     3     09     32.63     183     07     28.85       Yaca     30     25     42.34     210     17     15.66       sect     6     09     99.95     186     08     37.82       Vinters     31     06     25.94     211     01     37.33       Jorbin     67     30     50.55     247     23     55.40       donticello     86     47     29.67     266     35     03.73       tevens     117     41     12.32     297     31     16.55       4csa     161     27     01.74     341     25     49.98       Colo     216     57     42.68     36     59     38.45	Log. distance.	Back azimuth.	Azimuth.		To station—
Voodland city hall         270         10         20.19         90         13         32.13           Voodland high school         279         35         42.44         99         38         53.68	55 4.9474512 66 4.5909077 22 4.0653494 33 4.3362415 00 4.2406557 3 4.4610020 55 4.4141826 8 3.9399342 15 3.8714131 3 3.8706276	163 07 18.98 183 07 28.85 210 17 15.66 186 08 37.82 211 01 37.33 247 23 55.40 266 35 03.73 297 31 16.55 341 25 49.98 36 59 38.45 90 13 32.13	43         05         07.93           3         09         32.63           30         25         42.34           31         06         25.94           37         30         50.55           36         47         29.67           17         41         12.32           31         27         01.74           46         76         76           47         20.12         76	3 30 6 31 67 86 117 161 216 270	Yolo southeast base Diablo. Yaca Scott Vinters Corbin Jonticello Stevens Joseph

YOLO SOUTHEAST BASE, YOLO COUNTY.

In the NW. \(\frac{1}{8}\) sec. 19, T. 8 N., R. 2 E., Mount Diablo meridian, \(3\)\subsetem \(\frac{1}{8}\) miles west and \(1\)\subsetem miles south of Davisville and about 25 meters from the left bank of Putah Creek.

Station mark: Same as Yolo northwest base, viz, needle hole in german-silver plug in copper in granite block 4½ feet below surface, with another needle hole in a copper bolt in lead in a granite block even with ground, in center of a brick pier extending to a height of 33¼ eet above ground, capped by a granite block.

Reference marks: Four marks were set, consisting of granite blocks foot square and 14 feet high, with copper bolts and drill holes on

top, incased in brickwork 18 inches below surface. Two were in line to the Yolo northwest base at a distance of 18 feet  $11\frac{1}{16}$  inches and 327 feet 10 inches from the center, and two were in line at right angles thereto eastward at a distance of 20 feet five-eighths of an inch and 328 feet  $5\frac{1}{16}$  inches from the center.

[Latitude 38° 41′ 42.185″. Longitude 121° 47′ 58.18″.]

To station—	Azimuth.			Back	aziı	nuth.	Log. distance.
Vaca. Diablo. Monticello. Scott. Stevens. Yolo northwest base Green. Hines. Davisville.	55 7 114 129 135 163 175 182 252	49 56 01 16 45 07 23 49 27	13. 77 54. 56 55. 20 42. 54 42. 12 18. 98 17. 56 52. 57 52. 57	235 187 293 309 315 343 355 2 72	38 52 47 13 33 05 23 50 30	37. 32 41. 08 19. 46 59. 56 36. 12 07. 93 08. 21 01. 08 06. 54	Meters, 4, 4775212 4, 8599088 4, 5700850 3, 9126286 4, 6043065 4, 2427032 3, 6546895 3, 8252855 3, 7373120

#### MARIPOSA AND TUOLUMNE COUNTIES.

## YOSEMITE SPECIAL QUADRANGLE.

For the control of this special quadrangle Charles F. Urquhart, topographer, extended triangulation control from Pilot Peak and Devil Peak in 1905. Twelve stations, controlling an area of 100 square miles, were located on the United States standard datum.

CLOUDS REST, MARIPOSA COUNTY.

On the highest point of Clouds Rest, a well-known mountain at the northeast corner of the Yosemite State Park. There is a good trail from the Yosemite Valley to the summit of the mountain. Animals can be taken within 200 feet (elevation) of top.

Signal: A cairn 5 feet high, built of large, flat rocks.

Station mark: A copper bolt set in rock very near and west of cairn.

[Latitude 37° 46′ .05.58″. Longitude 119° 29′ 18.90″.]

To station—	Azimuth.		Back azimuth.			Log. distance.	
Starr King. Devil Peak Sentinel Dome Glacier Point Eagle Yosemite Point. Flat	0 19 40 59 61 77 82 107	04 00 24 00 39 00 11	06, 99 43, 66 29, 37 29, 03 36, 31 09, 13 17, 36	199 219 239 240 257 261 287	03 51 17 57 34 56 05	04.76 32.29 59.94 23.16 59.80 19.84 27.92	Meters. 3, 882183 4, 538196 3, 988483 3, 929395 4, 053720 3, 966392 4, 164443

#### DEVIL PEAK, MARIPOSA COUNTY.

At the southeast end of a short, sharp ridge, 9 miles southwest of awona Park, bare on top and covered with loose rock. Ascended wagon road from Wawona. Nearest camping place is 14 miles ortheast of summit.

Station mark: A cairn 4 feet in diameter at the base, 4½ feet high, a site of old monument, 5.6 feet west of "U. S. G. S." chiseled on ock (Urquhart, 1905). Cairn could not be found, but rock with U. S. G. S." was found, and point used was within 2 or 3 feet of old bint.

[Latitude 37° 31′ 46.79″. Longitude 119° 44′ 23.09″.]

To station-	Azimuth.		
ttonwood  offman nness nrks Peak d d siser g Shuteye dilion Mount ot t buds Rest	235 55 55.04 244 35 09.78 297 47 02.53 305 41 47.10 96 31 08.21	00 37 31.81 29 59 03.70 37 22 32.54 56 07 20.30 64 47 16.70 118 07 16.04 125 53 10.71 326 16 39.63 14 54 59.19 40 00 43.66	Meters. 4. 6445464 4. 6092431 4. 785548 4. 5212361 4. 5097490 4. 7451616 4. 5325137 4. 4740000 4. 4928478 4. 5030993 4. 5381966

## DEWEY, MARIPOSA COUNTY.

On the bluff overlooking the Yosemite Valley, on south side of the alley and west of Bridal Veil Creek. It can be reached by trail ther from Glacier Point or Fort Monroe. Distance from Fort onroe to station is about 4 miles. Trail is known as Pohono trail. Signal: A small fir tree placed in a crack in the rock with rock led around its base.

Station mark: A triangulation tablet cemented in rock at the foot tree.

[Latitude 37° 42′ 16.03″. Longitude 119° 39′ 06.31″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Capitan gle utinel Dome	0 / // 201 24 41.54 215 33 40.67 250 37 44.55	21 25 14.24 35 35 03.79 70 40 14.60	Meters. 3, 5544804 3, 7572966 3, 8039652

#### EAGLE, MARIPOSA COUNTY.

On the summit of Eagle Peak, a well-known point on the north side Yosemite Valley. There is a good trail known as the Yosemite oint and Eagle Peak trail from the valley to station.

Signal: An iron rod about 4 feet high set in rock. It is necessary have a flag of some kind on rod.

Station mark: A triangulation tablet cemented in rock at foot of rod.

[Latitude 37° 44′ 46.90″. Longitude 119° 36′ 50.46″.]

To station—	Azim	Back	aziı	Log. distance.		
Dewey El Capitan Yosemite Point Clouds Rest Valley Glacier Point Sentinel Dome	35 35 35 56 59 239 00 257 34 275 40 295 03 313 28	5 46.25 46.76 4 59.80 32.04 5 15.94	215 236 59 77 95 115 133	33 54 02 39 41 06 29	40. 67 55. 83 33. 99 36. 31 26. 92 46. 50 41. 12	Meters. 3.7572966 3.3815997 3.3428995 4.0537206 3.3435984 3.6021166 3.5674215

#### EL CAPITAN, MARIPOSA COUNTY.

# (Not occupied.)

On the highest point of El Capitan, nearest the bluff. The Eagle Peak trail continues on to this mountain.

Station mark: A cairn on highest point.

[Latitude 37° 44′ 04.28″. Longitude 119° 38′ 12.86″.]

To station—	Azimuth.	Azimuth. Back azimuth.				
Eagle . Sentinel Dome		56 55 46, 25 104 39 40, 99 201 24 41, 54	Meters, 3, 3815997 3, 6862312 3, 5544804			

#### FLAT, MARIPOSA COUNTY.

On the summit of a flat-topt rocky peak at the source of West Fork of Yosemite Creek and about 5 miles from junction of Eagle Peak and Yosemite Point trails. There is no trail at this point, but animals can be taken to foot of peak. The south side is probably the easiest to climb. About 300 feet inaccessible for animals.

Signal: A cairn with dead tree inside of it.

Station mark: A triangulation tablet set in rock under the cairn.

[Latitude 37° 48′ 25.17″. Longitude 119° 38′ 49.20″]

To station—	Azimuth.	Back azimuth.	Log, distance.
Devil Peak Pilot Clouds Rest Starr King Yosemite Point Sentinel Dome	0 / // 14 54 59.19 79 10 59.75 287 05 27.92 315 03 17.42 319 24 08.84 328 54 57.80	194 51 35.15 259 00 24.24 107 11 17.36 135 08 04.35 139 26 08.84 148 57 17.54	Meters. 4, 5030993 4, 4124128 4, 1644432 4, 2108574 3, 8673813 4, 0343607

#### GLACIER POINT, MARIPOSA COUNTY.

At the east end of iron railing at Glacier Point, a well-known point on the south side of Yosemite Valley. There is a good trail known as the Glacier Point trail from the valley to the station. Signal: A pole about 25 feet high set in rock.

Station mark: A triangulation tablet set in rock.

[Latitude 37° 43′ 51.85″. Longitude 119° 34′ 22.50″.]

To station—	Azimuth.	Back azimuth.	Log. distance.	
Eagle Valley Osemite Point Clouds Rest	136 00 48.03	0 / // 295 05 15.94 316 00 12.34 328 30 09.89 61 00 29.03	Meters. 3, 6021166 3, 3128519 3, 5210068 3, 9293950	

PILOT PEAK, MARIPOSA AND TUOLUMNE COUNTIES.

On boundary of Mariposa and Tuolumne counties. Rose's ranch is 2.5 miles east.

Station mark: A new cairn with tree in it was built and the greater portion of brush cut. Triangulation tablet set in loose rock and a flat rock with a cross cut on it placed immediately over it. The tree in center of cairn is over center of cross.

[Latitude 37° 45′ 46.57″. Longitude 119° 56′ 06.42″.]

To station—	Azimuth.			Back	aziı	nuth.	Log. distance.	
Flat Sentincl Dome Devil Peak Moccasin Peak Big Canyon	277 326 97	56 16 52	24. 24 30. 06 39. 63 44. 00 11. 00	98 146 277	09 23 38	59. 75 24. 64 49. 18 19. 00 25. 00	Meters. 4, 4124128 4, 4953983 4, 4928478 4, 5424939 4, 4473833	

#### SENTINEL DOME, MARIPOSA COUNTY.

On the summit of Sentinel Dome, a well-known peak on the south side of Yosemite Valley. The Glacier Point trail continues south and west along the bluff to Fort Monroe. This trail passes Sentinel Dome about 1 mile from Glacier Point Hotel.

Signal: The trunk of a tree with large spreading top.

Station mark: A triangulation tablet set in rock under center of signal tree. The tree stands above anything else on mountain.

[Latitude 37° 43′ 24.46″. Longitude 119° 35′ 01.02″.]

To station—	Azimnth.	Back azimuth.	Log. distance.
Dewey	70 40 14.60	250 37 44.55	Meters. 3, 8039652 4, 4953983 3, 6862312 3, 5674215 4, 9343607 3, 5750603 3, 9884838 3, 7993631
Pilot	98 09 24.64	277 56 30.06	
Pilot	104 39 40.99	284 37 43.60	
Pagle	133 29 41.12	313 28 34.14	
Plat	148 57 17.54	328 54 57.80	
Vosemite Point	167 51 35.66	347 51 15.89	
Plonds Rest	239 17 59.94	59 21 29.37	
Starr King	290 47 27.31	110 49 54.39	

#### STARR KING, MARIPOSA COUNTY.

# (Not occupied.)

Station is on highest point of Mount Starr King, a well-known mountain on the southeast side of Yosemite Valley. Very difficult to climb.

Station mark: Cairn on the summit.

[Latitude  $37^{\circ}$  42' 11.86''. Longitude  $119^{\circ}$  31' 00.58''.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Sentinel Dome Flat	0 / // 110 49 54.39 135 08 04.35 199 03 04.76	315 03 17, 42	Meters, 3, 799363; 4, 210857; 3, 882183;

#### VALLEY, MARIPOSA COUNTY.

In the Yosemite Valley, on the north side of junction of roads to Camp Yosemite and Mirror Lake and about 50 yards from bridge over Merced River, near the Sentinel Hotel. Signal is a 4 by 4 inch post set in ground, with signboard pointing to Mirror Lake on it. Another board at right angles to signboard and post.

Station mark: A concrete pier  $2\frac{1}{2}$  feet high, 20 by 20 inches at base, 12 by 12 inches at top, in the top of which was placed an aluminum plug marked " $\triangle$  U. S. G. S. B. M.," over which was placed at aluminum plate, one-half inch thick by  $4\frac{1}{2}$  inches wide, 7 inches long engraved as follows:

U. S. Geological Survey, Charles D. Walcott, Director, Latitude 37° 44′ 40″ Longitude 119° 35′ 21″ Elevation above sea, 3,960 feet, 1095.

[Latitude, 37° 44′ 39.81″. Longitude, 119° 35′ 20.80″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Eagle. Yosemite Point. Glacier Point.	95 41 26.92 167 13 43.08 316 00 12.34	0 / // 275 40 32.04 347 13 35.42 136 00 48.03	Meters. 3.343598 3.141725 3.312851!

## YOSEMITE POINT, MARIPOSA COUNTY.

At the west end of iron railing on Yosemite Point, a well-known point overlooking Yosemite Valley. There is a good trail known as the Yosemite Point and Eagle Peak trail to station. The pole is not straight, so the part at top of railing was sighted.

Station mark: A triangulation tablet cemented in rock at foot of pole.

[Latitude, 37° 45′ 23.65″. Longitude, 119° 35′ 33.31″.]

To station—	Azimuth.			Azimuth. Back azimuth.			
Eagle. Flat Clouds Rest. Glacier Point. Valley. Sentinel Dome.	139 261 328 347	26 56 30 13	33, 99 08, 84 19, 84 09, 89 35, 42 15, 89	239 319 82 148 167 167		46.76 08.84 09.13 53.24 43.08 35.66	Meters. 3.3428995 3.8673813 3.9663925 3.5210068 3.1417253 3.5750603

#### CALIFORNIA-NEVADA.

### TRIANGULATION STATIONS.

ESMERALDA AND NYE COUNTIES, NEV.; INYO COUNTY, CAL.

#### AMARGOSA REGION.

During the field season of 1905-6 triangulation control was extended over a large part of southern Nye County, Nev., and a small area adjacent to Death Valley, in Inyo County, Cal., by R. H. Chapman and B. D. Stewart, topographers. The work was more of a reconnaissance than a standard nature and was done in connection with topographic surveys, which were carried on rapidly. The foresights were made to the natural points selected, and signals were erected when the points were occupied for observations. The stations were marked and signals erected according to regulations of the Survey. The instruments used were the standard 8-inch theodolites reading to 2 seconds of arc.

The scheme was carried forward from the line Lone Mountain-Montezuma, the first a primary and the second a secondary or tertiary point of the United States Coast and Geodetic Survey. The value of this base is taken from finally adjusted figures in the scheme brought from points in California during 1905 by Mr. Urquhart. The initial position is that given for Lone Mountain by the Coast Survey, and is on the United States standard datum.

Figures were extended about 1½° eastward from Lone Mountain and tied to the secondary Coast Survey point Kawich, which was occupied, and by long, unclosed sights to the primary point White Pine.

From these figures the scheme was carried southward to the Death Valley region and tied to triangulation points Grape and Nye, established by the Coast Survey in connection with the survey of the Nevada-California oblique boundary.

In all cases the preliminary positions, azimuths, and distances agreed so closely with those given by the Coast Survey that no figure adjustment was made, it being considered that the preliminary

methods of field work and the small differences found did not warrant the labor of the operation.

In connection with the general scheme small areas were controlled by local triangulation at Goldfield and Bullfrog.

A list of points and positions at check points is appended.

# BOUNDARY, INYO COUNTY, CAL.

On highest of group of summits in lower Grapevine Mountains, about 10 miles west of Rose's Well, on the Bullfrog-Las Vegas road 20 miles southwest of Bullfrog, 1 mile southeast of Chloride Cliff, and 5 miles from Keane Springs. Can be easily reached from any of above points with pack animals.

Station mark: A bronze triangulation tablet in solid rock undercenter of a cairn 7 feet high.

[Latitude 36° 41′ 36.45″. Longitude, 116° 51′ 48.47″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Tin '. Grape. Bare. Cane Furnace	112 17 55 139 54 35 216 03 58 261 16 06 325 55 36	291 56 39 319 44 18 36 09 36 81 40 46 146 04 36	Meters. 4.75626 4.59698 4.37584 4.79303 4.60556

#### DEATH, INYO COUNTY, CAL.

Westernmost and highest of group of bare rounded summits south and east of Bullfrog-Ballarat wagon road. About 15 miles north of west of Furnace Creek ranch, 10 miles southwest of Salt Creek, and 10 miles northeast of Emigrant Spring, on wagon road just mentioned. The peak is locally known as Tucki or Sheep Mountain. It is easily ascended by taking trail east over ridge 0.25 mile north of Emigrant Spring to divide toward Death Valley, thence northwest about 4 miles.

Station mark: A bronze triangulation tablet cemented in block of stone 16 by 14 by 10 inches, under a small heap of stones and flag-staff 9 feet high.

[Latitude 36° 30′ 00.61″. Longitude 117° 07′ 47.28″.]

To station—	Azimuth.	Back azimuth.	Log distance.
Tin. Grape. Bare.	0 / // 145 57 07 178 03 37 222 49 03	325 45 14 358 02 54 43 04 13	Meters, 4,71493 4,71332 4,74454

## FURNACE, INYO COUNTY, CAL.

(Not occupied.)

A high, rocky peak, southernmost in Amargosa Range, about 15 miles east of Furnace Creek ranch (Death Valley), 6 miles west-southwest of Lee's well, and 10 miles northwest of Franklin well, Amargosa Desert. Local name, Pyramid Peak. It was ascended on foot from the southeast.

Station mark: A bronze triangulation tablet set in slab of black limestone and surmounted by cylindrical cairn 7.5 feet high and 5 feet in diameter.

Reference marks: Cross cut in solid rock about 20 feet southwest, cross cut in solid rock about 30 feet north.

[Latitude 36° 23′ 32. 15′′.	Longitude 116° 3	3′ 42. 09′′.]
-----------------------------	------------------	---------------

To station—	Azimuth.	Back azimuth.	Log. distance.
Boundary Bare Timber	0 - 7 77 146 04 36 170 51 48 189 52 34	325 55 36 350 48 24 9 57 59	Meters, 4, 60556 4, 72672 4, 89419

GRAPE, INYO COUNTY, CAL.

Highest peak of Grapevine Range, 20 miles northwest of Bullfrog and 15 miles from Thorp's mill, which is on Bullfrog-Goldfield wagon road; nearest water is spring on Bullfrog-Grapevine ranch trail about 5 miles northwest. Station is one used by Coast Survey in establishing Nevada-California boundary line. Center left by the survey found and occupied. No additional marks made.

Station mark: Drill hole one-half by one-half inch in rock 14 by 12 by 10 inches, over which is monument 4 feet high and flagstaff.

[Latitude 36° 57′ 56.40″ (36° 57′ 55.21″ a ). Longitude 117° 08′ 57.73″ (117° 08′ 58.04″a).]

. To station—	Azimuth.		Back azimuth.	Log. distance.
Tin Gold Mountain , ,	72 21 156 33 221 48 257 18 273 02 283 18 285 27 319 44 358 02 305 29 305 28	38 46 45 09 52 38 46 18 54 00 30	252 10 36 336 28 08 42 01 02 77 42 03 93 16 06 103 53 41 105 43 43 139 54 35 178 03 37	Meters. 4, 45705 4, 54060 4, 65454 4, 79779 4, 51472 4, 95088 4, 61240 4, 59608 4, 71332 3, 68850

a By Coast and Geodetic Survey.

TELESCOPE PEAK, INYO COUNTY, CAL.

(Not occupied.)

Highest peak of Panamint or Telescope Range.

[Latitude 36° 11′ 49.20″. Longitude 117° 04′ 26.92″.]

TIN, INYO COUNTY, CAL.

Highest and northernmost peak of Panamint Range; 15 miles southwest of Stainingers (Grapevine) ranch, 10 miles southwest of Mesquite Spring, and 6 miles north and a little west of Piñon Spring. Easily reached from south by trail to Gold Belt (old mining camp), which is 18 miles south of peak, thence north along trail to Rest and Burro springs, thence north along crest to point.

Signal: Tripod 6 feet high with flagstaff 10 feet higher.

Station mark: A bronze triangulation tablet cemented in solid rock.

Reference marks: None.

[Latitude  $36^{\circ}$  53' 13.13''. Longitude  $117^{\circ}$  27' 20.10''.]

To station—	Azimı	uth.		Back az	imu	th.	Log. distance.
Gold Grape Boundary Death		56	03 36	18		33 38 55 07	Meters. 4. 63054 4. 45705 4. 75626 4. 71493

# ANDESITE, ESMERALDA COUNTY, NEV.

Highest knoll on top of lava flow about 3 miles south of Goldfield, 1 mile west of road to Lida.

Station mark: Bronze triangulation tablet in solid rock on highest point of hill.

Reference marks: Cross in solid rock 17 feet southwest, cross in solid rock 15.5 feet southeast.

Signal: A small local monument, the Great Star Lode claim location monument.

[Latitude 37° 40′ 18.30″. Longitude 117° 14′ 16.49″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Montezuma Columbia Diamond	0 / // 103 15 33 190 22 42 229 21 21	283 11 01 10 23 10 49 24 43	Meters. 4. 04896 3. 79819 4. 02791

COLUMBIA, ESMERALDA COUNTY, NEV.

High hill immediately northeast of Columbia, on large mass of rock at summit, locally known as Columbia Mountain.

Station mark: A bronze triangulation tablet cemented in solid rock under a cairn 6.5 feet high.

Reference marks: No. 1, 17.6 feet south in solid rock; No. 2, 23.25 feet east-northeast, in solid rock.

[Latitude 37° 43′ 38.76″. Longitude 117° 13′ 30.22″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Andesite	0 / //	0 / //	Meters.
	10 23 10	190 22 42	3, 79819
	263 43 36	83 46 30	3, 84505

#### GOLD MOUNTAIN, ESMERALDA COUNTY, NEV.

On highest summit of Gold Mountain a sharp, rocky peak 1.5 miles southeast of Oriental post-office (abandoned), now known as Old Town or Old Camp, and about 20 miles southeast of Lida post-office. Best reached from Old Camp, where there is good water and feed, and which is reached from Lida post-office by a good wagon road. (Wheeler point, 1871–72?)

Station mark: A bronze triangulation tablet in solid rock, stamped "8144 V A," under a rock monument 6 feet high.

[Latitude 37° 15′ 09.50″. Longitude 117° 18′ 18.09″.]

To station—	Azim	Azimuth.		Back azimuth.		Log. distance.	
Tin	18	34	38 45 07 42 08	0 198 354 40 87 156	36 52	03	Meters. 4. 63054 4. 69316 4. 55844 4. 64285 4. 54060

# LONE MOUNTAIN, ESMERALDA COUNTY, NEV.

A station of the Coast Survey on a prominent, well-known peak in a dry, desert country, 60 miles by road in a southerly direction from Cloverdale and 40 miles easterly from Columbus. The nearly extinct mining camps of Montezuma and Silver Peak lie 25 miles southwesterly and southeasterly, respectively, from the mountain. The geodetic point is marked by a cross on a one-half inch copper bolt leaded in a drill hole in a solid ledge of slate, around which is the usual stone and brick foundation pier for theodolite, surrounded by a stone wall 15.5 feet in diameter, with an opening to the northeast.

The vertical-circle pier, 71.1 feet distant from geodetic point and sur rounded by a stone ring wall 10.7 feet in diameter, with northeas opening, was left standing. Reference marks are four drill holes—one north, distant 9.15 feet; one north-northeast, distant 13.78 feet one south-southeast, distant 21.59 feet, and one a little north of west distant 8.2 feet from geodetic point.

In 1902 a large signal was placed over the above station.

[Latitude 38° 01′ 28.759″. Longitude 117° 29′ 37.647″.]

To station	Azimuth.	Back azimuth.	Log. distance.
Mount Grant. Toiyabe Dome Cactus Peak Diamond Stonewall Montezuma	118 30 45 13 187 47 26 93 296 08 52 00 316 23 25 00 325 21 47 00 342 18 57 00	297 42 31. 46 7 52 43. 32 116 31 36.00 136 36 13. 00 145 38 27. 00 162 23 49. 00	Meters, 5, 1093274 4, 9570026 4, 78170 4, 64768 4, 84866 4, 5845027

### MONTEZUMA, ESMERALDA COUNTY, NEV.

On highest point of group of mountains about 8 miles west of Gold field, locally known as Montezuma Peak. It is about 1.5 miles soutl of old Montezuma mill and springs and is a secondary point of the Coast Survey.

Station mark: A bronze triangulation tablet in block of stone 24 by 10 by 10 inches, partly buried, over which is a cairn 6 feet high, with small brush in top.

Reference marks: Cross cut in solid rock 25.6 feet west; cross cut in solid rock 17.4 feet east.

[Latitude 37° 41′ 41.3″. Longitude 117° 21′ 41.2″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Lone Mountain. Cactus Peak Stonewall. Gold Mountain.	0 / // 162 23 49 256 56 58 307 06 58 354 10 41	342 18 57 77 14 55 127 18 45 174 12 45	Meters. 4. 584502 4. 64124 4. 55260 4. 69316

TIMPAHUTE, LINCOLN COUNTY, NEV.

(Secondary point. Not occupied.)

Highest point on Timpahute Range.

# [ Latitude 37° 26′ 58.26″. Longitude 115° 43′ 55.57″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Belted Peak	0 , , ,, 113 43 32 141 46 54	293 31 01 321 32 08	Meters. 4. 5192 4. 7575

### BARE, NYE COUNTY, NEV.

On high, bare summit of very rocky ridge 2 miles southeast of Beatty post-office and 6 miles east of Bullfrog. Camp may be made at spring 1 mile south of Beatty post-office in wash at west foot of Bare Mountain. The climb may be made with instrument mule, but is rather difficult. Wheeler monument was removed, but no center found. Under monument was small tin cylindrical case 4 inches by 0.75 inch, within which was the following: "Explorations and Surveys West of 100th Meridian. Name of peak, Bare Mountain; triangulation station No. 7; approx. altitude, 5,800 feet. Party No. 2, executive officer, Lieut. R. Birnie; topographical ass't, Louis Nell; meteorological ass't, Stevens. En route from Panamint to C. Independence. Date: Sept. 16, 1875. Corps of Engineers, U. S. Army."

Station mark: A ½-inch drill hole in rock 12 by 12 by 4 inches under a rock monument 7 feet high.

[Latitude 36° 51′ 59.10′	Longitude	$116^\circ\ 42'$	23.74".]
--------------------------	-----------	------------------	----------

To station—	Azimuth.	Back azimuth.	Log. distance.
Boundary. Death. Grape. Yellow. Jumbo. Tolicha. Timber. Furnace.	43 04 13	216 03 58 222 49 03 285 27 46 302 48 32 323 38 35 348 18 32 41 46 16 170 51 48	Meters. 4, 37584 4, 74454 4, 61240 4, 16348 4, 05819 4, 65842 4, 51761 4, 72672

# BEATTY, NYE COUNTY, NEV.

On top of rocky summit of andesite-capped hill of dark color 1.5 miles northwest of Beatty and 1 mile east of Montgomery-Shoshone mine.

Station mark: A bronze triangulation tablet cemented in solid rock under a rock monument 5 feet high.

[Latitude 36° 55′ 06.28″. Longitude 116° 47′ 16.78″.]

To station—	Azimuth.	Back azimuth.	Log.
Busch. Yellow. Jumbo	85 53 23 113 12 18 187 55 18	265 51 34 293 10 17 7 55 30	Meters. 3. 65317 3. 73432 3. 54085

BELTED PEAK, NYE COUNTY, NEV.

Highest-point of bare, rocky mountain 2 miles south of northern-most point of Kawich-Groom road where it crosses Belted Range; about 15 miles a little north of east of Kawich post-office. Nearest water is Cliff Spring, 5 miles to the south, on west slope of range. Horses can go within 0.25 mile of top (from south).

Station mark: A cross cut in solid rock. Signal: A cairn 7.5 feet high over mark.

Reference marks: An arrow 27.4 feet east-northeast, cut in rock; a similar arrow 30.1 feet south-southeast, cut in rock, with US GS cut on left side of arrow.

[Latitude 37° 34′ 07.83″. Longitude 116° 04′ 31.56″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Mesa Quartzite Kawich Reveille	19 48 4 74 33 2 142 12 5 170 34 1	199 42 42 254 24 20 321 58 44	Meters. 4, 62570 4, 35021 4, 74245 4, 50604

#### BUSCH, NYE COUNTY, NEV.

On high, rocky, gray point known as Busch Peak on Bonanza Mountain, 1 mile west of Rhyolite. Easily reached with animals by trail.

Station mark: A bronze triangulation tablet under a mineral location post to which black and white flags were attached.

[Latitude 36° 54′ 55.78″. Longitude 116° 50′ 18.13″.]

To station—	Azim	uth.		Back az	imu	th.	Log. distance.
Yellow. Jumbo. Beatty.	° 168 232 265	49	" 34 12 34	348 52 85	32 51 53	22 13 23	Meters. 3, 39957 3, 79462 3, 65317

# CACTUS PEAK, NYE COUNTY, NEV.

On highest point of north peak of Cactus Range, about 25 miles east of Goldfield and 35 miles southeast of Tonopah. It is northernmost peak of range and a local landmark over a large area. A monument 6 feet high was found, which was removed and a new one erected on its site.

Station mark: A bronze triangulation tablet in block of stone 3 by 2 by 1 foot, resting on surface, over which is a cairn 9 feet high and 5.5 feet in diameter at base.

[Latitude 37° 46′ 58.44″. Longitude 116° 52′ 38.49″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Stonewall Montezuma Lone Mountain Kawieh Quartzite	241 24 45	204 29 12 256 56 58 296 08 52 61 40 05 121 32 50	Meters. 4. 53750 4. 64124 4. 78170 4. 61994 4. 75821

CANE, NYE COUNTY, NEV.

Highest point on flat ridge running east and west, on north edge of mesa about 6 miles almost due west of Cane Spring, 22 miles northeast of Ash Meadows. Easily ascended with horses.

Station mark: A bronze triangulation tablet in solid rock 10 feet from edge of bluff under a cairn 8 feet high, 7 feet in diameter at base.

Reference marks: Cross cut in solid rock 38 feet southwest of center; cross cut in solid rock 44 feet southeast of center.

[Latitude 36° 46′ 35.48″. Longitude 116° 10′ 33.05″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
BoundaryGrape	81 40 46 103 53 41	261 16 06 283 18 38	

CHALK MOUNTAIN, NYE COUNTY, NEV.

(Secondary point. Not occupied.)

Highest point of rocky ridge about 20 miles east of Kawich postoffice and 10 miles east of Belted Range.

[Latitude 37° 31′ 52.90″. Longitude 115° 55′ 12.62″.]

·To station—	Azimuth.		Log. distance.
elted Peakveille.	0 / // 106 55 22 152 09 23	286 49 42 332 01 30	Meters. 4, 15649 4, 60750

DIAMOND, NYE COUNTY, NEV.

On hill 3 miles northeast of Goldfield and 3.5 miles east-southeast of Diamondfield; about 0.75 mile to the east is another hill which is slightly higher.

Station mark: Bronze triangulation tablet in solid rock on highest point of hill.

Reference marks: Cross in solid rock 33.7 feet southeast of tablet; cross in solid rock 14.3 feet west-northwest of tablet.

Signal: Cairn 8 feet high on large rock.

[Latitude 37° 44′ 03.46″. Longitude 117° 08′ 46.04″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Indesite	49 24 43	229 21 21	Meter & . 4, 02791 4, 28973 4, 64768 3, 79819 4, 44101
Iontezuma	77 04 10	256 56 16	
Jone Mountain	136 36 13	316 23 25	
Jolumbia	190 22 42	10 23 10	
tonewall	340 02 35	160 06 29	

FORTY (SHOSHONE MOUNTAIN), NYE COUNTY, NEV.

(Secondary point. Not occupied.)

Highest point on Shoshone Mountain about 15 miles northwest of Cane Springs, east of Fortymile Canyon.

[Latitude  $36^{\circ}$  57' 05.09''. Longitude  $116^{\circ}$  18' 28.05''.]

To station—	Azim	uth.		Back az	imu	th.	Log. distance.
Boundary	° 160 328	10	13	239 148	50 49	13 15	Meters. 4. 75774 4. 35601

JUMBO, NYE COUNTY, NEV.

On high summit 2 miles east of Indian Springs, near Rhyolite; the springs may be reached from Rhyolite by good wagon road and station is accessible with pack animals.

Station mark: Drill hole in solid rock under a rock monument 6 feet high.

[Latitude 36° 56′ 57.92″. Longitude 116° 46′ 57.43″.]

To station	Azimuth.		Back az	innu	th.	Log. distance.	
Beatty Busch Yellow Grape Bare	52		13	187 232 256 273 143		18 12 49 52 19	Meters. 3. 54085 3. 79462 3. 74956 4. 51472 4. 05819

KAWICH, NYE COUNTY, NEV.

On highest peak of Kawich Range, about 3 miles east of Long street's ranch, 6 miles northeast of Silverbow (camp), and 4 miles west of Eden (camp). Easily ascended by stock trails from any of above places. There are springs south and northeast of station 1 mile distant.

Station mark: A bronze triangulation tablet cemented in solid rock under a cairn 7 feet high.

[Latitude 37° 57′ 42.67″. (37° 57′ 43.05″ a | Longitude 116° 27′ 39.16″ (116° 27′ 39.62″ a).]

То	station-	Azimuth.		Back azimuth.			Log. distance.	
			/	//	0	1	11	Meters.
Caetus Peak		. 61	40	05	241	24	45	4. 6199400
Lone Mountain		. 94	43	06	274	04	30	4. 9590000
Lone Mountain a		. 94	42	15	274	04	06	4. 9589870
White Pine		. 244	27	00	65	02	35	4. 9687800
White Pine a		. 244	26	29	65	02	02	4. 9686134
			36	38	112	48	39	4. 4922200
			58	44	142	12	51	4.7424500
Quartzite		. 346	12	58	166	18	02	4. 7089600

# MAL, NYE COUNTY, NEV.

# (Not occupied.)

The highest rocky conical mountain in the Cactus Range, about 10 miles southeast of Cactus Spring, from which it is plainly visible, and about 3 miles almost due west of Antelope Springs.

Station mark: A small cairn found on mountain.

[Latitude 37° 37′ 41.10″. Longitude 116° 45′ 32.32″.]

To station—	Azimuth.	Back azimuth.	Log. distance.	
Stonewall	60 19 16 148 45 31	240 09 01 328 41 11	Meters. 4, 45572 4, 30335	

# MESA (PAHUTE), NYE COUNTY, NEV.

On highest point of high ridge, southern boundary of plateau, about 12 miles a little south of west from Oak Spring, 10 miles west of Whiterock Spring, and 6 miles north-northeast of tank on Oak Spring, Indian Camp trail; at west end of ridge having scattering piñon and cedar trees on top, but bare on salient west of station. Horses can be ridden to station from tank to the southwest.

Signal: Piñon tree trimmed, with pole nailed in top carrying a white flag and bunch of green.

Station mark: Bronze triangulation tablet in solid rock.

Reference marks: Middle nail of 4-inch blazed piñon stump, 37.2 eet northeast; nail in blaze on piñon stump, 15 feet west.

[Latitude 37° 12′ 38.32′′. Longitude 16° 14′ 12.14′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Quartzite Belted Peak Wheelbarrow Peak	0 / // 167 13 49 199 42 42 207 49 41	347 10 55	Meters. 4, 53821 4, 62570 4, 47891

# QUARTZITE, NYE COUNTY, NEV.

A high, bare, rocky mountain 3 miles southwest of Kawich (Gold-Reed), locally known as Quartzite Mountain; easily ascended on norses from Kawich or almost any direction. Nearest water, Cliff Spring, about 15 miles east across flat in Belted Range, or Indian Spring, 4 miles south of Cliff Spring.

Station mark: Bronze triangulation tablet cemented in solid rock under a cairn 9 feet high with 8-foot base.

[Latitude 37° 30′ 50.78″. Longitude 116° 19′ 23.355″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Tolicha Stonewall. Cactus Peak. Kawich Reveille. Belted Peak. Wheelbarrow Peak. Mesa.	57 49 00 88 50 11 121 32 50 166 18 02 203 40 27 254 24 20 287 48 38 347 10 55	237 31 16 268 24 01 301 12 31 346 12 58 23 47 21 74 33 23 107 57 34 167 13 49	Meters. 4, 70771 4, 80171 4, 75821 4, 70896 4, 61479 4, 35669 4, 53821

# REVEILLE, NYE COUNTY, NEV.

The southernmost, highest prominent peak of Reveille Range, about 12 miles south of New Reveille and about 12 miles a little north of east of Sumner Spring. Horses taken to summit from south.

Station mark: A bronze triangulation tablet in solid rock under a cairn 5 feet high with a brush top 3 feet higher.

[Latitude 37° 51′ 13.90″. Longitude 116° 08′ 06.48″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Quartzite	23 47 21	203 40 27	Meters. 4, 61479 4, 49222 4, 88056 4, 50604 4, 65290
Kawich	112 48 39	292 36 38	
White Pine	226 54 43	47 18 54	
Belted Peak	350 32 20	170 34 16	
Wheelbarrow Peak	353 35 43	173 37 48	

#### SHEET LINE, NYE COUNTY, NEV.

# (Not occupied.)

Highest peak, north end, of low hills about 20 miles southeast of Tonopah, 30 miles northeast of Goldfield, and about 16 miles due north of Cactus Peak. Hill is about 1 mile south of "short-cut" road from Tonopah to Silverbow and Longstreet's ranch; hills are known to some as Monitor Range.

Station mark: A cairn 5 feet high.

[Latitude 37° 59′ 00.3′′. Longitude 116° 53′ 35.65′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kawich Cactus Peak	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	93 44 08 176 24 49	Meters. 4, 58052 4, 34828

# STONEWALL, NYE COUNTY, NEV.

On south peak of high, rocky mountain about 20 miles southeast of Goldfield. There is very little solid rock on station; only bare broken rock, grassy. It is easily ascended with saddle horses in two hours from Stonewall, a well-known watering place, 4 miles west of north of station, by going east from spring 0.5 mile up first canyon to head, thence up ridge to top and around high ridge to peak.

Station mark: A bronze triangulation tablet in block of stone 14 by 12 by 8 inches on surface, over which a cairn 6 feet high was built.

[Latitude 37° 30′ 01.30″. Longitude 117° 02′ 22.43″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Gold Mountain. Montezuma Lone Mountain. Diamond Cactus Peak Quartzite Tolicha.	0 / // 40 36 47 127 18 45 145 38 27 160 06 29 204 29 12 268 24 01 321 39 17	220 27 07 307 06 58 325 21 47 340 02 35 24 35 09 88 50 11 14 47 39	Meters. 4. 55844 4. 55260 4. 84866 4. 44101 4. 53750 4. 80171 4. 51599

# TIMBER, NYE COUNTY, NEV.

On summit of westernmost and barest of two timber peaks, known as Timber Mountain, about 17 or 18 miles south of east of Howell ranch. Side camp can be made within 5 miles of summit with buckboard by following up wash in which runs Oak Spring trail and keeping a general southeasterly course along trail and onto long low ridge.

Station mark: A bronze triangulation tablet stamped "V A 7426" in solid rock, over which is a cairn 6 feet high with flag pole 10 feet high.

[Latitude 37° 05′ 16.77″. Longitude 116° 27′ 38.00″.]

To station—	Azimuth.		Back azimuth.			Log. distance.	
Furnace. Bare Grape. Tolicha	9 41 77 122	57 46 42 55	59 16 03 03	189 221 257		34 24 09	Meters. 4. 89419 4. 51761 4. 79779 4. 56742

# TOLICHA, NYE COUNTY, NEV.

On southern summit of high bare point of reddish color 20 miles north of east of Thorp's mill and about 23 miles east of south of Geld Crater. More easily reached from Farmer stage station on Goldfield-Bullfrog road by coming up first large wash which drains to south. Good water and feed at Monte Cristo Springs, 1.5 miles west of north of station. (Is point of Lieut. G. M. Wheeler, 1871–72.)

Station mark: A bronze triangulation tablet in solid rock, over which is a rock monument 6 feet high. Tablet is stamped "7031 V A."

[Latitude 37° 16′ 05.93″. Longitude 116° 48′ 36.36″.]

To station—	Azimuth.		Azimuth. Back azimuth.				Log. distance.
Grape	42 87 141 237 302 348	01 52 47 31 42 18	02 41 39 16 23 32	221 267 321 57 122 168	48 34 39 49 55 22	45 42 17 00 03 17	Meters, 4, 65454 4, 64285 4, 51599 4, 70771 4, 56742 4, 65842

## WHEELBARROW PEAK, NYE COUNTY, NEV.

Highest peak in belted range, about 15 miles south of east of Kawich post-office and about 2 miles north of point where trail from Indian Spring to Whiterock Spring (via Johnnies Water) crosses ridge.

Signal: Tripod, about 8 feet high, brush top.

Station mark: A bronze triangulation tablet in large bowlder.

[Latitude 37° 27′ 04.18". Longitude 116° 04′ 42.21".]

To station—	Azimuth.	zimuth. Back azimuth.				
Mesa. Quartzite Reveille	27 55 <b>2</b> 3 107 57 34 173 37 48	207 49 41 287 48 38 353 35 43	Meters. 4, 47891 4, 35669 4, 65290			

# WHITE PINE, NYE COUNTY, NEV.

A Coast Survey station on highest and boldest point of White Pine Mountains, called on Lieutenant Wheeler's map the Grant Range, but local name is Troy Peak. Station is near edge of precipice; the rock bluff, a few feet distant, falls almost vertically 700 or 800 feet. Geodetic point is a 3-inch by 4-inch copper bolt set in solid rock in center of stone foundation pier for the theodolite. A bottle, containing the approximate height and geographic position of station, was embedded in plaster of Paris in central pit of the pier above the bolt. Reference marks are three drill holes—one about northeast, distant 10.3 feet: one about south-southeast, distant 7.65 feet, and one about northwest, distant 9 feet from geodetic point. The vertical circle station is 27.62 feet distant from geodetic station in a northeasterly direction. The usual circular stone ring walls surrounding the central and the vertical circle stations, the stone cabins used for living purposes, and the bolts and drills to which the guy ropes of observing tents were fastened were left in position.

Hatitude 38° 19′ 10.90′′ a (38° 19′ 10.728′′), b Longitude 115° 30′ 03.17′′;a (115° 30′ 04.791′′b), l

To station—	Azimuth.	Back azimuth.	Log. distance.
heeler Peak b oo he b awich b awich a eveille a	234 03 10.65 285 46 48.23 65 02 02 65 02 35 47 18 54	54 47 42.11 106 40 33.05 244 26 29 244 27 00 226 54 43	Meters, 5, 10432259 5, 12178013 4, 96861340 4, 96878000 4, 88056000

# YELLOW, NYE COUNTY, NEV.

On highest part of yellowish summit, 3 miles west of north of Rhyote and 0.25 mile east of highest rocky summit of the Bullfrog Hills orth of Rhyolite.

Station mark: A bronze triangulation tablet cemented in solid ock under a cairn 5 feet high.

[Latitude 36° 56′ 15.54″. Longitude 116° 50′ 38.20″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
umbo eatty are usch	256 32 49 293 10 17 302 48 32 348 32 22	76 35 02 113 12 18 122 53 29 168 32 34	Meters. 3,74956 3,73432 4,16348 3,39957

#### TERTIARY POINTS LOCATED BY INTERSECTIONS (NEVADA).

	Latitude.			Longitude.		
AT BULLFROG.	0	,,	,	0	//	,
kocky Cap, Nye County add, Nye County			48, 88 45, 79			35. 16 14. 17
AT GOLDFIELD.						
Portland (frame), Esmeralda County t. Ives (frame), Esmeralda County Pombination (frame), Esmeralda County Black Butte (highest point), Esmeralda County	37 37	42 42	16. 60 53. 08 48. 32 04. 67	117 117	12 13	11.00 51.39 27.28 34.67
Mark Butte (inglest point), Esmeraida County	01	4,)	09.07	117	10	94, 04

RESNO, INYO, MONO, TULARE, AND TUOLUMNE COUNTIES, CAL.; ESMER-ALDA AND NYE COUNTIES, NEV.

# HIGH SIERRA REGION, CALIFORNIA; GOLDFIELD REGION, NEVADA.

During the field seasons of 1904–5 Charles F. Urquhart, topograoher, extended triangulation over an area of 7,000 square miles for the control of seven 30-minute quadrangles.

Positions are based on Conness and White Mountain south, stations of the Coast and Geodetic Survey, on the United States standard latum.

a From Lone Mountain, Monteyuma b United States standard datum, Coast and Geodetic Survey.

Ascended peak by ridge running from the southwest up from camp on south fork of San Joaquin at pasture 1½ miles above the camp of the Mount Goddard Copper Mining Company. Can take animals within 1,500 feet of summit. The south end of the mountain was occupied, although the north end is slightly higher. The south end seems to be recognized as the summit and is much easier of access.

Station mark: A bronze triangulation tablet set in loose shale rock, over which is erected a cairn 4 feet in diameter at base and 4 feet high.

[Latitude 37° 06′ 12.31″. Longitude 118° 43′ 09.20″.]

To station—	Azimuth.			muth. Back azimuth.			Log. distance.		
Three Sisters Kaiser Silver Morgan White Mountain, south Split Mountain Whitney Brewer Braidy Spanish (preliminary) Ililgard Silliman	98 117 146 178 214 288 326 334 16 35 161 357	03 18 47 01 45 56 37 24 54 23 39 42	25.99 18.97 11.35 57.03 39.07 12.20 02.71 33.96 10.44 57.36 49.34 48.51	277 297 326 358 35 109 146 154 196 215 341	51 01 36 01 02 06 52 33 48 17 35 43	05.29 25.41 13.95 28.67 33.26 57.48 26.30 01.05 19.23 45.76 36.51 37.67	Meters, 4,485005 4,6671675 4,6673632 4,5257589 4,8564939 4,4468610 4,8426164 4,6853822 4,6987440 4,4213575 4,4786204 4,7076974		

## HILGARD, FRESNO COUNTY, CAL.

Ascended from camp on Bear Creek, five and one-half hours' travel. Could camp an hour closer by going to summit of ridge between Bear and Mono creeks. Best approached along ridge between Bear and Mono creeks, finally dropping down into northeast fork of Bear Creek and climbing peak from east. On summit of this peak are three small high points of rock. The north or center one is point occupied.

Station mark: A large flat rock, in which is cemented a bronze triangulation tablet, surmounted by a cairn 3 feet in diameter at base and 3 feet high.

[Latitude 37° 21′ 39.44″. Longitude 118° 49′ 34.10″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Three Sisters Silver Goddard - Kaiser Big Shuteye.	40 31 27.33 125 69 54.14 341 36 11.21 77 03 50.04 88 51 40.06	305 02 48.66 161 40 04.09 256 50 47.29	Meters. 4.5051089 4.3232322 4.4787793 4.5135451 4.7264787

### KAISER, FRESNO COUNTY, CAL.

On a bald peak at the head of Kaiser and Pittman creeks, easily ascended from the south side. There are numerous lakes and small meadows in the neighborhood.

Station mark: A bronze triangulation tablet set in loose earth, there being no solid rock, above which was erected a cairn 5 feet in diameter at base and 5 feet high.

[Latitude 37° 17′ 40.52″. Longtiude 119° 11′ 05.66″.]

To station—	Azimuth.			Back	azir	nuth.	Log. distance.
Lyell. Silver. Goddard. Three Sisters Big Shuteye Red. Lyell. Silver. Hilgard.	° 171 216 297 326 106 153 171 216 256	$     \begin{array}{c}                                     $	25.41 14.47 18.72 16.75 30.07		48 18 55 51 32	27.41 51.25 18.97 46.14 29.47 06.49 21.55 49.60 50.04	Meters. 4.6988733 4.3856840 4.6671675 4.3069355 4.3493243 4.6487072 4.6982751 4.3855104 4.5135451

HUMPHREYS, FRESNO AND INYO COUNTIES, CAL.

(Not occupied.)

On the highest point of Mount Humphrey, a very prominent mountain on the main crest of the Sierras, between the North Palisade and Hilgard, and at the source of Mill Creek, a tributary of Owens River. There is a trail up Mill Creek to foot of mountain.

Station mark: Highest point, a very sharp peak.

[Latitude 37° 16′ 15.12′′. Longitude 118° 40′ 20.38′′.]

To station—	Azimuth.		Back azimuth.			Log. distance.	
Goddard Three Sisters Morgan. Split Mountain.	12 67	38 29 28	27.03 24.74 16.60 50.51	192	36 15 26	55.00 20.53 05.80 55.11	Meters. 4.2797563 4.5716837 4.2004826 4.5506914

RED SLATE, FRESNO AND MONO COUNTIES, CAL.

(Not occupied.)

This point is a high, round-topped mountain on the main crest of the Sierras. Highest point between Mono Pass and Mammoth Pass. Station mark: Highest point.

[Latitude 37° 30′ 28.37″. Longitude 118° 52′ 07.16″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Silver Lyell Baldy Morgan	205 30 18.28	252 35 54.39 305 48 17.83 25 36 12.72 133 17 05.06	Meters. 4.1487274 4.6420540 4.5171594 4.2193242

SPLIT MOUNTAIN, FRESNO AND INYO COUNTIES, CAL.

On highest point of Split Mountain, which is on crest of the Sierras at the source of Tinnemaha Creek, flowing into Owens River, and Cartridge Creek, flowing into middle fork of Kings River. There is a higher point about 8 miles northwest (Mount Jordan). The point can be easily reached from the west side by going up Cartridge Creek to the summit of the ridge, thence south to peak. It can also be reached from the head of Tinnemaha Creek. It would be very difficult to climb it from the south.

Station mark: A cairn 6 feet high on highest point.

[Latitude 37° 01′ 16.40″. Longitude 118° 25′ 18.51″.]

To station—	Azimuth.	Back azimuth.	· Log. distance.
Brewer. Goddard. Morgan. White Mountain, south Black Mountain Waucoba Keynot. Whitney.	9 11 54.05 109 06 57.48 147 13 59.01 192 12 05.44 212 37 23.61 269 42 52.99 310 08 55.38 346 36 56.01	189 09 38.34 288 56 12.20 327 02 43.14 12 18 09.46 32 44 32.20 89 57 51.70 130 25 29.22 166 41 37.36	Meters. 4.545577 4.4468610 4.7057157 4.8428852 4.5110832 4.5669785 4.7307221 4.7028133

#### SILVER, FRESNO COUNTY, CAL.

On the highest peak between Fish and Mono creeks, at head of Silver Creek. Summit is flat, running north-northeast and south-south-west. Highest point is at southwest end. Can camp at meadows below Margaret Lakes. Thence it is three and one-half hours' travel to station. Can take mules within 700 feet of summit on east. There is grass and water for one night within 1,200 feet of summit.

Station mark: A bronze triangulation tablet set in solid rock, on which was erected a cairn of rocks 5 feet in diameter at base and 5 feet high.

[Latitude 37° 28′ 12.09″. Longitude 119° 01′ 14.36″.]

To station—	Azimuth.		Back	aziı	muth.	Log. distance.	
Big Shuteye. Red Lyel Hillgard Three Sisters Kaiser Lyel Morgan Goddard	69 120 143 305 5 36 143 285 326	48 54 38 02 29 48 38 33 36	41. 16 43. 33 27. 25 47. 29 49. 98 51. 25 30. 57 44. 39 13. 95	249 300 323 125 185 216 323 105 146	33 40 29 09 28 42 29 44 47	51. 80 31. 80 17. 71 52. 52 23. 83 52. 26 20. 79 15. 58 11. 35	Meters, 4,5842369 4,6010921 4,5704983 4,3230108 4,5637232 4,3856891 4,5706560 4,4233811 4,6873632

## BIG PINE, INYO COUNTY, CAL.

(Not occupied.)

Station mark: The cupola on school in Big Pine.

[Latitude 37° 09′ 57.91″. Longitude 118° 17′ 35.59″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Split Mountain. Round. Black Mountain.	35 34 20,99	215 29 40.59 290 24 21.19 28 17 23.37	Meters. 4, 2956901 4, 1213363 4, 1054372

#### BISHOP, INYO COUNTY, CAL.

Station mark: The cupola on Methodist Academy in Bishop.

[Latitude 37° 21′ 48. 29″. Longitude 118° 23′ 53. 11″.]

To station—	Azimuth.	Back	zimuth.	Log. distance.
Morgan Sheep Black Mountain	95 05 26.58 221 11 34.11 304 42 42.28	278 41	53 16.21 18 09.84 49 00.79	Meters. 4. 4765596 4. 3849933 4. 2722012

#### BLACK MOUNTAIN, INYO COUNTY, CAL.

On the highest point of Black Mountain, a comparatively low mountain on the east side of Owens Valley between Black Canyon on the north and the toll road on the south, about 15 miles southeast of Bishop and 12 miles northeast of Big Pine. Animals can be taken to summit from south, though it is rather steep. There is a trail up Black Canyon to an abandoned mine three-fourths of a mile from station. Collin's residence is near mouth of Black Canyon.

Station mark: A rock cairn 6 feet in diameter at base and 8 or 9 feet high, with tree in center; triangulation tablet under center of tree.

[La titude 37° 16′ 02. 12′′. Longitude 118° 13′ 28. 72′′.]

							Log.	
To station—	Azimutn.			Back azimuth.			distance.	
4 44 4								
		/	//	0	/	//	Meters.	
Split Mountain	32	44	32, 20	212	37	23.61	4, 5110832	
Round.	70	19	33.80	250	12	01.66	4, 2915272	
Morgan.	108	59	56. 83	288	41	28.57	4.6769728	
Hooklo	140	17	52. 94	320	06	20. 01	4,6526073	
Heckla	176	13	52.81	356	12	46. 23	4,6111148	
White Mountain South.	210	10	- Jan L C. I	000				
Sheep.	181	17	14.31	1	17	30.38	4. 4612513	
Piper	239	00	19.49	59	11	08. 24	4. 4869603	
Blue Dick	244	30	31.69	64	53	38.05	4.7932844	
White Top	268	00	08, 56	88	19	14.31	4.6687104	
Gold Mountain	270	52	06. 99	91	25	31.52	4.9117079	
Waucoba.	324	33	01. 22	144	40	53. 89	4, 5232682	
Tradeona	021	00	01122		***			

CRATER, INYO COUNTY, CAL.

On a small red hill with crater in center, between Tinnemaha and Taboose creeks and west of the road between Independence and Big Pine. Animals can be ridden to summit.

Station mark: A cairn about 5 feet high

[Latitude 37° 01′ 45.14″. Longitude 118° 17′ 15.83″.]

To station—	Azimuth.	Azimuth. Back azimuth.				
Split Mountain Round. Black Mountain Independence.	85 47 37.70 147 05 42.24 191 57 31.68	265 42 47.05 327 00 28.39 11 59 48.83 162 30 49.50	Meters. 4.077868 4.373047 4.431462 4.418968			

## DARWIN, INYO COUNTY, CAL.

# (Not occupied.)

# [Latitude 37° 10′ 01.88″. Longitude 118° 40′ 17.34″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Three Sisters Silver. Morgan	85 24 33.45 137 27 48.71 168 30 33.81	265 10 28.40 317 15 06.64 348 28 21.32	Meters. 4. 539610 4. 659817 4. 431384

#### DOUBLE, INYO COUNTY, CAL.

# (Not occupied.)

# This is a very prominent peak, and the highest point was located.

## [Latitude 37° 33′ 39.21″. Longitude 118° 54′ 23.76″.]

To station—	Λz	imu	ith.	Back	aziı	nuth.	Log. distance.
Silver. Baldy. Morgan	$\frac{45}{216}$	$\frac{01}{18}$	54. 44 56. 03 30. 59	224 36	57 26	44, 39 14, 12 52, 56	Meters. 4. 154153 4. 470684 4. 364138

#### INDEPENDENCE, INYO COUNTY, CAL.

# Station mark: The cupola on court-house in Independence.

# [Latitude $36^{\circ}$ 48' 13. 33''. Longitude $118^{\circ}$ 11' 56. 80''.]

To station	Azimuth.	Back azimuth.	Log. distance.
Williamson Crater Keynot	31 20 30.42 162 30 49.50 296 34 50.74	211 16 30.48 342 27 37.89 116 43 22.33	Meters. 4. 282346 4. 418968 4. 375246

#### KEYNOT, INYO COUNTY, CAL.

On highest point of mountain on east side of Owens Valley, about 16 or 18 miles northeast of Lone Pine post-office, by road and trail. The trail from Lone Pine to Keynot mine crosses ridge about 2 miles south of point. Animals can be taken to signal.

Station mark: A rock cairn 8 feet high with tree in center.

[ Latitude 36° 42′ 28.02″.	. Longitude 117°	57' 41.90".]
----------------------------	------------------	--------------

To station—	Azimuth.			Back	aziı	nụth.	Log. distance.
Olancha Whitney Williamson Split Mountain Waucoba	64 79 130	55 13 42 25	49. 03 37. 07 21. 24 29. 22 19. 33	195 244 259 310	$     \begin{array}{r}       50 \\       01 \\       29 \\       08     \end{array} $		Meters. 4, 7078290 4, 5154617 4, 5011643 4, 7307221 4, 5455821

# MORGAN, INYO COUNTY, CAL.

On highest part of high mountain, on east side and near source of Rock Creek. A rock cairn was found on this mountain, probably of Wheeler Survey in 1878. There is a trail from J. L. C. Sherwin's ranch in Round Valley to source of Rock Creek. Another trail goes from same place to Rickey's ranch in Long Valley, and trail up Mono Creek crosses range and intersects above-mentioned trails. This is the only mountain in the vicinity visible from Conness. Cairn was in good condition and was not disturbed.

Station mark: Triangulation tablet cemented in large flat rock, distant 10.2 feet, azimuth 72° 33′, from cairn of Wheeler Survey.

[Latitude 37° 24′ 20.14″. Longitude 118° 43′ 56.04″.]

					-		
To station—	Azimuth.			Back azimuth			Log. distance.
		1	//		/	//	Meters.
Three Sisters	44	53	05, 52	224	41	10. 61	4, 6157891
Silver	105	44	15, 58	285	33	44. 39	4. 4233811
Lyell	128	05	41. 28	307	45	58, 78	4, 7805563
Conness	140	24	24 56	320	02	49. 62	4. 9091556
Baldy.	182	59	48. 38	3	00	41. 92	4. 6136960
White Mountain, north.	214	29	18. 27	34	43	04. 27	4. 7666392
Haalda	220	03	25. 98	40	10	06. 14	4. 3991161
Heckla.				***		0.00	4, 6923306
White Mountain, south	238	48	03, 66	59	05	29. 89	
Black Mountain	288	41	28. 57	108	59	56. 83	4. 6769728
Waucoba	303	15	12. 77	123	41	31. 37	4, 8873537
Round	309	$^{27}$	08.48	129	38	03. 12	4. 5377405
Split Mountain	327	02	43, 14	147	13	59. 01	4, 7057157
Sheep	253	1.5	49. 17	73	34	36, 83	4. 6769802
Goddard	358	01	28. 67	178	01	57. 03	4, 5257589
	300						

# OLANCHA, INYO AND TULARE COUNTIES, CAL.

Highest peak on range southwest of Owens Lake. Can be easily ascended from the Monache Meadows on South Fork of Kern River. Animals can be ridden almost to timber line; thence very good walking to summit. Point was used by Wheeler Survey, as a small rock cairn was found on highest point.

Signal: Rock cairn 7 feet in diameter at base and 10 feet high was erected at same point.

Station mark: A triangulation tablet cemented in rock at center of cairn.

[Latitude  $36^{\circ}$  15' 55.67''. Longitude  $118^{\circ}$  07' 03.00''.]

To station—	Azin	Log.e distance.				
Mahogany. Big Meadows. Kern Florence Kawah Mountain Whitney Keynot. Sunday.	27 1 107 3 112 0 131 5 155 5 195 5	12 42, 16 10 05, 78 33 43, 41 13 14, 31 57 46, 73 54 30, 34 50 15, 38 16 38, 85	204 207 287 291 311 335 15 218		53. 77 29. 90 41. 77 51. 25 57. 01 18. 76 49. 03 10. 70	Meters. 4. 475006 4. 628248 4. 203838 4. 622019 4. 637510 4. 581123 4. 707829 4. 833289

#### PALISADE, FRESNO AND INYO COUNTIES, CAL.

# (Not occupied.)

North Palisade, or Mount Jordan, divides the waters of Big Pin Creek and Palisade Creek, the former flowing into Owens River, the latter into Middle Fork of Kings River. Highest point north complete Split Mountain and probably higher than latter. Very difficult to climb. Best reached up Palisade Creek.

Station mark: Highest point on mountain.

[Latitude 37° 05′ 40.45″. Longitude 118° 30′ 49.68″.]

To station~	Azimuth.	Back azimuth.	Log. distance.
Goddard Morgan Round Split Mountain	93 08 26,77 150 45 15,18 209 58 09,31 314 49 29,21	273 01 00.70 330 37 19.20 30 01 06.71 134 52 48.78	Meters. 4. 26216 4. 59755 4. 16135 4. 06225

#### PINCHOT, FRESNO AND INYO COUNTIES, CAL.

A round-topt red mountain about 8 miles down (south) the mast crest of the Sierras from Split Mountain, and probably the higher point between the Kearsarge Pass and Split Mountain. It is also called Red Mountain.

Station mark: The highest point of mountain.

[Latitude 36° 56′ 51.75′. Longitude 118° 24′ 17.21″.]

To station—	Azimuth.	Back azimuth.	Log.
Split Mountain. Waucoba Keynot. Whitney.	0 / // 169 28 42.77 256 44 35.33 303 49 32.88 346 03 52.24	76 58 56.45 124 05 29.04	Meters. 3, 9189 { 4, 5604 { 4, 6781 { 4, 6248 } }

#### PIPER, INYO COUNTY, CAL.

On highest point of range of low mountains between Fish Valley and Deep Spring Valley, on the east side and about 1 mile distant from road between Big Pine and Oasis and about 7 miles from latter. Animals can be taken within a short distance of summit.

Station mark: A triangulation tablet cemented in rock under center of cairn 9 feet high.

[Latitude 37° 24′ 33.39″. Longitude 117° 55′ 39.06″.]

To station	Azimuth.	Back azimuth.	Log. distance.
Waucoba. Black Mountain Sheep. White Mountain South Boundary post 74. Boundary post 75. Blue Dick Magruder White Top.	228 20 26.76 250 00 44.76	0 / / // 189 19 26.05 239 00 19.49 297 04 37.65 310 41 58.24 25 35 17.27 48 23 35.98 70 13 03.73 89 50 15.96 125 14 49.43	Meters. 4.6388914 4.4869603 4.4595886 4.5826240 4.0275048 4.0101962 4.5012097 4.5276844 4.3937678

# ROUND, INYO COUNTY, CAL.

On a round, bald point about 10 miles west-northwest of Big Pine and on east side of Coyote Valley. A trail goes from Big Pine up Baker Creek to Coyote Valley. Animals can be ridden to summit.

Station mark: A cairn about 7 feet high, 122 feet south of highest point of mountain. Cairn is probably a corner on forest, reserve line and was not disturbed.

[Latitude 37° 12′ 27.77". Longitude 118° 25′ 55.91".]

To station—	Azimuth.			Back	aziı	nuth.	Log. distance.
Morgan . Black Mountain Waucoba . Split Mountain	$\frac{250}{298}$	12 28	03. 12 01. 66 08. 81 31. 89	118	19 43	08. 48 33. 80 32. 04 54. 46	Meters. 4, 5377405 4, 2915272 4, 6336966 4, 3163237

# SHEEP, INYO COUNTY, CAL.

On the highest point of southeasternmost of two high red peaks at the source of Piute Creek. Can be reached by same trail that goes to White Mountain South station, except that one travels south after reaching summit of ridge.

Station mark: A triangulation tablet set in loose rock under center of a cairn 7 feet high.

[Latitude 37° 31′ 40.09″. Longitude 118° 13′ 02.25″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Black Mountain Bishop. Morgan. White Mountain South. Piper.	1 17 30.38 41 18 09.84 73 34 36.83 164 16 27.53	0 / " 181 17 14.31 221 11 34.11 253 15 49.17 344 15 04.62 117 15 12.24	Meters. 4, 4612513 4, 3849933 4, 6769802 4, 0898619 4, 4565886

## TOM, INYO COUNTY, CAL.

(Not occupied.)

On the highest point of Mount Tom, a well-known mountain on the west side of Round Valley; not difficult to climb.

Station mark: A small cairn.

[Latitude 37° 20′ 19.70″. Longitude 118° 39′ 23.01″.]

To station—	Azimuth.		Back	aziı	nuth.	Log. distance.	
Three Sisters. Morgan. White Mountain South.	58 137 227	41 50 07	50.70 13.72 33.67	238 317 47	27 47 22	11.11 28.00 15.39	Meters. 4, 6230791 4, 0001589 4, 6842969

## WAUCOBA, INYO COUNTY, CAL.

On highest point in range of mountains about 20 miles northeast of Independence. There is a wagon road from Citrus up Mazurka Canyon to its head, thence by trail about 2 miles east to a spring, which is only water in vicinity. The mountain can be seen northeast from ridge where trail crosses just before going down to spring, but signal is not in view. Station is 3 miles from spring and can be reached on horseback. There is little grass, but by letting animals range north and east they can get along fairly well.

Station mark: A cairn 12 feet high. All trees were cut or burned from summit of the mountain.

[Latitude 37° 01′ 19.76″. Longitude 118° 00′ 25.90″.]

To station—	Azimuth.			Back	aziı	Log. distance.	
Whitney. Williamson Split Mountain Round Morgan Black Mountain White Mountain South Piper. Montezuma White Top. Gold Mountain. Keynot	27 33 89 118 123 144 162 189 217 223 247 353	21 46 57 43 41 40 09 19 16 33 30 20	35. 89 05. 70 51. 70 32. 04 31. 37 53. 89 37. 92 26. 05 02. 41 00. 76 26. 42 40. 94	207 213 269 298 303 324 342 9 37 43 67	, 11 35 42 28 15 33 00 22 39 44 55 22	23. 12 10. 92 52. 99 08. 81 12. 77 01. 22 36. 84 19. 54 33. 03 10. 54 52. 73 19. 33	Meters, 4.7430219 4.6884122 4.5669785 4.6336966 4.8873537 4.5232682 4.8538027 4.6388914 4.9733803 4.5983045 4.8288720 4.54588720

#### THREE SISTERS, FRESNO COUNTY, CAL.

On the south end of summit of the Three Sisters. Can be reached by trail between Shaver and Blaney Meadow (or Hot Springs). Leave trail at large meadow between Red Mountain and Potato Hill, traveling southeast. At foot of mountain on northeast side is a small meadow with running water. Animals can be taken nearly to summit from south to southeast.

Station mark: A bronze triangulation tablet set in loose rock with cairn built over it 3 feet in diameter at base and 3 feet high.

[Latitude 37° 08′ 29.64″. Longitude 119° 03′ 36.50″.]

To station	Azimuth.	Back azimuth.	Log. distance.
aiser  ver organ oddard g Shuteye  lliman banish (preliminary) uldy	185 28 23.83 224 41 10.61 277 51 05.29 125 27 35.30 329 28 41.38 329 37 29.39	326 51 14.47 5 29 49.98 44 53 05.52 98 03 25.99 305 14 15.24 149 41 47.00 149 43 36.33 163 05 03.75	Meters, 4.3069355 4.5637231 4.6157891 4.4856065 4.6014723 4.8062703 4.4747072 4.7358215

#### WHITE TOP, INYO COUNTY, CAL.

On summit of white-topped mountain about 6 miles up ridge southeast) from Last Chance Mountain. The nearest water is at Villow, which is 7½ miles from Pigeon Springs, a well-known point on the Oasis-Lida road. There is no forage in the country; a wagon can be taken to Willow Spring, and animals can be ridden from that place o summit by going up ridge and keeping on the divide.

Station mark: A triangulation tablet set in loose rock under center f cairn 6 feet high.

[Latitude 37° 16′ 50.65″. Longitude 117° 41′ 56.80″.]

To station—	Azîmuth.	Back azimuth.	Log. distance.
aucoba ack Mountain per hite Mountain South ue Dick agruder old Mountain	125 14 49. 43 128 45 45. 34 200 59 12. 38 223 02 13. 54	223 33 00.76 268 00 08.56 305 06 30.66 308 25 28.16 21 03 10.06 43 07 46.12 95 14 03.60	Meters. 4.5983045 4.6687104 4.3937678 4.798824 4.4287747 4.2956894 4.5453611

# WHITNEY, TULARE AND INYO COUNTIES, CAL.

Station is on the highest point of Mount Whitney. Peak is at ource of Crabtree Creek as given by old Sierra Club map (but Whitney creek on most recent edition) and Lone Pine Creek. Whitney Creek ows into Kern River. There is a good trail from Lone Pine post-office osummit of peak and another trail from Kern River up old Whitney volcano Creek to its source, thence over ridge to Rock Creek, mence over ridge to Whitney Creek, thence up creek to foot of mountain. Elevation, 14,499 feet above mean sea level.

Station mark: A triangulation tablet cemented in rock under center a cairn 8 feet high.

[Latitude 36° 44′ 44.14″. Longitude 118° 17′ 28.84″.]

To station—	Azimuth.			Back	aziı	Log. distance.	
Big Meadows Florence Kaweah Mountain Brewer Goddard Split Mountain Williamson Waucoba Keynot Olancha	2 50 70 129 146 168 207 244 335 359	55 32 49 52 52 52 41 40 11 01 48 17	30. 58 40. 95 52. 86 34. 57 26. 30 37. 36 29. 09 23. 12 48. 67 18. 76 41. 07	\$\circ\$ 182 230 250 309 326 346 348 27 54 155 179	54 23 43 45 37 36 39 21 13 54	03. 07 26. 66 13. 01 39. 25 02. 71 56. 01 47. 84 35. 89 37. 07 30. 34 49. 85	Meters. 4. 8615178 4. 4782336 4. 2475638 4. 3522874 4. 8426164 4. 7028113 3. 9418286 4. 7430219 4. 5154617 4. 5811231 4. 4767457

WILLIAMSON, TULARE AND INYO COUNTIES, CAL.

(Not occupied.)

On the highest point of Mount Williamson, a well-known mountain about 5 miles a little west of north from Mount Whitney. The mountain can be climbed from either side, but animals can not be taken to summit.

Station mark: The higher of two cairns.

[Latitude 36° 37' 22.37". Longitude 118° 18' 37.99".]

To station—		Azimuth.			aziı	nuth.	Log. distance.
Crite Manuscin			//		10	00, 57	Meters. 4,6201792
Split Mountain		56 16	10. 92			05. 70	4. 62017920
Waucoba							
Keynot	25	59 - 29	50. 89	79	42	21.24	4. 501164
Whitney		48 39	47.84	168	40	29. 09	3. 941828€

#### BALDY, MONO COUNTY, CAL.

On the northwestern of two high points on mountain locally known as Baldy, almost 10 miles a little south of west of Benton post-office and store, on east side of Long Valley. It can be reached by road and trail either from Benton or Long Valley. This is the highest point if the range between the Sierras and White Mountains and probably about 10,000 feet above sea. Animals can be taken to summit.

Station mark: A cairn 6 feet in diameter at base and 8 feet high with tree in center and triangulation tablet cemented in rock under center of tree.

[Latitude 57° 46′ 31″.00 | Longitude 118° 42′ 28.27″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Morgan Lyell Conness Horse White Mountain North White Mountain South Heckla	3 00 41, 92 85 37 47, 22 111 45 56, 12 158 41 58, 00 257 02 05, 63 291 14 13, 31 327 23 11, 08	182 59 48.38 265 17 05.03 291 23 22.03 338 38 15.64 77 15 01.28 111 30 50.25 147 28 59.28	Meters, 4, 613696 4, 697011 4, 763266 4, 38648; 4, 50172- 4, 63225 4, 41390

#### CASTLE PEAK, MONO COUNTY, CAL.

(Not occupied.)

A high mountain north of Conness.

Station mark: A small cairn.

[Latitude 38° 03′ 53.91″. Longitude 119° 16′ 25.04″.]

To station—	Azimuth. Back azimuth. Log. distance.	
Horse. Baldy. Conness.	302 42 08.89 123 03 00.60 4.772573	4

HORSE, MONO COUNTY, CAL.

On the highest point of a sagebrush ridge about 5 miles east of Mono Lake and about 10 miles north-northwest of Dexter Meadows, on road between Benton and Crater Lake post-office. There is no feed nor water closer than Dexter Meadows. A small spring about 3 miles south, but not sufficient water for camp. Animals can be ridden anywhere in this country.

Station mark: A triangulation tablet cemented in rock under center of cairn 9 feet high.

[Latitude 37° 58′ 46.14″. Longitude 118° 48′ 50.44″.]

To station—	Az	ith.	Back	aziı	nuth.	Log. distance.	
ell. nness nness dite Mountain North de l'Aldy	56 88 291	57 26 17	56, 53 54, 14 08, 39 15, 64	236 268 111	40 07 33	54. 76 59. 79 48. 34	Meters. 4. 6868437 4. 6534201 4. 6305132 4. 3861824

HECKLA, MONO COUNTY, CAL.

On a high rocky hill (not mountain), about 20 miles northwest of Bishop. There are a great many mines or prospects in the hill, several of which are owned by J. L. C. Sherwin. Road from Bishop to Long Valley passes about 2 miles south of point where first timber is reached; thence there are several wood roads to foot of hill. Animals can be taken within 200 feet of point on northwest side, but thence up it is very rough. No available water or food near. Owens River is not more than 6 miles south, but it is difficult to get down to water.

Station mark: A triangulation tablet cemented under rock under center of tree, with small cairn around it on highest rock on hill.

[Latitude 37° 34′ 42″.00 Longitude 118° 32′ 58.58″.]

To station—	Az	imu	th.	Back	aziı	muth.	Log. distance.
Morgan Baldy White Mountain South Black Mountain.	40 147 256 320	10 28 26 06	06, 14 59, 28 26, 69 02, 01	220 327 76 140	23	25, 98 11, 08 13, 77 52, 94	Meters. 4. 3991161 4. 4139048 4. 4272420 4. 6526073

LYELL, MONO COUNTY, CAL.

At end of Tuolumne Meadows, 14 miles southeast of Soda Springs. The south side a nearly perpendicular wall, the north a series of meadows until glacier is reached; the east and west sides rather steep. The highest point is a short sharp ridge, about 200 yards long, running northwest and southeast, the northwest end being the lower. Ascended from head of Lyell Fork and northeast side of peak.

Station mark: Small stone monument; "U.S.G.S." chiseled on rock east of it.

[Latitude 37° 44′ 23.13″. Longitude 119″ 16′ 15.30″.]

To station—	Azimuth.			Back	aziı	Log. distance.	
Conness. Horse Baldy White Mountain South Morgan Silver Kaiser Big Shuteye Red Clarks Peak Hoffman Dana	170 236 265 277 307 323 351 17 52 71 119	, 11 40 17 07 45 29 13 46 03 03 37 59	34. 84 54. 76 06. 03 12. 03 58. 78 20. 79 27. 41 48. 27 35. 82 13. 41 00. 01 22. 02	350 56 85 97 128 143 171 197 231 250 299 14	09 57 37 44 05 38 16 41 58 57 28 01	45. 17 56. 53 47. 22 27. 23 41. 28 30. 57 36. 00 04. 96 32. 37 11. 2. 89 13. 38	Meters. 4. 408927 4. 686843 4. 697012 4. 955994 4. 780556 4. 570656 4. 698873 4. 657150 4. 188229 4. 165461 4. 383674 4. 263768

#### MONO, MONO COUNTY, CAL.

# (Not occupied.)

Station mark: The highest point of Crater Mountain, near Crater post-office.

# [Latitude 37° 52′ 42.26″. Longitude 119° 00′ 23.41″.]

To station—	Λz	imu	th.	Back	aziı	nuth.	Log. distance.
Conness. Horse. Baldy.	109 237 293	08	14. 98 41. 29 00. 44		15	40. 11 59. 54 59. 80	Meters. 4. 467345 4. 316252 4. 457531

#### MONUMENT, MONO COUNTY, CAL.

#### (Not occupied.)

#### [Latitude 37° 48′ 09.48". Longitude 118° 20′ 41.20".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Baldy White Mountain North White Mountain South	84 41 17. 11 165 48 16. 54 337 00 13. 44	264 27 56. 20 345 47 50. 95 157 03 31. 05	Meters. 4, 506848 3, 618650 4, 306902

# WHITE MOUNTAIN NORTH, MONO COUNTY, CAL.

A point located by the Coast and Geodetic Survey and also occupied by the Wheeler Survey. No signal was found in 1905, except a small pile of rocks, probably left by members of the Wheeler Survey.

Station mark: A large cairn erected over small rock pile of Wheeler Survey.

[Latitude 37° 50′ 20.15″. Longitude 118° 21′ 22.95″.]

To station—	Azimuth.			Baek	aziı	muth.	Log. distance.
Morgan Baldy Conness Horse White Mountain South Mount Grant Carson Sink Totyabe Dome Lone Mountain White Pine	34 77 99 111 338 155 183 218 254 257	43 15 50 33 29 02 05 11 31 05	04. 27 01. 28 21. 87 48. 34 12. 76 03. 90 17. 80 31. 10 38. 60 50. 50	214 257 279 291 158 334 3 38 75 78	02 14 17 32 45 09 48 03	18. 27 05. 63 49. 46 08. 39 56. 00 56. 70 51. 60 52. 90 27. 40 30. 30	Meters. 4. 7666392 4. 5017243 4.9344715 4. 6305132 4. 8871739 4. 9527523 5. 2876628 5. 1492956 4. 8953334 5. 4084214

# WHITE MOUNTAIN SOUTH, MONO COUNTY, CAL.

A point located by the Coast and Geodetic Survey on the highest summit of the White Mountain Range. It is best reached from Bishop by following the wagon road to Kellogg's ranch, a distance of 10 or 12 miles, thence along trail up Piute Creek to a cabin at end of old wagon road, thence up a creek 0.25 mile, thence along trail up the ridge nearly to summit of peak.

Station mark: A cairn 13 feet in diameter at base and 13 feet high.

[Latitude 37° 38′ 04.07″. Longitude 118° 15′ 18.20″.]

To station—	Az	imu	th.	Back	aziı	muth.	Log. distance.
Split Mountain.  Morgan Heckla Lyell Baldy Conness. White Mountain North. Montezuma. Blue Dick Gold Mountain White Top Piper Piper Waucoba. Black Mountain Carson Sink Toiyabe Dome Lone Mountain White Pine.	59 76 97 111 111 158 264 283 296 308 310 342 356 180 210	18 05 37 44 30 49 32 52 23 27 25 41 00 12 29 26 53 42	09. 46 29. 89 13. 77 27. 83 50. 25 04. 10 56. 00 07. 86 45. 73 53. 08 28. 17 58. 24 46. 23 43. 90 05. 50 48. 40 23. 40	192 238 256 277 291 291 338 85 103 117 128 130 162 176 0 0 30 57 73	$\begin{array}{c} 12\\ 48\\ 26\\ 07\\ 14\\ 09\\ 29\\ 44\\ 48\\ 02\\ 45\\ 53\\ 09\\ 13\\ 28\\ 59\\ 21\\ 24\\ \end{array}$	05. 44 03. 66 26. 69 12. 03 13. 31 53. 00 12. 76 53. 55 04. 67 32. 64 45. 34 45. 34 45. 41 37. 92 52. 81 92. 60 49. 20 04. 40	Meters. 4. 8428852 4. 6923366 4. 4272420 4. 9559946 4. 6322517 5. 0037076 4. 8883369 4. 7811244 4. 9738652 4. 5826240 4. 5826240 4. 5826240 4. 5826240 4. 5836027 4. 6111148 4. 8157908 5. 1805908 4. 9019728 5. 4041605

BIG MEADOWS, TULARE COUNTY, CAL.

The highest point on range between Kern River and South Fork of Kern River, about 25 miles northeast of Kernville along the Mount Whitney trail.

Station mark: A bronze triangulation tablet cemented in a large bowlder, over which is erected a cairn 6 feet high.

[ Latitude  $35^{\circ}$   $55^{\prime}$   $28.61^{\prime\prime}.$  Longitude  $118^{\circ}$   $19^{\prime}$   $55.81^{\prime\prime}.]$ 

To station—	Azimuth.		Azimuth. Back azimuth.			Log. distance.	
Florence Whitney Kern Olancha Mahogany Pahute Breckinridge Sumday Moses.	5 159 182 185 207 213 5 23 55 141	26 02 58 46 25 21	59. 35 03. 07 27. 52 29. 90 12. 72 09. 34 23. 77 15. 81 04. 62	5	48 55 28 10 01 44 16 12 20		Meters. 4, 7553965 4, 8615178 4, 6317012 4, 6282480 4, 1060172 4, 7224576 4, 7575669 4, 4420184 4, 7013414

BREWER, TULARE COUNTY, CAL.

Highest point of Mount Brewer, a prominent mountain at source of Brewer Creek; rather difficult to climb. Sharp peak at summit is used for signal.

Station mark: A cairn.

[Latitude 36° 42′ 31.67″. Longitude 118° 29′ 04.70″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Goddard Split Mountain. Whitney. Kaweah Mountain.	0 " ' 154 33 01.05 189 09 38.34 309 45 39.25 358 16 31.93	334 24 33.96 9 11 54.05 129 52 34.57 178 16 46.53	Meters. 4. 6859822 4. 5455577 4. 3522874 4. 3062797

FLORENCE, TULARE COUNTY, CAL.

Mount Florence is the highest point east of Farewell Gap, about 6 miles southeast of Mineral King, at headwaters of Middle Fork of Kaweah and Little Kern rivers.

Station mark: A bronze triangulation tablet cemented in solid rock, surmounted by a cairn 6 feet high.

[ Latitude  $36^{\circ}\ 24'\ 23.05''$ . Longitude  $118^{\circ}\ 33'\ 60.85''$ .]

To station	Azimuth.	Back azimuth.	Log. distance.
Kaweah Mountain. Whitney. Olancha Kern Mahogany. Big Meadows. Sunday. Moses. Baldy. Silliman	0 / " 205 57 00.40 230 23 26.66 291 47 51.25 294 33 40.96 328 00 03.75 339 48 16.67 2 32 31.46 39 35 55.38 134 54 42.41 153 37 10.01	0 / " 25 59 35.31 50 32 40.95 112 03 14.31 114 43 02.25 148 10 35.24 159 55 59.35 182 31 19.39 219 31 17.76 314 42 51.70 333 31 56.75	Meters. 4. 1708006 4. 4782336 4. 6220191 4. 4144887 4. 7033678 4. 7553065 4. 8406527 4. 2635024 4. 6217913 4. 4687506

#### KAWEAH MOUNTAIN

. ( \ \ ( \ \ )

On easternmost and only flat-topped mountain of the Kaweah group. At the source of Chagoopa Creek, a tributary of Kern River. Best eached by Chagoopa Creek.

Station mark: A small cairn, on highest point of mountain.

[Latitude 36° 31′ 35.24″. Longitude 118° 28′ 40.21″.]

To station—	Azimut	h.	Back	azi	Log. distance.	
lorence. rewer Vhitney dancha cern	25 59 178 16 250 43 311 44 324 38	46, 53 13, 01 57, 01	358 70 131	16 49 57	00. 40 31. 93 52. 86 46. 73 46, 09	Meters. 4. 1708006 4. 3062797 4. 2475638 4. 6375102 4. 4711073

KERN, TULARE COUNTY, CAL.

On high, rocky mountain on divide between Kern River and South Fork of Kern River. The range is sometimes called Too-wa Range; it is about 4 miles south of the Mount Whitney trail at point where unnel was cut from Whitney Creek to South Fork of Kern River. The trail down South Fork of Kern River to Monache Meadows basses within about 3 miles of station and signal can be seen from neadow after leaving Whitney Creek. Animals can be taken within 600 feet of summit.

Station mark: A triangulation tablet set in solid rock under center of cairn, on highest point of mountain.

[Latitude 36° 18′ 31.77″. Longitude 118° 17′ 14.05″.]

Γο station—	Azimuth.								
ig Meadows. Torence Cawcah Mountain Vhitney Ilancha Gahogany	114 144	43 45 17 27	03. 46 02. 25 46. 09 49. 85 41. 77 04. 26	294	33 38 17 33	27. 52 40. 96 58. 74 41. 07 43. 41 16. 30	Meters. 4. 6317012 4. 4144867 4. 4711073 4. 4767457 4. 2038386 4. 5077615		

MAHOGANY, TULARE COUNTY, CAL.

On a spur of Big Meadows Mountain and on divide of the waters of Fish Creek and South Fork of Kern River. The Kernville-Mount Whitney trail passes about 1 mile west of station on ridge. Can be reached by trail from the Monache Meadows. The summit has scattering clusters of mahogany trees on it. Animals can be taken to the signal. Description of trail is difficult, as there are many cattle trails in all directions. Fish Creek meadow is nearest good one.

Station mark: A triangulation tablet under center of a rock cairs 6 feet in diameter at base and 5.8 feet high, with a tree in center.

[Latitude 36° 01′ 11.99″. Longitude 118° 15′ 11.97″.]

To station—	Azimuth.			Azimuth. Back azimuth.					
Big Meadows Fiorence Kern Olancha	34 148 174 204		00. 04 35. 24 16. 30 53. 77	213 328 354 24	58 00 33 12	12, 72 03, 75 04, 26 42, 16	Meters. 4, 106017 4, 703367 4, 507761 4, 475006		

TRAIL, TULARE COUNTY, CAL.

(Not occupied.)

Summit of mountain at end of high Sierras. The trail that goes up South Fork of Kern River thru Mulkey Meadows, thence across mainridge and down Cottonwood Creek to Lone Pine, passes south of and within a mile of point at summit of ridge. Can camp on either side or ridge.

Station mark: Highest point of mountain.

[Latitude 36° 25′ 39.77″. Longitude 118° 11′ 22.97″.]

To station	Azimuth.	Back azimuth.	Log. distance.
Kern Florence Whitney	33 35 24.09 85 55 26.10 151 32 41.44	213 31 55.91 265 42 35.60 331 29 03.80	Meters. 4. 1995224 4. 510829 4. 2808181

CONNESS, TUOLUMNE COUNTY, CAL.

A primary station of the Coast and Geodetic Survey, 10 miles nort, of Soda Springs. In shape an irregular parallelogram of granite, fror northwest portion of which rises the top of peak, with precipitous side of 1,000 feet or more. It can be ascended from Soda Springs in four hours by a trail made by the Coast and Geodetic Survey. Grass and water can be found within 1 mile of summit.

Station mark: Concrete pier, with 5-inch copper bolt in center.

[Latitude 37° 58′ 02.59″. Longitude 119° 19′ 14.23″.]

To station—	Azimuth.			Back	aziı	Log. distance.	
Red. Clarks Peak Devil Peak Hoffman Cottonwood Peak Dana. Round Top. Mount Grant Castle Peak Horse White Mountain South Baldy Morgan Lyell	12 17 37 51 83 310 142 214 200 268 291 291 320 350	7 36 29 22 21 06 11 39 32 50 07 09 23 02 09	41. 02 05. 74 32. 54 09. 23 44. 80 57. 93 27. 37 19. 16 59. 79 53. 00 22. 03 49. 62 45. 17	192 197 217 231 262 130 322 34 20 88 111 110	33 25 07 14 51 15 14 52 26 49 45 24	26. 59 09. 01 08. 88 10. 79 29. 07 39. 67 10. 26 00. 68 19. 21 19. 21 04. 10 56. 12 24. 56	Meters. 4.551576') 4.497064-) 4.785548') 4.3288340 4.563904 ) 4.0621370' 4.989137-! 4.9109037-! 4.653420 ) 5.0037070' 4.763268') 4.9091550' 4.408927 ]

CALIFORNIA-NEVADA BOUNDARY POST TRIANGULATION STATION NO. 75.

Position computed was that of the old triangulation station near No. 75.

[Latitude 37° 28′ 14.01″. Longitude 117° 50′ 27.80″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Piper White Mountain South Boundary post 74.		228 20 26.76 296 18 46.22 312 33 45.93	Meters, 4,0101962 4,6112609 3,6175456

CALIFORNIA-NEVADA BOUNDARY POST TRIANGULATION STATION NO. 74.

Position computed was that of the old triangulation station near No. 74.

[Latitude 37° 29′ 44.97″. Longitude 117° 52′ 32.05″.]

To station—	Azimuth.	Log. distance.	
Piper. White Mountain South. Boundary post 75.	25 35 17.27 114 46 02.30 312 33 45.93	205 33 23.55 294 32 09.41 132 35 01.54	Meters. 4,0273048 4,5669083 3,6175456

BLUE DICK, ESMERALDA COUNTY, NEV.

On a high, bald ridge in the Palmetto Range, about 8 miles northwest of Lida and about the same distance north-northeast of Pigeon Spring. Road from Lida to Silver Peak passes about 4 miles east of station. A trail leaves road about 1 mile below summit on road and can be followed to station by going west, then north up ridge. There is no feed nor water near point.

Station mark: A triangulation tablet set in rock under center of cairn 9 feet high.

[Latitude 37° 30′ 23.33″. Longitude 117° 35′ 25.43″.]

To station—	Azimuth.			Back	aziı	Log. distance.	
White Top Waucoba Black Mountain Piper White Mountain South Lene Mountain Montezuma Stonewall Gold Mountain Magruder	21 34 64 70 103 188 223 270 318 340	03 38 53 13 48 23 58 37 01 02	10. 06 53. 52 38. 05 03. 73 04. 67 34. 07 17. 82 41. 07 03. 70 35. 49	200 214 244 250 283 8 444 90 138 160	59 23 30 00 23 27 06 57 11 04	12.38 45.02 31.69 44.76 45.73 07.15 40.71 48.39 27.59 10.89	Meters. 4. 4287747 4. 8145008 4. 7932844 4. 5013097 4. 7811245 4. 7644849 4. 4636354 4. 6876502 4. 5782060 4. 0531807

GOLD MOUNTAIN, ESMERALDA COUNTY, NEV.

On the highest summit of Gold Mountain, a sharp, rocky peak 1.5 miles southeast of Oriental post-office (abandoned), now known as Old Town or Old Camp, and about 20 miles southeast of Lida post-office. Best reached from Old Camp, where there is good water and

feed and which is reached from Lida post-office by a good wagon road. (Wheeler point, 1871–72?)

Station mark: A bronze triangulation tablet in solid rock, stamped "8144 V A," under a rock monument 6 feet high.

[Latitude 37° 15′ 09.13′′ (37° 15′ 09.50′′a). Longitude 117° 18′ 17.76′′ (117° 18′ 18.09′′a).]

To station—	Azimuth.			Back	aziı	Log. distance.	
Tin a	\$\) 18 174 220 267 336 67 91 95 117 129 138 174 220	18 12 27 34 28 55 25 14 02 23 11 12 26	33.00 45.00 07.00 42.00 08.00 52.73 31.52 03.60 32.64 32.11 27.59 05.58	\$\frac{9}{198}\$ 354 40 87 156 247 270 274 296 309 318 354 40	12 10 36 52 33 30 52 59 27 14 01 10 35	03.00 41.00 47.00 41.00 46.00 26.42 06.99 44.33 53.08 44.03 03.70 01.79 50.46	Meters. 4. 6305400 4. 63931600 4. 5584400 4. 6428500 4. 5406000 4. 8288720 4. 9117079 4. 5453611 4. 9738652 4. 4426453 4. 5782060 4. 6932257 4. 5585011
Stollewall	220	20	10.40	40	90	50. 40	4.000,011

a B. D. Stewart, 1905.

## LONE MOUNTAIN, ESMERALDA COUNTY, NEV.

# For description of this station, see page 145.

[Latitude 38° 01′ 28.759″ (38° 01′ 28.83″ a). Longitude 117° 29′ 37.647″ (117° 29′ 37.51″ a).]

To station-	Azimuth.			Back	aziı	Log. distance.	
Montezuma a. Blue Dick a. Mount Grant Toiyabe Dome Cactus Peak Diamond. Stonewall Montezuma	342 8 118 187 296 316 325 342	200	03. 38 07. 15 45. 13 26. 93 52. 00 25. 00 47. 00 57. 00	162 188 297 7 116 136 145 162	23 23 42 52 31 36 38 23	55. 68 34. 07 31. 46 43. 32 36. 00 13. 00 27. 00 49. 00	Meters. 4, 5845027 4, 7644840 5, 1093270 4, 9570026 4, 7817000 4, 6476800 4, 8486000 4, 5845027

a Urquhart, 1905.

#### MAGRUDER, ESMERALDA COUNTY, NEV.

## (Not occupied.)

On the highest point of Magruder Mountain, a well-known mountain 3 or 4 miles southwest of Lida.

Station mark: A triangulation tablet in center of cairn 6 feet high.

[Latitude 37° 24′ 38.69″. Longitude 117° 32′ 48.56″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
White Top. Waucoba Piper Blue Dick Montezuma. Gold Mountain.	43 35 46.78 89 50 15.96 160 04 10.80	223 02 13.54 223 19 03.89 269 36 21.55 340 02 35.40 27 30 30.62 129 23 32.11	Meters, 4. 2956894 4. 7738605 4. 5276844 4. 0531807 4. 5506138 4. 4426453

MONTEZUMA, ESMERALDA COUNTY, NEV.

For description of this station, see page 146.

[Latitude 37° 41′ 41.44′′ (37° 41′ 41.3′′ a). Longitude 117° 21′ 41.24′′ (117° 21′ 41.24″ a).]

To station—	Azimuth.		Back	aziı	muth.	Log. distance.		
Magruder. Waucoba. Waucoba. Blue Dick White Mountain South Lone Mountain Stonewall Gold Mountain Lone Mountain a Cactus Peak a. Stonewall a. Gold Mountain a	27 37 44 85 162 307 354 162 256 307 354	06 10 23 56	30. 62 33. 03 40. 71 53. 55 55. 68 21. 81 01. 79 49. 00 58. 00 41. 00	207 217 223 264 342 127 174 342 77 127 174	16 58 52 19	43. 88 02. 41 17. 82 07. 86 03. 38 08. 86 05. 58 57. 00 45. 00 45. 00	Meters. 4, 5506138 4, 9733803 4, 4636354 4, 8983360 4, 5845027 4, 5525871 4, 6932257 4, 5845027 4, 6412400 4, 5526000 4, 6931600	

a R. H. Chapman, 1905.

STONEWALL, NYE COUNTY, NEV.

For description of this station, see page 153.

[Latitude 37° 50′ 01.38″ (37° 30′ 01.30″ a). Longitude 117° 02′ 22.35″ (117° 02′ 22.43″ a).]

To station—	Azimuth.			Back	aziı	Log. distance.	
	0	,	//	0	,	//	Meters.
Gold Mountain	40	35	50.46	220	26	10.48	4. 5585011
Blue Dick	90	57	48. 39	270	37	41.07	4. 6876502
Montezuma	127	18	08, 86	307	06	21.81	4. 5525871
Gold Mountain a	40	36	47.00	220	27	07.00	4. 5584400
Montezuma a	127	18	45,00	307	06	58, 00	4, 5526000
Lone Mountain a	145	38	27.00	325	21	47, 00	4, 8486000
Diamond a	160	06	29, 00	340	02	35, 00	4, 4410100
Cactus Peak a.	204	29	12.00	24	35	09.00	4, 537,5000
Quartzite	268	24	01.00	88	50	11.00	4. 8017100
Tolicha a	321	39	17.00	141	47	39. 00	4. 5159900

a R. H. Chapman, 1905.

#### CALIFORNIA.

# PRIMARY TRAVERSE.

COLUSA, SACRAMENTO, AND YOLO COUNTIES.

SPECIAL SHEETS NOS. 19, 20, 21, AND 23.

Two lines of primary traverse were run by C. H. Birdseye, topographic aid, in 1905, as follows:

From Yolo northwest base (Coast and Geodetic Survey) east and north via county roads and Southern Pacific Railroad to Knights Landing, thence north and west along west bank of Sacramento River to Smokestack triangulation station.

From Knights Landing south and east along west bank of Sacramento River to Sacramento, tying to dome of State capitol.

Positions are given on the United States standard datum.

Geographic positions along highways from Yolo northwest base to Woodland.

Station.	Latitude.	Longitude.		
Yolo northwest base (Coast Survey), in extreme southeast corner of SE. \{ \} sec. 28, T. 10 N., R. 1 E., Mount Diablo meridian, \{ \} \{ \} miles west of railroad passing thru Woodland and on north side of county road going west toward Madison and Capay Valley. Station mark: A needle hole in a German-silver plug inserted in a copper bolt in top of a granite block 35 inches long by 20 inches square at base and drest to 12 inches at top, with the letters "U. S. C. & G. S.," cut on it, all 4.5 feet below surface, above which is a granite block 25 inches square by 26 inches deep, with the letters "U. S. C. & G. S. N. W. Yolo base" cut on it; in top of this block is a needle hole in lead in a copper bolt; top of block even with surface; a brick pier is built around this block to a height of 33; feet above ground.  Woodland, 2.5 miles west of, center of crossroads.  Woodland, 0.5 mile west of Browns Corners, center of crossroads  Woodland, 0.5 mile west of, intersection of Cemetery avenue and Main street.  Woodland, 0.5 mile west of and 1 mile north of, center of crossroads  Woodland, 1 mile north of Southern Pacific station, 50 feet southwest of intersection of crossroads, 2 by 4 inch stake	38 40 44.81 38 40 41.40 38 40 40.80 38 40 40.40 38 41 32.60 38 41 32.10 38 42 06.10	° ' '' 121 51 28.55 121 49 13.30 121 48 06.70 121 46 59.90 121 45 52.60 121 45 52.40		

# Geographic positions along Southern Pacific Railroad.

Station.		titu	de.	Longitude.			
	0	,	,,	0	,	"	
Woodland, 2 miles north of, road crossing, junction of west rails Peart flag station, middle of road crossing, east rail			35. 3 02. 5	121 121	$\frac{45}{45}$	$\frac{40.9}{29.9}$	
Cache Creek railroad bridge, 200 feet north of west rail at middle of erossroad.  Lochanour flag station, point is center of track and road crossing	38	43	26, 9	121	45	17. 9	
1,500 feet north of warehouse. Curtis flag station (500 feet north of milepost 91), at road crossing on	38	44	33. 0	121	44	44.8	
township line, center of track	38	44	57.7	121	44	32. 4	
Milepost 92, 20 feet south of, center of track opposite iron post, elevation 30 feet.  Knights Landing, 1.5 miles south of, private road crossing, center of	38	45	38.6	121	44	11.9	
track at south end of north guard rails.	38	46	42.0	121	43	40.2	
Milepost 94, center of track opposite	38	47	16.0	121	43	22.7	
Knights Landing, road crossing 0.5 mile south of Southern Pacific station, center of road and track.	38	47	46.3	121	43	07.4	
Knights Landing (Grafton post-office), in west wall, south abutment of railroad bridge over Sacramento River, tablet	38	48	09.4	121	42	56.0	

# Geographic positions along west bank of Sacramento River from Knights Landing to Howells Point.

Station.	Latitude.	Longitude.
Knights Landing, I mile northwest of, opposite temporary bench mark marked "35," eenter of levee road.  Knights Landing, I.12 miles northwest of, west edge of road at white	38 48 42.3	121 43 25.4
gate. Knights Landing, 1.8 miles northwest of, west edge of road at white gate. Knights Landing, 1.8 miles northwest of, opposite temporary bench	38 49 04.3	121 43 27.9
mark marked "35," middle of levee road. Knights Landing, 2.8 miles northwest of, opposite temporary bench	38 49 25.1	121 43 25.2
mark 35, north end of large warehouse, eenter of levee road	38 50 19.6	121 43 49.2
mark marked '16' elevation 36 feet, center of levee road	38 51 09.0	121 43 27.2
marked "15," elevation 36 feet, eenter of levee road.  Darby Camp, L3 miles east of, opposite old house, on north side of levee, standard bench-mark post stamped "39 B 104".	38 51 40.5 38 52 15.4	121 44 16.7 121 44 58.1
Fair ranch house at Darby Camp, at east gate to farmyard, temporary bench mark, elevation 34 fect	38 51 46.6	
Fair raneh, 1.5 miles west of, temporary bench mark No. 11, elevation 37 feet, on gatepost on levee, south of Rough and Ready landing, een-		
ter of levee opposite bench mark. Smokestack triangulation station (smokestack of Reclamation pump-		121 47 11.1
ing plant district No. 8)	38 55 33.2	121 52 51.5

Geographic positions along west bank of Sacramento River from Knights Landing to Sacramento.

	Station.	La	titi	ide	Lon	gitu	tde.
Cnig	thts Landing, 0.5 mile south of Southern Pacific station, road		,	"		,	//
ere	ossing, center of road and track	38	47	46.3	121	43	07.4
SO	thwest of temporary bench mark, elevation 29 feet	38	47	45.7	121	41	58.7
Mi	Lippincott's house, center of road.  hts Landing, 3 miles southeast of, 75 feet south of timber, in west	38	46	39.4	121	41	23.2
eds	te of levee	38	46	10.4	121	41	33.4
⊾mg sta	nds fanding, 5 miles southeast of, on the with rence opposite indard from post, center of levees Bend, 0.5 mile north of, 400 feet north of township road, in west	38	45	49.5	121	41	13.3
eds	cc of levce	38	44	59.7	121	40	38.0
łray łray	's Bend, opposite creamery door, center of levee s Bend, 0.25 mile northeast of, road turns east, leaving river, 35 t northwest of temporary bench mark marked '29 D''.	38	44	34.9	121	4()	23.9
fee tray	t northwest of temporary bench mark marked "29 D". s Bend, 0.75 mile northeast of, 30 feet north of gate and 1.000 feet	38	44	47.0	121	40	03.9
sot	thwest of P. Goettsch's dairy ranch, on top of levee, standard ach-mark post	38	44	55.5	121	39	90.7
tray	s Bend, 0.75 mile east of, temporary bench mark marked ``24 D'' power-line pole.	38	44				38.7
ra.v	s Bend, 3 miles cast of, center of old windmill on edge of tule, temary bench mark marked "20 D".			57.4	121	39	12.0
ray	s Bend, 3.75 miles east of, 300 feet north of fence line and on edge of	38	45	30.2	121	37	20.1
	ber, 1 mile west of Sacramento River, old cottonwood tree e's ranch, 0.75 mile west of, 20 feet south of road on top of back	38	45	25.8	121	36	35.8
	eee's ranch, 0.5 mile south of, junction of river and back levecs, cen-	38	45	31.4	121	36	21.2
ter	of levee at road at wire gate e's ranch, 1.25 miles south of, at large gate by large oak tree, west	38	44	59.1	121	35	46.9
edg	e of levce	38	44	26.2	121	36	07.7
fee	west edge of levee, opposite bench mark	38	43	51.1	121	36	18.1
lev	ey's bee ranch, 200 feet east of old yellow house, west edge of ee, temporary bench mark marked "32 D"	38	43	20.3	121	36	21.1
ilkh ma	orn weir, station is standard tablet set in north wall of wier, rked "30 B".	38	42	34.5	121	36	58.9
llkh	orn, 2 miles north of, 100 fect east of old barn, in root of large oak e, temporary bench mark marked "25 D"	38	41	55.5	121	37	51.6
llkh	orn saloon, 55 feet southeast of southeast corner of, stake in top of	38	40	37.3	121	37	49.3
lkh	orn, 1 mile south of, 1,200 feet north of Mr. Perkins's house (open oss river), opposite white flag marked "Sta. 224 A," center of	50		0110			30.00
lev	20	38	39	58.9	121	37	03.6
hou	orn, 2 miles south of, opposite south window of M. F. Silva's use (open across river), center of levee.	38	39	19.9	121	36	21.2
lev	orn, 3 miles south of, in front of Mr. Matalock's house, center of ee over water pipe	38	38	34.4	121	35	33.1
	orn, 3.5 miles southeast of, junction of river and back levees on at edge of Fair ranch, on south side of road and west side of old						
air	al, nail with flagranch, 1 mile southeast of, east edge of road, southeast of fence	38	38	37.2	121	34	59.2
cor	ner, flag marked "Sta. 242". ranch, 2 miles southeast of, in front of Mr. Cassleman's house, op-	38	38	02.5	121	33	49.4
pos	ite temporary bench mark, elevation 29 feet, center of road	38	37	25.7	121	33	45.3
sta	nan's hop yard, by water tank on east side of levee road, iron post	38	36	35.5	121	33	35.1
lear	sington, 2 miles northwest of, on east side of fence where road ves river, temporary bench mark, a nail in base of telephone pole,			40. 4	4.24		=
Vasl	ration 31 feet (capitol dome visible from point)ington, 2 miles west of west end of switch, nail in west tie leading	38	35	49.1	121	32	46.7
to s Vast	switch block, center of track (capitol dome visible from point) lington (Broderick post-office), street crossing on west edge of, 15	38	35	14.5	121	32	41.7
fcet	north of old railroad track in center of north-south street (Fifth	38	35	16.6	121	30	44.3
aera	mento bridge over Sacramento River, center of railroad track	38	35	09.1	121	30	19.8
acra	lèr cross arm in center of drawbr'dge. mento, capitol dome, U.S. standard.	38	34	37.4	121	29	34.3

#### MONTANA.

#### TRIANGULATION STATIONS.

#### FERGUS COUNTY.

# MOCCASIN MOUNTAIN, MAIDEN, AND KENDALL QUADRANGLES.

During the season of 1905 H. L. Baldwin, jr., controlled an area of 800 square miles, based on the positions of Judith and Big Snowy, as published on page 305, Bulletin No. 122. Azimuth observations were made at stations Skaggs and Fence Corner, the weighted mean of which was adopted in computing the positions of 10 occupied and 12 unoccupied stations. Positions are given on the Bozeman astronomic datum of the Wheeler Survey of 1873.

# BIG SNOWY, FERGUS COUNTY.

On highest summit of Big Snowy Mountains, south and east of Half Moon Pass, elevation 8,600 feet. A monument was found with 5-foot base and 7 feet high. It was enlarged to oval shape, 9 feet in large rdiameter and 5 feet in smaller diameter, so as to be seen from points to northward.

Station mark: Rock monument.

Reference mark: A bronze tablet cemented in decomposed limestone rock, true azimuth 155° 35′, distant 12.1 feet.

[Latitude 46° 45′ 12.30″. Longitude 109° 18′ 48.80″.]

To station—	Azimuth.			Azimuth. Back azimuth.						Log. distance.		
Crazy Neihart Judith South Moccasin Judith Fox Pass	o 42 104 187 a 160 a 187 a 198	37 13 42 27 38 38	36.00 56.00 20.00 40.19 46.00 56.87	221 283 7 340 7 18	17 46 17	45.00 23.00 24.00 56.98 47.44 47.22	Meters. 5.041£500 5.0661220 4.7178170 4.7008583 4.7178170 4.7669659					

a Observed azimuth, 1905.

#### DOGMELLE, FERGUS COUNTY.

About 2 miles east of the Claggett road, on a prairie mesa lying between Dog and Armelle creeks, 2 miles southeast of a large ranch house supposed to belong to Fergus.

Station mark: An iron bench-mark post set 3 feet in the ground.

Reference mark: An "Ayer's Sarsaparilla" bottle buried 6 inches below surface of ground on line to North Moccasin and covered with a small pile of rocks, true azimuth from station 75° 07', distant, 5.1 feet.

#### [Latitude 47° 20′ 47.58″. Longitude 109° 17′ 53.03″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Pyramid South Moccasin. North Moccasin. Porgus. Fox Pass. udith.	75 06 39.67 273 03 50.89 301 01 10.49	0 / // 180 03 41.10 223 49 22.57 254 59 12.46 93 10 26.41 121 11 22.97 157 54 34.18	Meters. 4. 3492569 4. 4127832 4. 1209595 4. 0533075 4. 3106950 4. 1851827

# FENCE CORNER, FERGUS COUNTY.

On the high table-land one-half mile west of Cottonwood Creek; 36 feet north and 44 feet west of the junction of a road from the north with the east-west road; junction is probably the southwest corner of sec. 6, T. 15 N., R. 17 E.

Station mark: An iron bench-mark post set 3 feet in the ground.

# [Latitude 47° 05′ 09.38″. Longitude 109° 36′ 57.95″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
outh Moccasin yramid ufted Pine	254 31 19.88	30 45 31.47 74 45 17.96 101 03 20.45	Meters. 4. 0800695 4. 3980464 4. 4439395

# FERGUS, FERGUS COUNTY.

On a high bluff 1.5 miles northeast of Andrew Fergus's ranch. Station mark: An iron bench-mark post set 3 feet in ground.

Reference mark: Beer bottle buried with top 8 inches below surface, true azimuth from station 83° 30′, distant 6.4 feet.

# [Latitude 47° 20′ 27.66″. Longitude 109° 08′ 55.23″.]

To station	Azimuth.	Back azimuth.	Log. distance.		
fudith North Moccasin. Oogmelle. Fox Pass.	83 29 38.15	0 / // 202 09 22.92 263 15 35.56 273 03 50.89 148 03 12.53	Meters. 4. 1661345 4. 3841602 4. 0533675 4. 0692667		

## FOX PASS, FERGUS COUNTY.

About 2 miles northeast of summit of Fox Pass on highest mountain and 1 mile southeast of Cone Butte.

Station mark: The signal consisting of several small trees supported by wires on highest part of hill.

Bull. 310—07——13

Reference mark: A bronze triangulation tablet cemented in a lime rock set in the ground, true azimuth from station 80° 15′, distant 4.5 feet.

[Latitude 47° 15′ 05.48″. Longitude 109° 03′ 59.59″.]

To station—	Azimuth.		. Back azimuth.			Log. distance.	
Big Snowy. Tufted Pine. Pyramid Judith North Moccasin Dogmelle Fergus. Skaggs.	18 31 56 72 103 121 148 357	49 26 13 55 26 11 03 01		198 211 236 252 283 301 327 177	18 03 48 08 01 59	56, 87 14, 62 37, 84 24, 85 41, 638 10, 49 35, 276 19, 88	Meters, 4,766965 4,442953 4,325383 4,090070 4,493104 4,310695 4,069266 4,259282

#### JUDITH, FERGUS COUNTY.

On highest peak of Judith Mountains, about 3 miles north of Maiden, Mont.

Station mark: A monument of rocks 6 feet in diameter at base and 8 feet high, with tree in center erected on site of original station, the monument of sticks and rocks having disappeared.

Reference marks: A tablet cemented in a small sloping rock, true azimuth from station 147° 10′, distant 7.5 feet; 4-inch pine tree blazed on side toward station, marked with triangle, true azimuth from station 181° 20′, distant 34 feet; 5-inch pine tree, blazed on side toward station, marked with triangle, true azimuth from station 288′ 14′, distant 44.5 feet.

[Latitude 47° 13′ 08.09″. Longitude 109° 13′ 18.60″.]

To station—	Azimuth.		imuth. Back azimuth.			
Big Snowy. Pyramid. South Moceasin. North Moceasin Dogmelle Fergus. Fox Pass Skaggs.	35 2 79 3 120 1 157 5 202 0 252 4	12 47. 44 26 49. 81 30 17. 78 5 26. 24 44 34. 18 9 22. 92 18 24. 85 13 15. 13	215 259 300 337 22 72	38 46,00 23 27,66 16 30,29 04 38,02 51 12,56 12 36,41 55 15,25 50 37,71	Meters, 4.717817 4.000506 4.382951 4.185182 4.166134 4.090070 4.285546	

# NORTH MOCCASIN, FERGUS COUNTY.

On the north peak of the North Moccasin group of mountains.

Station mark: A bronze tablet loosely cemented in the very looselimestone rock on summit.

Signal: A fir tree erected over tablet and supported by three guy wires.

Reference marks: Small pine tree, true azimuth from station 189 36', distance to base of tree 9.4 feet; small pine tree, true azimuth from station 124° 41', distance to base of tree 18.3 feet.

#### [Latitude 47° 18′ 57.20′′. Longitude 109° 28′ 00.96′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
onth Moccasin. and ognede specification of the spec	263 15 35, 56 283 08 41, 64 300 04 38, 02	198 41 55.07 75 06 39.67 83 29 38.15 103 26 20.83 120 15 26.24 146 05 03.40	Meters, 4, 2062696 4, 1209595 4, 3841602 4, 4931041 4, 3315202 4, 3586992

PYRAMID, FERGUS COUNTY.

Station is on bare peak of that name 4 miles southwest of Maiden nd is easily ascended from any direction.

Station mark: A 2-inch gas pipe 1 foot long projecting 1 inch bove top of ground and cemented into the compact but fissured rock n summit and about 4 feet north thereof.

[Latitude 47° 08′ 43.89″. Longitude 109° 17′ 54.17″.]

To station—	Azimuth.	simuth. Back azimuth.		
ence Corner uth Moceasin orth Moceasin ogmelle dith. xx Pass rifted Pine.	101 46 11. 52 146 05 03. 40 180 03 41. 10 215 23 27. 66 236 03 37. 84	254 31 19.88 281 35 46.59 325 57 37.96 0 03 42.13 35 26 49.81	Meters. 4. 3980464 4. 2631779 4. 3586992 4. 3492569 4. 0005064 4. 3253830 4. 0899692	

SKAGGS, FERGUS COUNTY.

On edge of bluff 1.5 miles south of Skagg's ranch and about 8 miles ast of Gilt Edge post-office. Is probably in sec. 3, T. 15 N., R. 21 E., ear southwest corner.

Station mark: An iron bench-mark post set 3 feet in ground.

Reference marks: An upright beer bottle, cork 8 inches below surace of ground; distant 6.20 feet, true azimuth from station 2° 23′.

[Latitude 47° 05′ 18″. Longitude 109° 03′ 14.96″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Piness.	70 18 43.30 138 50 37.71 177 02 19.88	250 09 49.00 313 43 15.13 357 01 47.15	Meters. 4. 2139046 4. 2855408 4. 2592824

SOUTH MOCCASIN, FERGUS COUNTY.

ıfted dith.

On the middle peak of the south group of Moccasin Mountains, etween Warm Spring and Big Spring creeks.

Station mark: A bronze tablet cemented in a large rock set on top hill, over which is placed a pine tree 12 feet high, 10 feet spread of mbs, held in position by wires.

Reference trees: Pine 4 inches in diameter true azimuth from station 195°, 21.3 feet distant. Pine 4 inches diameter, 266° 30′ from station, 32.6 feet distant.

[Latitude 47° 10′ 44.08″. Longitude 109° 32′ 06.41″.]

To station—	Azimuth.	Azimuth. Back azimuth.		
Fence Corner. North Moceasin Dogmelle Judith Pyramid. Tufted Pine Big Snowy.	259 16 30, 29 281 35 46, 59 306 21 22, 68	210 41 57. 79 18 44 55. 29 43 59 49. 54 79 30 17. 78 101 46 11. 52 126 33 36. 52 160 27 40. 19	Meters. 4. 08006; 4. 20626; 4. 41278; 4. 38295; 4. 26317; 4. 41925; 4. 70085;	

## TUFTED PINE, FERGUS COUNTY.

On highest rounded hill about 9 miles east of Lewistown and 3 mile southwest of Flat Mountain. Reached from Lewistown via road w Boyds Creek for 5 miles, then take right-hand branch; 2 miles farther road branches again; take right-hand road to coal mine, thence t top of hill.

Station mark: The base of the trunk of a pine tree 14 inches it diameter with a tufted top 30 feet above-ground.

Reference mark: Bronze triangulation tablet set in limestone roc at highest point of hill, true azimuth from station 227° 23′, distant 14.6 feet.

[Latitude 47° 02′ 18.82″. Longitude 109° 15′ 24.78″.]

To station—	Λz	imu	th.	Back	aziı	muth.	Log. distance.
Fence Corner. South Moccasin Pyramid Fox Pass Skaggs		03 33 10 18 09	20, 45 36, 52 27, 13 14, 62 49, 00	306 345 31	08	22. 67 37. 70 36. 92	Meters, 4, 44393 4, 41925 4, 08996 4, 44295 4, 21390

The following positions are located by three or more intersections

NORTH MOCCASIN MOUNTAINS, MIDDLE PEAK.

[Latitude 47° 17′ 44.64″. Longitude 109° 25′ 04.28″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Pyramid. North Moccasin.	0 / // 319 45 24 210 41 14	0 / // 139 53 36 30 42 01	Meters. 4. 339 3. 415

#### EASTERN OF TWO TREES.

[Latitude 47° 17′ 32.4″. Longitude 109° 36′ 15.5″.]

# NIPPLE-SHAPED HILL, HIGHEST TREE.

[Latitude 46° 57′ 30′′, Longitude 108° 42′ 53′′]

To station—	Azimuth.	Back azimuth.	Log distance
Pyramidudith	0 / //	0 / "	Meters . 4, 6902 4, 6830
LEWISTOWN HIGH SCHOOL	DL (CENTER OF BU	uilding).	
[Latitude 47° 03′ 45.55′′,	Longitude 109° 25′ 3	4.23".]	
yramid outh Moccasin			4. 1264 4. 1859
SOUTH MOCCASIN MOUNT	fains (northwes	ST PEAK).	
(Rock monum	ent 5 feet high.)		
[Latitude 47° 11′ 32.28″.	Longitude 109° 32′ 1	6.40′′.]	
udith outh Moccasin			4. 3825 3. 1769
JUDITH MOUNTAINS	(MIDDLE WEST PI	EAK).	
[Latitude 47° 09′ 10.82″.	Longitude 109° 21′ 1	4.62".]	
ndithogmelle	-		4. 0939 4. 3410
рокрну	RY PEAK.		
[Latitude 47° 12′ 54.95″.	Longitude 109° 15′ 5	5.70".]	
yramid. uth Moccasin			3. 9108 4. 3186
WIN	DMILL.		
[Latitude 47° 04′ 21″.	Longitude 109° 31′ 49	.34".]	
outh Moceasin ence Corner			4, 0732 3, 8247
BLACK BUTTE, NORTH	POINT OF DOUBL	E TOP.	
[Latitude 47° 14′ 14.90″.	Longitude 108° 58′ 1	4.27".]	
ndith ogmelle			4. 2818 4. 4405
CONE	BUTTE.		
[Latitude 47° 15′ 35.95″.	Longitude 109° 04′ 1	7.09".]	
udithergus.			4, 0888 4, 0309

# LINDSY'S RANCH HOUSE.

[Latitude 47° 13′ 50.80″. Longitude 109° 26′ 24.75″.]

To station—	Azimuth. Back azimuth.		Azimuth. Back azimut		Log. distance.
Pyramid	0 / //	0 / //	Meters. 4. 15628 4. 21990		

#### SMALL TREE ON SUMMIT OF HILL WEST OF BARNES KING MINE.

[Latitude 47° 17′ 28.82″. Longitude 109° 28′ 29.91″.]

Pyramid Dogmelle			4. 32258 4. 16781
---------------------	--	--	----------------------

## DEERLODGE, GRANITE, POWELL, AND RAVALLI COUNTIES.

# PHILIPSBURG AND SAPPHIRE QUADRANGLES.

During the season of 1905 H. L. Baldwin, jr., topographer, extended triangulation eastward from stations Quigg and Willow to stations Haggin and Powell. Fourteen primary stations were occupied and numerous secondary points were located by intersections.

Positions are based on the adopted mean value of Hamilton and Helena astronomic stations and bases.

BENCH-MARK POST 5124, DEERLODGE COUNTY.

## (Not occupied.)

[Latitude 47° 07′ 40.5″. Longitude 112° 53′ 43.6″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
West Mound.	0 / //	0 / //	Meters. 3.97360

#### HOWE, DEERLODGE COUNTY.

(Not occupied.)

# On Continental Divide; elevation 10,475 feet.

[Latitude 46° 02′ 58.9″. Longitude 113° 12′ 53.7″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Haggin	0 / //	0 / //	Meters. 4.01056 4.42528
Haggin Red Lion			4.42528

## SHORT PEAK, DEERLODGE COUNTY.

# · (Not occupied.)

# East peak of ridge south of Haggin; elevation 10,240 feet.

[Latitude 46° 03′ 39.8″. Longitude 113° 06′ 19.3″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Haggin. Warren			Meters, 3.50216 4.45502

WASHOE SMELTER SMOKE STACK, DEERLODGE COUNTY.

(Not occupied.)

Station mark: Center of stack; elevation of top 6,101 feet.

[Latitude 46° 06′ 44.1″. Longitude 112° 54′ 45″]

To station—	Ažimuth.	Back azimuth.	Log. distance.
laggin owell		c / //	Meters, 4,15681 4,43271

#### WARM SPRINGS, INSANE ASYLUM, DEERLODGE COUNTY,

(Not occupied.)

[Latitude 46° 10′ 474″. Longitude 112° 47′ 28.1″.]-

To station—	Azimuth.	Back azimuth.	I og. distance.
Powell Haggin	0 / //	322 50 00 246 33 15	Meters. 4.37901 4.40769

WEST MOUND, DEERLODGE COUNTY.

(Not occupied.)

The higher of two large bare mounds, 5 miles north of Anaconda; elevation 7,209 feet.

[Latitude 46° 12′ 19.66". Longitude 112° 56′ 57.49".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Powell Haggin	0 / // 172 08 38 40 58 53	352 07 22 220 52 35	Meters. 4.21473 4.23491

#### BARE HILL, GRANITE COUNTY.

# (Not occupied.)

# [Latitude 46° 02′ 59.4". Longitude 113° 44′ 44.9".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Kent Emerine.	0 / //	0 / //	Meters. 3. 60839 4. 25047

#### BLACK PINE, GRANITE COUNTY.

On a bare summit, on timbered ridge running north and south, 2 miles east of Willow Creek, 9 miles northeast of junction of Willow and Rock creeks, about 4 miles west of the deserted town of Combination. Best reached from Rock Creek by following up Willow Creek Valley and taking ridge leading to first timbered point south of station, thence north along ridge.

Station mark: A rock monument 6 feet in diameter at base and 8 feet high.

Reference marks: An aluminum tablet buried 4 inches below surface of ground (at point occupied by instrument) and covered with a small pile of loose rock; true azimuth from station 266° 56′, distant 4.7 feet; a 6-inch pine, blazed and marked with a triangle, true azimuth 198° 13′, distant 77.1 feet; a 6-inch pine, blazed and marked with a triangle, true azimuth from station 216° 26′, distant 62.9 feet.

[Latitude 46° 26′ 21.21″. Longitude 113° 26′ 46.46″.]

To station—	Αz	imu	th.	Back	aziı	muth.	Log. distance.
Warren. Emerine. Palisade Quigg Harvey. Chieago Princeton Red Lion	191	$     \begin{array}{c}       04 \\       25 \\       54 \\       25 \\       18 \\       20 \\       45 \\       02     \end{array} $	37. 98 19. 45 23. 13 49. 94 31. 86 21. 44 18. 32 44. 56	0 181 207 244 283 11 53 86 131	04 17 35 14 20 34 59	06. 36 13. 86 56. 98 01. 08 46. 50 12. 42 10. 66 32. 24	Meters. 4. 7002295 4. 4950967 4. 5576824 4. 3313048 4. 3038307 4. 4826352 4. 3900569 4. 4048210

#### CHICAGO, GRANITE COUNTY.

On the highest prairie hill, 2 miles south of the town of New Chicago, but about 200 yards north of the highest point and very close to the east-west section line.

Station mark: Iron bench-mark post.

Signal: Black and white cloth, temporary in nature.

[Latitude 46° 36′ 07.14″. Longitude 113° 07′ 41.31″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Blaek Pine	53 34 12 42	233 20 21.44	Meters. 4. 4826352 4. 3115010 4. 2240669
Harvey	94 42 09.93	274 30 32.57	
Princeton	359 45 32.84	179 45 35.23	

#### CONGDON PEAK, GRANITE AND RAVALLI COUNTIES.

First rocky peak 2 miles south of Fox Peak. A wagon road leads rom Rock Creek up Ross Fork Valley to mine about 8 miles distant. Best route is thence westward by trail 1 mile to Medicine Lake, thence outhwest on trail 5 miles to Fox Peak, which is easily ascended from ortheast end of spur; descend then to northwest about 400 feet in levation to avoid slide rock on southwest face and thence along idge southwest to peak.

Station mark: A rock monument 3 feet in diameter at base and 4 eet high.

[Latitude 46° 05′ 15.91″. Longitude 113° 46′ 09.63″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
/arren ent	0 / // 294 34 57 36 45 38	0 / // 114 48 23 216 44 36	Meters, 4. 42313 3. 48725

#### DOME-SHAPED MOUNTAIN, GRANITE COUNTY.

(Not occupied.)

# Highest part.

[Latitude 46° 18′ 28″. Longitude 113° 46′ 46.4″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
uigg. lack Pine	0 / //	0 / // 13 39 41 60 27 05	Meters, 4, 30368 4, 47006

#### EMERINE, GRANITE COUNTY.

On south knoll of the mountain of that name about 6 miles west of he junction of East Fork and Middle Fork of Rock Creek. Top of nountain is rocky and bare and difficult of ascent, the route from the outh being perhaps the best.

Station mark: A rock cairn 8 feet in diameter at base and 9 feet igh.

Reference mark: An aluminum tablet set in a sloping rock face, on he east side thereof, serves as a reference mark. True azimuth from tation, 250° 20′, distant 4.22 feet.

[Latitude 46° 11′ 21.79″. Longitude 113° 37′ 57.96″.]

To station—	Azimuth.	Azimuth. Back azimuth.	
ent. alisade uigg lack Pine rairie aggin /arren	9 / // 42 04 07 28 124 03 35.67 168 42 21 25 207 17 13 86 250 26 56.29 284 52 32.27 328 50 55.22	221 57 11.19 303 53 16.85 348 38 39.66 27 25 19.45 70 34 27.80 105 15 48.33 148 58 27.43	Meters. 4. 2675236 4. 3450447 4. 5233032 4. 4950967 4. 1529706 4. 6338509 4. 4169071

FISH PEAK, GRANITE COUNTY.

(Not occupied.)

# On Continental Divide; elevation 10,240 feet.

[Latitude 46° 00′ 25.5″. Longitude 113° 20′ 03.8″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Warren. Emerine		0 / //	Meters. 3. 9927 4. 4872

FOURTH PROMINENT PEAK SOUTHWEST OF MOUNT WARREN, GRANITE COUNTY.

(Not occupied.)

Station mark: A rock monument.

[Latitude 45° 56′ 25.75″. Longitude 113° 30′ 53.86″.]

To station—	Azimuth.	Azimuth. Back azimuth.					
Warren Kent		0 / //	Meters. 3. 8374 4. 4089				

#### FOX PEAK, GRANITE AND RAVALLI COUNTIES.

A wagon road leads up Ross Fork Valley from Rock Creek to min about 8 miles distant. Best route is thence westward by trail 1 mil to Medicine Lake, thence southwest on trail 5 miles to Fox Peak which is easily ascended from northeast end of spur.

Station mark: Rock monument.

[Latitude 46° 06′ 12.53″. Longitude 113° 45′ 53.02″.]

To station—	Azimuth.			Back az	imu	th.	Log. distance.
Warren /	298 27	17 32	00 44	118 207	30 31	" 13 31	Meters. 4. 4306 3. 676;

# HAGGIN, GRANITE COUNTY.

On Haggin Peak, 8 miles southwest of Anaconda; easiest ascent i from end of wood road leading south from the 9-mile house on Warr Spring Creek, thence up ridge between Barker and Haggin lakes Horses can be ridden to an elevation of 9,800 feet; thence on foot t summit of mountain along ridge to east. Ascent can also be mad from Anaconda by taking road leading to the waterworks reservoi or Hearst Lake, but animals can be taken only a few hundred fee higher; ascent on ridge west of lake must then be made on foot, 2,000-foot climb. Elevation 10,598 feet.

Station mark: A rock cairn 6 feet in diameter at base and 7 feet high.

Reference marks: An aluminum tablet set in large granite rock, true azimuth from station 211° 13′; distant 9 feet 9 inches.

[Latitude 46° 05′ 19.38′′. Longitude 113° 05′ 41.79″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Warren. Emerine Prairie Red Lion Princeton Powell	68 28 07. 86 105 15 48. 33 119 40 02. 64 160 25 20. 01 176 28 41. 03 197 03 43. 66	248 12 26.01 284 52 32.27 299 24 17.23 340 20 53.16 356 27 17.05 17 08 46.54	Meters. 4. 4810782 4. 6338509 4. 5095144 4. 3733384 4. 6061458 4. 4852933

#### HARVEY, GRANITE COUNTY.

On the bare summit at west end of Harvey Ridge, near headwaters of Cow Creek; north side of hill is timbered but south and east slopes are mostly bare. Is about 12 miles west of New Chicago.

Station mark: An aluminum tablet set in red-sandstone rock.

Reference marks: An 8-inch white pine trimmed and blazed with a triangle cut in blazed part and a large spike in center thereof, true azimuth from station 310° 13′, distant 87 feet.

[Latitude 46° 37′ 00.42″. Longitude 113° 23′ 40.95″.]

To station—	Azimuth. Back azimuth. Log. distance.	
Black Pine Chicago Princeton Red Lion	. 274 30 32.57 94 42 09.93 4.3115010 311 46 47.15 131 58 26.04 4.440276	0

#### MOORE, GRANITE COUNTY.

# (Not occupied.)

On Continental Divide, near southwest end of Methodist Mountains.

[Latitude 45° 57′ 51.62″. Longitude 113° 23′ 36.62″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Emerine	0 / //	0 / //	Meters. 4. 49301 4. 51760

NEW CHICAGO, GRANITE COUNTY.

(Not occupied.)

Station mark: Center of church spire.

[Latitude 46° 37′ 42.8″. Longitude 113° 08′ 17.3″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Black Pine Chicago	o / //	0 / " 228 12 30 165 26 40	Meters. 4. 50033 3. 48436

PEAK 2 MILES EAST OF QUIGG, GRANITE COUNTY.

(Not occupied.)

[Latitude 46° 28′ 52.1″. Longitude 113° 40′ 45.25″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Palisade Emerine	o , ,,	0 / //	Meters. 4. 39601 4. 51356

PEAK EAST OF HAGGIN AND 6 MILES SOUTHWEST OF ANACONDA, GRANITE COUNTY.

(Not occupied.)

Take road up Sheep Gulch from Anaconda and at summit thereof a wood road leads south across ravine to ridge, on which the peak is situated; follow ridge to summit.

Station mark: A rock monument 3 feet in diameter at base and 4 feet high.

[Latitude 46° 04′ 53.9″. Longitude 113° 03′ 55.4″.]

To station—	Azimuth.				Back az	imu	th.	Log. distance.
Powell. Haggin		92 109	34 01	77 37 00	12 289	38 00	23 00	Meters. 4. 48779 3. 38332

POINT LOOKOUT, GRANITE COUNTY.

(Not occupied.)

Shaft house of Kent and Congdon mine.

[Latitude 46° 07′ 35.4″. Longitude 113° 39′ 45.9″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Fox	0 / //	0 / //	Meters. 3, 91842
Emerine			3, 86709

#### PRAIRIE, GRANITE COUNTY.

About 3 miles northeast of the junction of East Fork of Rock Creek with Ross Fork and West Fork of Rock Creek, on a high, nearly bare prairie hill.

Station mark: A pine tree standing among others 120 feet northeast of highest part of hill, with the lower branches trimmed. It is blazed 10 feet above ground on the southwest side and has a triangle on blaze.

Reference mark: An aluminum tablet set in rock about 2 inches below surface and covered with small rock pile; true azimuth from station, 243° 11′, distant 70 feet.

[Latitude 46° 13′ 55.461″. Longitude 113° 27′ 32.504″.]

To station—	Azimuth.			Back	aziı	muth.	Log. distance.
Kent Bmerine Quigg Red Lion Haggin Warren	70 144 252 299	34 38 29 24	06. 79 27. 80 06. 66 55. 33 17. 23 52, 98	324	26 . 3 41 40	39. 52 56. 29 52. 39 15. 15 02. 64 54. 60	Meters. 4. 5018240 4. 1529706 4. 5358043 4. 3246712 4. 5095145 4. 4331270

# PRINCETON, GRANITE COUNTY.

Situated on Mount Princeton, west of the head of Princeton Creek and 4 miles north of Princeton post-office. It is easily reached by taking old road northward from Princeton post-office for 1.5 miles along west side of creek, thence up the bare hill to station.

Station mark: A bronze triangulation tablet cemented in a projecting rock at summit of hill, surrounded by a rock monument 4 feet in diameter at base and 5 feet high.

Reference mark: Tall bare trunk of a dead pine 2 feet in diameter; true azimuth from station 170° 18′, distant 111 feet 2 inches.

# [Latitude 46° 27′ 04.62″. Longitude 113° 07′ 38.01″.]

To station—	Azimuth.			Azimuth. Back azimuth.				Back azimuth.			Log. distance.
Red Lion. Black Pine. Harvey. Chicago. Powell. Haggin.	179 314	58 45 01	10. 66 26. 04 35. 23 46. 23	196 266 311 359 134 176	45 46 45 08	20. 78 18. 32 47. 15 32. 84 24. 19 41. 03	Meters. 4. 2752007 4. 3900569 4. 4402764 4. 2240669 4. 2022534 4. 6061458				

#### PROMINENT BARE HILL, GRANITE COUNTY.

# (Not occupied.)

# [Latitude 46° 16′ 17.66″. Longitude 113° 33′ 57.2″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Emerine		o , , , , , ,	Meters. 4,02074
Quigg			4. 42035

## QUIGG, GRANITE COUNTY.

A high rocky peak about 20 miles south of Quigley and about 3 miles east of the westernmost point of Rock Creek, from which point it is easily accessible along the ridge leading eastward and 1 mile north of a log cabin built in 1905, this cabin being 0.5 mile north of trail leading up ridge westward to Burnt Fork and Steubenville. The peak is about 4,100 feet above river, sparsely timbered on sides, with summit bare. About 2 miles to the cast is a conical peak, bare on top and of about equal height.

Station mark: An aluminum tablet set in solid rock over which was erected a cairn 6 feet in diameter at base and 8 feet high.

Reference marks: Copper nail in notch on west side of pine tree blazed on north, east, and west sides (S); true azimuth from station 352° 48′, distant 53.4 feet. Copper nail in top of pine stub blazed on four sides; true azimuth from station 128° 01′, distant 27.2 feet. The third reference point left by Chapman in 1898 has disappeared.

[Latitude 46° 29′ 01.36″. Longitude 113° 43′ 04.32″.]

To station—	Azimuth.		Back azimuth.			Log. distance.	
Kent Palisade Willow Black Pine Red Lion Prairie Warren Emerine. St. Mary Miller MeLeod	7	08	23. 70	187	05	07. 94	Meters,
	30	04	40. 58	209	58	02. 07	4, 6705581
	41	12	36. 54	221	03	41. 08	4, 3711049
	283	14	01. 08	103	25	49. 94	4, 3803840
	298	13	48. 42	118	36	24. 30	4, 3313048
	324	26	52. 39	144	38	06. 66	4, 6580054
	339	56	16. 26	160	07	30. 80	4, 7679305
	348	38	39 66	168	42	21. 25	4, 5233032
	94	50	59. 47	274	28	07. 87	4, 6069916
	157	16	02. 01	337	08	42. 48	4, 5212790
	167	13	20. 58	347	04	26. 19	4, 8445761

#### RED LION, GRANITE COUNTY.

On bare, rocky point 1.5 miles northwest of Red Lion mine and 2 miles east of the abandoned town of Ramsey. Elevation by Y level 8,773 feet. Reached by trail from Red Lion thru saddle 0.75 mile south of peak, also by same trail from Ramsey.

Station mark: A rock monument 5 feet in diameter and 6 feet high.

Reference marks: An aluminum tablet set in solid rock, true azimuth from station 20° 49′, distant 4.1 feet.

[Latitude 46° 17′ 20.08″. Longitude 113° 11′ 51.58″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Warren. Prairie. Quigg. Black Pine. Harvey. Princeton. Powell. Haggin.	31 10 23.72 72 41 15.15 118 36 24.30 131 13 32.24 157 30 49.91 196 41 20.78 247 30 16.10 340 20 53.16	210 59 06, 91 252 29 55, 33 298 13 48, 42 311 02 44, 56 337 22 15, 76 16 42 24, 32 67 39 46, 92 160 25 20, 01	Meters. 4, 5914006 4, 3246712 4, 6580054 4, 4048210 4, 5962158 4, 2752007 4, 2616440 4, 3733384

#### SUGAR LOAF, GRANITE COUNTY.

## (Not occupied.)

[Latitude 46° 33′ 15.5″. Longitude 113° 16′ 42.2″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
	o , ,,	0 / //	Meters.
rinceton lack Pine			4. 21226 4. 25907

## SUMMIT OF HIGH, SPARSELY TIMBERED HILL, GRANITE COUNTY.

#### (Not occupied.)

[Latitude 46° 15′ 56.3″. Longitude 113° 52′ 33.2″.]

To station—	Azimuth.	Back azimuth.	distance.
low	0 / //	0 / //	Meters. 3, 85481
isade			3. 59243

## THIRD PROMINENT PEAK SOUTHWEST OF MOUNT WARREN, GRANITE COUNTY.

## (Not occupied.)

[Latitude 45° 57′ 00.2″. Longitude 113° 29′ 55.7″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
rren.	0 / //	0 / //	Meters. 3, 72167
nt			4. 41771

#### WARREN, GRANITE COUNTY.

On Warren Peak, at southwest end of Methodist Mountains. Can be reached from Rock Creek and Moose Lake as follows: At 1 mile above Moose Lake leave wagon road and follow a trail leading east rom old arrastre, going due east 3.5 miles. At a tree marked "C L" rail branches, the south fork going to Carp Lake, 1.5 miles distant, where camp may be established and mountain ascended by ridge west of lake—a dangerous climb, even without instrument.

Station mark: A rock cairn 8 feet in diameter at base and 8 feet high. Reference mark: An aluminum tablet set in a rock, true azimuth rom station 291° 36′, distant 9.85 feet.

[Latitude 45° 59′ 17.43″. Longitude 113° 27′ 30.26″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Cent	148 58 27. 42 160 07 30. 80 179 53 54. 60 181 04 06. 36 210 59 06. 91	288 15 16, 22 328 50 55, 22 339 56 16, 26 359 53 52, 98 1 04 37, 98 31 10 23, 72 68 28 07, 86	Meters. 4, 4362698 4, 4169071 4, 7679305 4, 4331270 4, 7002295 4, 5914606 4, 4810782

WILMA POST-OFFICE, GRANITE COUNTY.

(Not occupied.)

# South end of Park's ranch house.

[Latitude 46° 11′ 31.01″. Longitude 113° 28′ 07.90″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Warren	o , ,,	o , ,,	Meters, 4, 35534 4, 10232

#### PIKES PEAK, POWELL COUNTY.

(Not occupied.)

Elevation, 9,359 feet.

[Latitude 46° 25′ 44.9″. Longitude 113° 00′ 38.5″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Black Pine	0 / //	o , ,,	Meters, 4, 52495 4, 32661

#### POWELL, POWELL COUNTY.

Best route to station is probably up Dempsey Creek, following the northwest prong thereof, and on to the flat south of station. It can also be reached from the north and east up Tincup Joe Creek, but is very difficult of access from the west.

Station mark: A rock cairn 8 feet high, with 6-foot base.

Reference marks: An aluminum tablet set in granite rock; true azimuth from station 201° 16′, distant 12.14 feet.

## [Latitude 46° 21′ 05.67″. Longitude 112° 58′ 42.25″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Haggin Red Lion Princeton	07 7 77 17 08 46.54 67 39 46.92 134 08 24.19	247 30 16, 10	Meters. 4. 4852933 4. 2616440 4. 2022534

#### DEER MOUNTAIN, RAVALLI COUNTY.

#### (Not occupied.)

[Latitude 46° 01′ 40.1″. Longitude 114° 03′ 13.3″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
WarrenCongdon	0 / //	95 40 13 73 15 11	Meters. 4, 6657- 4, 3615

## KENT, RAVALLI COUNTY.

On a bare, rocky summit, the third from the north, near headwaters of west prong of Ross Fork of Rock Creek and 8 miles southwest of Kent and Congdon mine. A wagon road leads from Rock Creek up Ross Fork Valley to the mine. Best route is thence westward by rail 1 mile to Medicine Lake, thence southwest on trail 5 miles to Fox Peak, which is easily ascended from northeast end of spur; lescend from peak to northwest about 400 feet in elevation to avoid dide rock on southwest face, and thence along ridge southwest to foot of station, passing east of the rocky peak lying between Congdon and Ment peaks. Good camping place 1 mile northeast of station.

Station mark: A rock monument 7 feet in diameter at base and 7 feet

nigh, on highest point of rocky summit.

Reference mark: An aluminum tablet 2 feet northwest of edge of nonument, set in a large rock upon which the cairn rests; true azinuth from station 146° 24′, distant 3 feet 6 inches.

[Latitude 46° 03′ 56.23″.	Longitude 113° 47′ 35.15″.]
---------------------------	-----------------------------

To station—	Azimuth.	Back azimuth.	Log. distance.
alisade	06 11.90	347 02 50. 20	Meters. 4. 4281934 4. 6705581 4. 2675236 4. 5018240 4. 4362698
uigg	187 05 07.94	7 08 23.70	
merine	221 55 11.19	42 04 07. 28	
rairie	234 14 39.52	54 29 06. 79	
/arren	288 15 16.22	108 29 43. 33	

#### PALISADE, RAVALLI COUNTY.

On the double rocky top of a dividing ridge between Willow Creek and Burnt Fork, about 14 miles due east from Corvallis. Station is eached by going from Corvallis up Willow Creek to end of road, hence by trail to a point about 2 miles above old sawmill, where trail orks; take left-hand fork, which may lead to summit. Elevation bout 8,500 feet.

Station mark: A rock cairn 5 feet in diameter at base and 7 feet high on highest part.

Reference mark: An aluminum tablet set in rock; true azimuth rom station 116° 51′, distant 5 feet 10½ inches.

[Latitude 46° 18′ 02.34". Longitude 113° 52′ 14.69".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Villow. uigg slack Pine merine Cent	0 / // 119 16 39.85 209 58 02.06 244 35 56.98 303 53 16.85 347 02 50.20	99 14 23.17 30 04 40.58 64 54 23.13 124 03 35.67 167 06 11.90	Meters. 3. 6661373 4. 3711049 4. 5576824 4. 3450147 4. 4281934

67, RAVALLI COUNTY.

(Not occupied.)

# Lower of two timbered points.

[Latitude 46° 24′ 43.2″. Longitude 113° 49′ 28.3″.]

· To station—	Azimuth.	Back azimuth.	Log. distance.
Palisade	0 / //	0 / //	Meters. 4. 10986 4. 10200

## 68, RAVALLI COUNTY.

(Not occupied.)

# Higher of two timbered points.

[Latitude 46° 25′ 59.8″. Longitude 113° 50′ 04.7″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Palisade	0 / */	· / //	Meters. 4. 12014 4. 10122

#### WILLOW, RAVALLI COUNTY.

A station in the base expansion, 15 miles northeast of Hamilton, on a bald summit of the range on the eastern side of the Bitterroot Valley and about 4,000 feet above it. Can be reached by following up Willow Creek from Corvallis to a half-finished log cabin, thence up a leading spur to station, the latter part of the way being through lodge-pole pines and difficult to travel. This station can be used in the extension of triangulation in any direction except eastward.

Station mark: A copper bolt in rock ledge. Signal is a pine tree placed over bolt and braced in position.

[Latitude 46° 19′ 15.72″. Longitude 113° 55′ 23.70″.]

To station—	Azimuth.			Back	azin	Log. distance.	
Quigg Palisade. Daly El Capitan. South base. Ward (2). Ward (1).	46 52 59	03 14 52 38 06 11	41.08 23.17 02.00 13.00 38.56 33.24 44.57	231 238	16 47 17 56 55	36.54 39.85 48.75 46.10 56.56 53.90 10.47	Meters. 4.380384( 3.666137; 4.087563( 4.701860( 4.340153; 4.511633( 4.508499(
Astronomic pier North base St. Mary	65 74	41 49 06	35, 41 03, 84 13, 50	245 °	31 38	37. 08 55. 30 19. 34	4. 289110- 4. 271250- 4. 512951

#### NEW MEXICO.

#### TRIANGULATION STATIONS.

BERNALILLO, SOCORRO, AND VALENCIA COUNTIES.

During December, 1904, and January and February, 1905, triangution was extended over three 30-minute quadrangles and one 5-minute quadrangle in the valley of the Rio Grande by R. H. hapman, topographer.

A base 5.943 miles in length was measured near San Antonio on a angent of the Santa Fe Railway and an azimuth observed at North ase station, with a check azimuth at Socorro Peak. A position for orth base station was assumed and computations made through osed figures to the vicinity of Albuquerque, where a tie was made to lack Rock, a point established by Λ. P. Davis in 1887, and to the coss on the Roman Catholic Church at Albuquerque, which is one of the points given by R. S. Woodward in his astronomic determination of 1885.

The difference in position at Black Rock was applied as a constant prrection to the points in the scheme. The positions given are neerfore based on those brought eastward from the base and astroomic determination at Fort Wingate, N. Mex., and are very close to be United States standard. Fifteen stations were occupied, while gnals were erected on 15 stations, one of which, Magdalena Peak, has not occupied. There were 21 points intersected in the towns long the river or adjacent to the railroad lines.

ALBUQUERQUE, UNIVERSITY FLAGPOLE, BERNALILLO COUNTY.

At University of New Mexico, on east extension of Railroad avenue, a bench overlooking the city.

Station mark: Center of north flagstaff.

[Latitude 35° 04′ 53.82″. Longitude 106° 37′ 28.25″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
mas. leta. ulcan	27 10 04.12 27 47 37.00 116 32 50.76	0 / // 207 04 04.51 207 43 55.00 296 27 47.22	Meters. 4,5435053 4,3061900 4,1741868

VULCAN, BERNALILLO COUNTY.a

The northernmost of three rocky buttes on the Mesa Prieta, about 6 niles northwest of Albuquerque. Highest point in vicinity. Easily eached from south end of bridge at Albuquerque by wagon road to

quarries 3 miles nearly south of triangulation station, thence by wagon northward on Mesa Prieta to east foot of butte (100 feet below top), thence by pack mule to summit.

Station mark: An aluminum bench-mark tablet in flat basalt rock, weighing several tons, about 20 feet southwest of highest rock on

butte.

Signal: A tripod about 16 feet high; above it a flagstaff.

Reference marks: Cross cut on solid rock 10.4 feet south; cross cut on solid rock 9 feet north.

[Latitude 35°	08' 30.10''.	Longitude 106° 4	6' 16.00''.]
---------------	--------------	------------------	--------------

To station—	Azimuth.		Back	aziı	Log. distance.		
Lunas. Lucero. University of New Mexico. Albuquerque (Roman Catholic Church) Isleta. Tome.	299	49 27 35 50	15, 25 21, 94 47, 22 59, 84 36, 00 34, 38	183 221 116 119 170 171	32 40 52	17. 86 29. 08 50. 76 03. 85 18. 00 53. 30	Meters. 4, 5782076 4, 8028563 4, 1741868 4, 0919815 4, 1678800 4, 6355953

## CAMPANA, SOCORRO COUNTY.

A rocky, bare hill about 5 miles a little east of south of Carthage (Hilton Mines), about 10 miles southeast of San Antonio, on highest point of Sierra Campana. Wagon can be taken to point less than 0.25 mile northeast of station.

Station mark: A bronze triangulation tablet in solid rock, over which a tripod 7 feet high was erected.

Reference marks: A 60-penny spike in crevice of rock south; two 60-penny spikes driven in crevice of rock northwest.

[Latitude 33° 50′ 54.49″. Longitude 106° 42′ 44.06″.]

To station—	Azimuth. Back az			aziı	nuth.	Log. distance.	
South base. Chupadera. North base Socorro. Canas.	101	27 02	55, 35 03, 56 03, 61 17, 95 28, 65	248 269 281 316 354	32 21 53	54. 27 08. 25 43. 40 54. 81 39. 27	Meters. 4, 252063 4, 341228 4, 178118 4, 530058 4, 412778

## CANAS, SOCORRO COUNTY.

On north end of yellow ridge, about 10 miles due east of Rio Grand at Socorro, about 10 miles southeast of Publitos (Escondida crossin; of river). It is about 1 mile from Chupadera (west) road, about miles southeast of Ojo de la Parida, 5 miles southeast of Ojo Meado and just south of road to cedar woods.

Station mark: A bronze triangulation tablet set in solid rock, ove which is a tripod 12 feet high. Black and white band on signal.

## [Latitude 34° 04′ 50.87″. Longitude 106° 44′ 12.44″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
apadera corro lvadera drones rututu mpana	87 19 20.50 115 16 57.63 140 51 00.84 187 27 01.33	0 / // 217 05 27.03 267 11 45.36 295 08 14.89 320 39 15.56 7 28 46.52 174 58 28.65	Meters. 4. 5121759 3. 3191492 4. 4213690 4. 7046962 4. 5660206 4. 4127788

#### CHUPADERA, SOCORRO COUNTY.

A bare rocky mountain about 6 miles southwest of San Antonio and bout 6 miles northwest of Elmendorf siding; easily ascended with orses.

Station mark: A bronze triangulation tablet in solid rock, over which is a tripod 6 feet high with black center pole.

#### [Latitude 33° 50′ 49.54″. Longitude 106° 56′ 57.42″.]

To station—	Azimuth.			Back	aziı	Log. distance.	
orro	217 246 269	05 21 32	41. 76 27. 03 16. 94 08. 25 01. 33	357 37 66 89	12 12 23 40	15. 32 34. 41 52. 20 03. 56 55. 20	Meters. 4 3971451 4 5121759 3 8931043 4 3412284 3 9118757

#### ISLETA, SOCORRO COUNTY.

## (Secondary.)

On highest point and at south end of black malpais hill, about 2 niles west of Isleta, locally known as Isleta Hill; easily ascended.

Station mark: Triangle cut in top of malpais bowlder.

ut

Reference marks: Crosscut in solid rock 15 feet north; crosscut in solid rock 9 feet southeast.

## [Latitude 34° 55′ 12.7″. Longitude 106° 43′ 40.0″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
mas dean diversity of New Mexico dean		206 12 55 350 50 36 27 47 37 173 07 14	Meters. 4. 16788 4. 39604 4. 30619 4. 26313

## NORTH BASE, SOCORRO COUNTY.

About 2 miles south of San Antonio station, on Atchison, Topeka and Santa Fe Railway. It is about 500 feet south of road crossing and 35 feet south of north end of and below first curve south of railway tation. Signal and center 30 feet west of west rail.

Station mark: A bench-mark post set 3.5 feet in ground in one-half cubic yard of cement and sand.

Reference marks: Three standard iron posts set as follows: One 15 feet west of center, perpendicular to line measured; one 15 feet east of center, perpendicular to line measured; one 15 feet north of center on extension of line measured.

[Latitude 33° 52′ 31.23″. Longitude 106° 52′ 18.76″.]

To statior –	Azimuth.	Back azimuth.	Log. distance.
South base Chupadera Campana	0 / // 11 29 16.93 66 23 52.20 281 21 43.40	91 28 35.70 246 21 16.94 101 27 03.61	Meters. 3. 9807180 3. 893104 4. 178118

## POLVADERA, SOCORRO COUNTY.

A sharp rocky peak 4 miles southwest of Polvadera; locally called Polvadera Mountain and by some Limitar Mountain. Can be seen from valley (Rio Grande) from San Antonio nearly to Albuquerque and is easily ascended from all sides.

Station mark: A bronze triangulation tablet in solid rock, ove which is a cairn 8 feet high.

Reference marks: A cross cut on rock 16 feet south of center; cross cut on rock 20.7 feet northwest of center.

[Latitude 34° 10′ 55.62″. Longitude 106° 59′ 44.10″.]

To station—	Azimuth.		Back azimuth.			Log. distance.
Magdalena Sanders Ladrones Turututu Canas Socorro Socorro (observed)	111 2 163 4 228 2 295 0 345 5	5 32, 00 5 16, 31 0 41, 19 17 46, 17 18 14, 89 17 31, 31	219 291 343 48 115 165	16	05. 00 04. 31 40. 18 16. 44 57. 63 38. 26 43. 6	Meters. 4. 44108 4. 47556 4. 46502 4. 58166 4. 42136 4. 10078

#### SANDERS, SOCORRO COUNTY.

About 12 miles a little west of north of Magdalena, 4 miles west of west fence of Sander's pasture, on highest point of ridge north an south. Point has scattering cedar and piñon and shows sharp scar toward east. Can be ascended by horse from any direction, but more easily from south or west.

Station mark: A bronze triangulation tablet in solid rock, over which is a cairn about 10 feet high.

Reference marks: Nail in blazed side of piñon stump 8.9 feet wer of center. Blaze marked "B T \( \triangle \)." Nail at bottom of blaze.

#### [Latitude 34° 16′ 48.61″. Longitude 107° 17′ 52.02″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Ladrones. Polvadera. Socorro. Magdalena	0 / // 228 47 47.00 291 15 04.31 306 41 04.84 342 21 11.00	6 7 77 48 54 59.73 111 25 16.31 126 52 23.05 162 25 04.00	Meters. 4, 4153166 4, 4755601 4, 5866041 4, 5269200

#### SOCORRO PEAK, SOCORRO COUNTY.

On the lower eastern peak of a double-topt mountain, about 3 miles west of Socorro. The point is bare except for scattering cedar scrub, and is easily reached from Socorro by wagon road to Coon's mines, thence by trail to ridge just south of summit.

Station mark: A bronze triangulation tablet in solid rock, over which is a tripod 12 feet high, with white flag over it and white bands below peak.

Reference marks: A cross cut in top of bowlder 18.3 feet west of center; a cross cut in top of bowlder 17 feet northeast of center.

## [Latitude 34° 04′ 18.51″. Longitude 106° 57′ 44.77″.]

To station—	Azimuth.			Bac	k azi	muth.	Log. distance.	
Sanders. Polvadera Polvadera (observed) Canas Campana Chupadera	126 165 165 267 316	52 58 58 11 53	23. 05 38. 26 43. 60	345 87 137	41 57 19 02	04. 84 31. 31 20. 50 17. 95 41. 76	Meters. 4. 5866041 4. 1007899 4. 3191492 4. 5300582 4. 3971451	

#### SOUTH BASE, SOCORRO COUNTY.

About 7.5 miles south of San Antonio and about 8.5 miles north of San Marcial, on Atchison, Topeka and Santa Fe Railway. It is 190 feet north of south end of tangent.

Signal: 30 feet west of west rail.

Station mark: Standard bench-mark post set 3.5 feet in ground, in one-half cubic yard of cement and cinders.

Reference marks: Standard bench-mark posts as follows: One 15.02 feet west of center, perpendicular to line of measurement; one perpendicular to line of measurement; one 15.12 feet south of center, in extension of measurement.

## [Latitude 33° 47′ 26.97″. Longitude 106° 53′ 32.82″.]

. *			
To station—	Azimuth.	Back azimuth.	Log. distance.
Chupadera North base Campana	0 / // 139 52 55, 205 191 28 35, 697 248 58 54, 266	319 51 01.326 11 29 16.928 69 04 55.346	Meters. 3. 9118757 3. 9807180 4. 2520639

#### TURUTUTU, SOCORRO COUNTY.

On a black malpais hill, about 10 miles northeast of La Joya and one-half mile west from La Joya-Manzano road. Local name, Cerro Turututu.

Station mark: A bronze triangulation tablet set in solid rock, over which is a tripod 12 feet high. Tripod carries a 6-foot flagstaff.

Reference marks: Cross cut in rock 5.5 feet northeast; cross cut in rock 11.1 feet south.

[Latitude 34° 24′ 35.55″. Longitude 106° 41′ 05.53″.]

To station—	Azimuth.			Azimuth. Back azimuth.					
Canas. Polvadera Ladrones Lucero. Lunas. Tome	7 48 94 123 166 177	28 38 21 59 28 25	46. 52 16. 44 49. 03 58. 97 52. 07 26. 51	187 228 274 303 346 357	27 27 28 41 24 24	01. 33 46. 17 15. 20 18. 76 58. 90 47. 94	Meters, 4, 566020( 4, 5816668 4, 566617( 4, 782560) 4, 6498118 4, 584913(		

## LUCERO, VALENCIA COUNTY.

A small rocky summit at east end of Lucero mesa, about 28 miles west of Los Lunas; easily ascended with saddle animals from north. Timber and a small amount of grass on mesa.

Station mark: A bronze triangulation tablet in solid rock, over which is a tripod about 12 feet high carrying a 4-foot bushy top.

Reference marks: Cross cut in rock 10.6 feet south of station cross cut in rock 8.9 feet north of station; spike in blazed gum stump 21.4 feet southwest of station.

[Latitude 34° 42′ 51.08″. Longitude 107° 14′ 00.26″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Vulcan.	221 33 29.08	41 49 21.94	Meters. 4. 802836 4. 612087 4. 687810 4. 782560 4. 530070
Lunas	256 14 33.78	76 29 25.49	
Tome	264 22 03.41	84 40 09.82	
Turututu	303 41 18.66	123 59 58.92	
Ladrones	336 13 46.07	156 18 49.68	

#### LUNAS, VALENCIA COUNTY.

A high, rocky, sandy hill, 5 miles a little south of west of Los Lunas Very prominent and locally known; horses can be ridden to top Every station of scheme developed northward of San Antonio base i visible with exception of two base stations. Local name Sierra Lo Lunas.

Station mark: A bronze triangulation tablet in solid rock, ove which is erected a tripod 14 feet high, carrying a 6-foot flagstaff.

Reference marks: Cross cut in rock 8.9 feet north; cross cut in rock 6.75 feet west.

[Latitude 34° 48′ 04.20". Longitude 106° 47′ 56.12".]

To station—	Azimuth.	Back azimuth.	Log. distance.
Ladrones. Lucero Vulcan. Albuquerque Isleta. University of New Mexico Tome Turututu	0 / " 32 53 11.65 76 29 25.45 183 50 17.86 202 44 57.25 206 12 55.00 207 04 04 51 299 47 31.46 346 24 58.90	212 43 27.00 256 14 33.78 3 51 15.25 22 49 57.57 26 15 22.00 27 10 04.12 119 50 46.92 166 28 52.07	Meters. 4. 6847658 4. 6129870 4. 5782076 4. 5359000 4. 1678800 4. 5435053 4. 0018224 4. 6498118

#### TOME, VALENCIA COUNTY.

On a black malpais hill, about 5 miles south of Lunas and 3 miles northeast of Tome. Horses can be ridden to top.

Station mark: A bronze triangulation tablet cemented in solid rock, over which is a tripod 14 feet high, carrying a 6-foot flagstaff.

Reference marks: Cross cut in rock 15.3 feet north of station; cross cut in rock 7.25 feet south of station.

[Latitude 34° 45′ 22.15″. Longitude 106° 42′ 13.47″.]

To station—	Azimuth.	Back azimuth.	Log. distance.	
Ladrones. Lucero. Lunas. Vulcan Isleta. Turututu	6 / // 44 31 16.94 84 40 09.82 119 50 46.92 171 49 53.30 173 07 14.00 357 24 47.94	0 / // 224 18 18 09 264 22 03 41 299 47 31 46 351 47 34 38 353 06 24 00 177 25 26 51	Meters. 4. 6985359 4. 6878101 4. 0018224 4. 6355953 4. 2631295 4. 5849130	

#### SECONDARY TRIANGULATION STATIONS.

## ALBUQUERQUE, BERNALILLO COUNTY.

ALBU	COL	ng	UE, DE	INA	LIL	LO CO	UNII.	
	Latitude. Longitude.		To station—	Log. distance.				
Catholic Church cross Catholic Church (astronomic) Old town court-house tower. Sawmill, dust burner.	35 35	05 05	11.80 09.70 40.15 13.70	106	40	23.04	Lunas. Vulean Lunas. Vulean Lunas. Vulean	
1:	SLET	Ά,	BEŘNA	LILL	0 (	COUNT	Υ.	
Church, east spire	34	54	32.97	106	41	33.74	TomeLunas	4. 23054 4. 18818
	BEL	EN,	VALE	NCIA	. CC	UNTY		
Flour-mill tower	34	39	37.56	106	46	32.17	Tome	4.09668

## LA JOYA, VALENCIA COUNTY.

	Latitu	ıde.	Long	gitude.	To station	Log. distance.						
Railroad Station chimney	° ' 34 22	05.11		' " 1 26.06	PolvaderaLadrones	Meters. 4.3846; 4.3460;						
LOS LUNAS, VALENCIA COUNTY.												
Raitroad windmill.	34 48	16.25	106 4	4 08, 43	Tome Lunas	3.78602 3.76340						
RIO PUERCO BRIDGE, VALENCIA COUNTY.												
Middle pier	34 23	39.44	106 5	0 44.43	PolvaderaLadrones.	4.43590 4.35085						
SAN ACACIA	MESA, V	ALEN	CIA A	ND SOCO	ORRO COUNTIES.							
Top of mesa, corner at principal meridian and base line northwest.	34 15	36.28	106 5	3 12.92	Canas Polvadera	4.38435 4.12156						
A	ALAMILLO, SOCORRO COUNTY.											
Railroad windmill.	34 14	28.05	106 5	1 21.70	Canas Polyadera	4, 37402 4, 02257						
	LEMITAR	soco	ORRO	COUNTY								
Church spire	34 09	38, 29	106 5	4 25.48	CanasSocorro	4.25610 4.04525						
LU	JIS LOPE	EZ, SO	CORRC	COUNT	Y.							
Church spire	33 59	29.78	106 5	3 10.88	CampanaCanas.	4.35434 4.23018						
· M	AGDALE	NA, SC	CORR	o coun	TY.							
Schoolhouse	34 06 34 07			4 29.00	Ladrones. Sanders Polvadera Sanders.	4. 58447 4. 28324 4. 38124 4. 27103						
PC	POLVADERA, SOCORRO COUNTY.											
Church spire	34 12	26.69	106 5	5 15.32	Canas. Socorro.	4.34317 4.19094						
SAT	N ANTON	NIO, S	)CORR	o coun	TTY.							
Windmill, railroad tankOld town church spire	33 54 33 55	26.34 00.53		2 00.97 1 51.77	Campana	4, 19675 4, 35585 4, 20376 4, 33595						

#### SOCORRO, SOCORRO COUNTY.

	Latitude.	Longitude.	To station— Log. distance.
Court-house towerOld church, south spireSchool of Mines	34 03 20.86 34 03 37.81 34 03 59.25	0 / " 106 53 33.80 106 53 34.97 106 54 12.96	Canas         1. 16612           Polvadera         4. 22848           Canas         4. 16433           Chupadera         4. 38444           Canas         4. 18977           Polvadera         4. 18977           Polvadera         4. 18700
WATER CANY Railroad tank			SOCORRO COUNTY.

#### OKLAHOMA.

## TRIANGULATION STATIONS.

LINCOLN, LOGAN, OKLAHOMA, AND PAYNE COUNTIES.

AGRA, CHANDLER, EDMOND, GUTHRIE, MALLON, MERRICK, QUAY, RIPLEY, AND SAC-FOX QUADRANGLES.

During the season of 1905 H. H. Hodgeson, topographer, extended triangulation from Wingard and Edmond, stations in the ninety-eighth meridian arc of the Coast and Geodetic Survey, eastward to the Indian Territory line.

Twenty-four stations were occupied and 18 points were located by intersections. Positions are given on the United States standard datum.

#### COX, NUMBER 9 COUNTY.

This station is 2,400 feet south and 500 feet east of the closing corner on the old Oklahoma-Indian Territory boundary line. Said closing corner is on line between secs. 1 and 12, T. 14 N., R. 6 E.

Station mark: A 20-inch post-oak tree having branches and top cut off. Theodolite elevated 30 feet.

[Latitude 35° 42′ 11.36″. Longitude 796° 37′ 06.51″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Harger Buck Mesecher	23 54 09.99 99 38 46.20 147 07 57.77	203 51 30.74 279 32 55.86 327 04 58.54	Meters. 4. 2301625 4. 1846860 4. 1519573

#### AGRA, LINCOLN COUNTY.

On the highest timbered hill in the SW.  $\frac{1}{4}$  sec. 33, T. 17 N., R.  $\frac{1}{4}$  E., on land of F. B. Griswold, about 1 mile northwest of Agra.

Station mark: A 10-inch black-jack tree, top and branches cut off. Theodolite elevated 20 feet.

[Latitude 35° 54′ 14.65″. Longitude 96° 53′ 14.00″.]

To station—	Azimuth.			Back	aziı	Log. distance.	
Tryon Paradise Perkins Mound Cushing Air Buck	. 134 202 232 282	33 41 54 34	77 02.76 53.81 48.15 08.27 10.32 53.42	314 22 52 102	30 45 57 37	22.02 17.42 39.42 44.69 40.76 28.37	Meters, 3.8922774 4.5089629 4.1126523 4.4064795 4.0638806 3.9648875 4.3382330

AGRA OIL TOWER, LINCOLN COUNTY.

(Not occupied.)

Station mark: Center of tower.

[Latitude 35° 53′ 47″, Longitude 96° 52′ 06.7″.]

To station	Λ	zim	uith	Bac	ek az	imuth.	Log. distance.
Air. Cushing.	 		, 	 			Meters. 3, 86960 4, 03693 3, 27641
Agra	 			 1			3, 27041

## AIR, LINCOLN COUNTY.

On wagon-road right of way about 800 feet north of corner to secs. 4, 5, 8, and 9, T. 16 N., R. 5 E., on highest ground between secs. 4 and 5.

Station mark: An iron bench-mark post set 3 feet in ground and about 3 feet from east fence.

[Latitude 35° 53′ 09.37′′. Longitude 96° 47′ 15.09′′.]

To station -	Azimuth.			Back azimuth.			Log. distance.
Agra. Cushing Indian Buck Mesecher.	181 3 242 1 359 1	, 37 34 12 18 48	40. 76 20. 01 41. 95 58. 26 53. 85	282 1 62 179 137		10. 32 25. 79 · 59. 40 03. 18 50. 63	Meters. 3. 9648875 3. 9541412 4. 1855361 4. 2487230 4. 0525232

AVERY, LINCOLN COUNTY.

(Not occupied.)

German Church spire, 1 mile east of Avery.

[Latitude 35° 53′ 01.7". Longitude 96° 44′ 02.2".]

To station—	Azimuth	Back azimuth.	Log. distance.
Indian		o , ,,	Meters. 4. 05806
Cushing. Air.			4. 01324 3. 68505

#### BUCK, LINCOLN COUNTY.

About 1,200 feet east and 600 feet north of corner to secs. 4, 5, 32, and 33, Tps. 14 and 15 N., R. 5 E., on highest cultivated ground in quarter section belonging to H. M. Johnson.

Station mark: None.

Reference mark: A bronze triangulation tablet cemented in a stone et flush with ground at angle of fence. Theodolite elevated 10 feet. True azimuth to mark 240° 05′ 22″, distant 267 feet.

[Latitude 35° 43′ 34.12″. Longitude 96° 47′ 06.67″.]

To station—	Azimuth.	Back azimuth.	Log. distance.	
Stuart	179 19 03. 18 218 11 09. 19 279 32 55. 86 335 31 31. 07	207 29 08.57 334 55 53.42 359 18 58.26 38 14 00.71 99 38 46.20 155 34 41.53	Meters. 4. 3338131 4. 3382330 4. 2487230 4. 0761618 4. 1846860 4. 2981235 3. 8577614	

#### CHANDLER STANDPIPE, LINCOLN COUNTY.

(Not occupied.)

Station mark: Center of standpipe.

[Latitude 35° 42′ 22″. Longitude 96° 52′ 47″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Buck	0 / //		Meters. 3, 94632
Girdle Harger			3. 92795 4. 36352
marger			4. 50552

#### GIRDLE, LINCOLN COUNTY.

About 1,000 feet southeast of corner to secs. 19, 20, 29, and 30, T. 14 N., R. 5 E., on land belonging to H. C. Glover.

Station mark: A 16-inch (girdled) post-oak tree having top and branches cut off. Theodolite elevated 20 feet.

## [Latitude 35° 39′ 45.98″. Longitude 96° 48′ 09.62″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Stuart. Harger. Buck.		0 / // 214 41 54.36 138 26 34.70	Meters, 4. 1678708 4. 1696384 3. 8577614

## HARGER, LINCOLN COUNTY.

About 0.25 mile southeast of corner to secs. 29, 30, 31, and 32, and 600 feet south of line between secs. 29 and 32, T. 13 N., R. 6 E., on land of John Harger.

Station mark: A 20-inch post-oak tree having top and branches cut off. Theodolite elevated 27.5 feet.

[Latitude 35° 33′ 47.31″. Longitude 96° 41′ 39.85″.]

To station-	Azimuth.	Back azimuth.	Log. distance.
Stuart. Girdle Buck. Cox.	86 46 38.39 138 26 34.70 155 34 41.53 203 51 30.74	335 31 31.07	Meters. 4. 2609290 4. 1696384 4. 2981235 4. 2301625

#### MESECHER, LINCOLN COUNTY.

About 1,500 feet west and 250 feet south of corner to secs. 5, 6, 31, and 32, T. 15 and 16 N., R. 6 E., on highest ground in quarter section owned by N. B. Mesecher.

Station mark: A 12-inch black-jack tree, the top and branches of which are cut off. Theodolite elevated 27 feet.

Reference mark: A 10-inch black-jack tree blazed and marked "B T  $\triangle$ ." True azimuth to mark 193 $^{\circ}$  23' 52'', distance 226.2 feet.

[Latitude 35° 48′ 37.94″. Longitude 96° 42′ 13.23″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Air. Buck. Cox	0 / // 137 51 50.63 38 14 00.71 327 04 58.54	218 11 09.19	Meters. 4.0525232 4.0761618 4.1519573

#### PHEE, LINCOLN COUNTY.

On highest ground in the NW. 4 sec. 23, T. 17 N., R. 2 E., on hay land owned by Daniel McPhee. North line of Lincoln County is about 800 feet north of station.

Station mark: A bronze triangulation tablet cemented in stone set flush with ground.

[Latitude 35° 56′ 22.73′′. Longitude 97° 03′ 40.23′′.]

To station	Azim	nth.	Back	aziı	nuth.	Log. distance.
Reece Tryon. Perkins.		42.29 57.32			54.12 28.59	Meters. 4,0051680 4,0670672 3,9166136

# SAC-FOX AGENCY WATER TANK, LINCOLN COUNTY. (Not occupied.)

Station mark. Center of tank.

[Latitude 35° 40′ 21.4″. Longitude 96° 39′ 26.1″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
OX	0 / //	0 / //	Meters. 3.68838
uek farger			4.11448 4.10046

#### STUART, LINCOLN COUNTY.

In the SE. 4 sec. 32, T. 13 N., R. 4 E., on land of C. A. Stuart, about 25 feet southeast of house, which is on highest land in said quarter. Observation for azimuth was made at this station November 7, 1905.

Station mark: A bronze triangulation tablet cemented in stone set lush with ground.

## [Latitude 35° 33′ 13.45″. Longitude 96° 53′ 42.74″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Suck. Firdle Targer	207 29 08.57 214 41 54.36 266 39 38.00	27 32 59.36 34 45 08.32 86 46 38.39	Meters. 4. 3338131 4. 1678708 4. 2609290

#### TRYON, LINCOLN COUNTY.

Station mark: The center of steeple on Christian Church in Tryon. Theodolite elevated 35 feet.

#### [Latitude 35° 52′ 15.05′′. Longitude 96° 57′ 48.22′′.]

To station—	Azimuth.	zimuth. Back azimuth.		
ece. ee. kkins. ra	104 53 00.28 169 30 45.10	284 45 45.93 349 29 49.70 61 50 02.76	Meters. 4. 2837655 4. 0670672 4. 1137369 3. 8922774	

## FLINN, LOGAN COUNTY.

In the NW. ½ sec. 24, T. 15 N., R. 2 W. (Indian meridian), on property of T. O. Flinn, about 800 feet northeast of his house and on highest ground. This farm is known as the old Holbrook place. Station mark: An iron bench-mark post, the cap of which extends

inches above ground.

Reference mark: A 10-inch blazed post-oak tree marked "B T  $\triangle$ ." True azimuth from station, 351° 36′ 13″, distant 100 feet.

[Latitude 35° 46′ 00.01″. Longitude 97° 22′ 02.35″.]

To station—	Az	imu	th.	Back	aziı	muth.	Log. distance.
Edmond	36 151 194 196	41 12 59 28	12. 41 06. 18 05. 93 53. 21		07 00	45. 79 49. 73 12. 69 21. 73	Meters. 4. 1732601 4. 3575072 4. 0441422 4. 1261567

GUTHRIE STANDPIPE, LOGAN COUNTY.

(Not occupied.)

This standpipe was also located by the Coast Survey in 1902. Station mark: Center of standpipe.

[Latitude 35° 52′ 38.15″. Longitude 97° 24′ 40.20″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Wingard Flinn Wallace		317 33 48	Meters, 4, 01730 4, 11035 3, 84522

LANGSTON, LOGAN COUNTY.

(Not occupied.)

Station mark: Center of main college building.

[Latitude 35° 56′ 40.7″. Longitude 97° 15′ 34.6″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
ShortRecce.	o / //	÷ / //	Meters. 3. 95992
Wallace			3, 94399 4, 05506

## REECE, LOGAN COUNTY.

In the SW. <sup>1</sup>/<sub>4</sub> SW. <sup>1</sup>/<sub>4</sub> sec. 26, T. 17 N., R. 1 E., on cultivated land belonging to H. R. Reece and on highest ground northeast of Reece's house.

Station mark: None.

Reference marks: A bronze triangulation tablet set in sandstone rock at southeast corner of H. R. Reece's house. True azimuth to mark, 41° 52′ 30″, distance 328 feet.

[Latitude 35° 54′ 54.60″. Longitude 97° 10′ 09.09″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
ort. radise rrkins ee ee eyyon rrong	161 54 12.39 244 04 10.20 254 23 54.12 284 45 45.93		Meters. 4. 1631739 4. 1052271 4. 2554371 4. 0051680 4. 2837655 3. 7728468 4. 1612354

## SHORT, LOGAN COUNTY.

In the NE. \(\frac{1}{4}\) sec. 5, T. 16 N., R. 1 W., on cultivated land of J. J. fulhall, about 800 feet southeast of quarter corner on north side of aid section and about 300 feet east and 50 feet north of angle of ublic road.

Station mark: A bronze triangulation tablet set in a sandstone ock and buried 1.5 feet in ground.

Reference marks: Iron bench-mark post set 3 feet in ground in ence corner 146.5 feet north of station.

[Latitude  $35^{\circ}$  52' 55.99''. Longitude  $97^{\circ}$  19' 31.10''.]

To station—	Azimuth.	Azimuth. Back azimuth.		
nn	115 49 39.44 196 36 03.16 212 40 14.60 249 05 20.03 255 24 50.66	o / // 196 28 53.21  295 43 53.93 16 37 43.31 32 44 11.76 70 17 09.22 75 30 20.20 77 56 25.67	Meters. 4. 1261567 3. 3660029 4. 2148,49 4. 1747,474 4. 2720807 4. 5106389 4. 1631739 3. 9371098	

#### STRONG, LOGAN COUNTY.

About 800 feet west of corner to secs. 5, 6, 31, and 32, Tps. 16 and 17 N., R. 1 E. It is in wagon-road right of way about 2.5 feet orth of south fence, on highest ground along line between secs. 6 and 31.

Station mark: A bronze triangulation tablet cemented in stone set ush with ground.

Reference mark: A spike in a 10-inch black-jack tree. True azinuth, 270° 50′ 40″, distant 48.3 feet.

[Latitude 35° 53′ 54.78″. Longitude 7° 13′ 53.74″.]

To station—	Az	imu	th.	Back	azir	nuth.	Log. distance.
nort nradise eece	77 186		25. 67 44. 56	257 6	53 49	07. 90 23. 66	Meters. 3. 9371698 4. 1477844 3. 7728468

## WALLACE, LOGAN COUNTY.

About 1,600 feet south of corner to secs. 7, 8, 17, and 18, T. 16 N.. R. 1 W.; it is in the right of way and about 7 feet west of north-south fence on east side of right of way. The farm of J. N. Wallace is the quarter section to the west of this station.

Station mark: An iron bench-mark post set 3\frac{1}{2} feet in the ground. Theodolite elevated 30 feet.

Hatitude 35° 51′ 46.96″. Longitude 97° 20′ 08.24″.]

To station—	Az	imu	th.	Back	azi	muth.	Log. distance.
Flinu Wingard Short	° 15 123			° 194 303	59 44	05. 93 39. 08	Meters. 4. 0441422 4. 2214602 3. 3660029

#### WINGARD, LOGAN COUNTY.

A Coast Survey station, established in 1902; belongs to the ninetyeighth meridian net. In the SW. 4 sec. 14, T. 17 N., R. 3 W., on land of J. B. Wingard, about 5 miles north and 3.75 miles west of Guthrie. Station located on highest part of ground, which is gently sloping.

Station mark: A 12-inch terra-cotta pipe set in cement and filled with cement, with a 60-penny wire nail to mark center; instrument elevated 40 feet.

Reference marks: Is in southwest quarter, very near center of section, 0.94 meter south of east-west fence and 0.50 meter west of northsouth fence, true azimuth 194° 22′ 03″, distant 329.096 meters; to corner stone of quarter corner between secs. 14 and 23, true azimuth  $2^{\circ} 04' 56''$ , distant 490.9 meters.

[Latitude 35° 56′ 47.428″. Longitude 97° 29′ 20,129″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
CordisShort	249 13 28.5 295 43 53.9 303 44 39.0 331 07 49.7 356 13 07.7	115 49 39.44 18 123 50 02.73 151 12 06.18	Meters. 4. 308479 4. 214874 4. 221460 4. 357507 4. 504851

## EDMOND, OKLAHOMA COUNTY.

A Coast Survey station, established in 1902; belongs to the ninetyeighth meridian net; near the center of sec. 25, T. 14 N., R. 3 W., on land of Pete Wilderson, at northeast outskirts of village of Edmond. The station is at east edge of cultivated field about 100 meters northnortheast of highest ground and 119.60 meters south of east-west fence running to section corner.

Station mark: A 12-inch terra-cotta pipe set and filled with ement, with a 60-penny nail projecting one-fourth inch from top. heodolite elevated 30 feet.

Reference marks: In north-south fence, true azimuth 263° 11′ 39″, istant 79.402 meters; to center of dome of Normal College, true azimuth 70° 54′ 33.9″, distant 650 meters; to cross on spire of Catholic hurch, true azimuth 63° 29′ 31.6″.

[Latitude 35° 39′ 32.111′′. Longitude 97° 27′ 56.292′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
ingard	0 / // 176 13 56.83 216 37 45.79	356 13 07.79 36 41 12.41	Meters. 4. 5048513 4. 1732601

#### CORDIS, PAYNE COUNTY.

On land of E. D. Cordis, about 6.5 miles northwest of Coyle, in the W. 4 sec. 36, T. 18 N., R. 1 W.; is 60 feet northwest of highest cound.

Station mark: A bronze triangulation tablet cemented in a sandone rock set 1½ feet in ground.

Reference mark: An iron bench-mark post set 3 feet in ground, rue azimuth to mark 169° 29′ 33″, distant 53.3 feet. Theodolite evated 20 feet.

[Latitude 36° 00′ 40.91″. Longitude 97° 16′ 40.50″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
	0 / // 16 37 43.31 69 20 54.83 256 09 58.82	196 36 03.16 249 13 28.56 76 12 16.03	Meters. 4. 1747474 4. 3084791 3. 7793720 4. 1612354

## CUSHING, PAYNE COUNTY.

ingard.

About 1 mile southwest of Cushing and 1,000 feet south of corner pages, 4, 5, 8, and 9, T. 17 N., R. 5 E.; the station is on wagon-road ght of way about 3 feet from west fence.

Station mark: A bronze triangulation tablet cemented in stone set ush with the ground.

[Latitude 35° 58′ 01.21″. Longitude 96° 47′ 05.24″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
r gra. rkins pund lay dian	1 34 25.79 52 57 44.69 96 34 07.57 182 07 52.34 195 40 32.05 277 54 06.35	0 / // 181 54 20.01 232 54 08.27 276 26 54.38 2 08 06.82 15 43 03.20 97 59 18.32	Meters. 3, 9541412 4, 0638806 4, 2693782 4, 2186733 4, 3755682 4, 1284832

CUSHING OIL TOWER, PAYNE COUNTY.

(Not occupied.)

Station mark: Center of tower.

[Latitude 35° 58′ 47.3″. Longitude 96° 46′ 52.0″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Air	o , ,,	o , ,,	Meters. 4. 01829
Indian Cushing			4. 12673 3. 16353

CUSHING, CHRISTIAN CHURCH SPIRE, PAYNE COUNTY.

(Not occupied.)

Station mark: Center of spire.

[Latitude 35° 58′ 52.2″. Longitude 96° 46′ 11.1″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Air Indian Cushing	o / //		Meters. 4.02888 4.09472 3.31735

#### INDIAN, PAYNE COUNTY.

On a bare knoll about 800 feet west and 200 feet north of center of sec. 14, T. 17 N., R. 6 E., about 600 feet northwest of the house of J. M. Branstetter, on land belonging to an Indian.

Station mark: An iron bench-mark post set 3 feet in the ground.

[Latitude 35° 57′ 00.92′′. Longitude 96° 38′ 13.95′′.]

To station—	Λz	imu	th.	Back	aziı	nuth.	Log. distance.
AirCushing		17	59.40 18.32			41.95 06.35	Meters. 4. 1855361 4. 1284832

#### MOUND, PAYNE COUNTY.

Near the center of northernmost of two bare mounds known as Twin Mounds, in the SW. 4 sec. 16, T. 19 N., R. 5 E.

Station mark: A bronze triangulation tablet cemented in stone set flush with ground.

[Latitude 36° 06′ 57.65″. Longitude 96° 46′ 40.64″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Cushing	2 08 06.82 22 45 39.42 52 57 34.49 222 30 48.31	182 07 52.34 202 41 48.15 232 50 06.05 42 33 05.21	Meters. 4.2186733 4.4064795 4.3786537 3.9336897

#### PARADISE, PAYNE COUNTY.

In the southeast corner of the NE. \(\frac{1}{4}\) sec. 20, T. 18 N., R. 1 E. Indian meridian), about 800 feet north of south line and 600 feet rest of east line of quarter section, and on highest point.

Station mark: A bronze triangulation tablet cemented in stone set ush with ground.

Reference mark: Spike in 8-inch blazed black-jack tree which bears orthwest, distant 89.5 feet.

[Latitude 36° 01′ 27.53″. Longitude 97° 12′ 47.16″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
trong. hort. ordis erkins gra.	6 49 23.66 32 44 11.76 76 12 16.03 281 50 56.00	0 / // 186 48 44.56 212 40 14.60 256 09 58.82 101 58 48.95	Meters. 4. 1477843 4. 2726807 3. 7793720 4. 3137085 4. 5089629

#### PERKINS, PAYNE COUNTY.

This station is the top of chimney of Union schoolhouse in district to 55, 4 miles northeast of Perkins, in the southeast corner of the W. 4 sec. 33, T. 18 N., R. 3 E.

Station mark: Center of chimney. Theodolite elevated 30 feet.

[Latitude 35° 59′ 09.59′′. Longitude 96° 59′ 22.64′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
heeeeee.hort.aradise.cound.ushing.gra.ryon.	o / " 51 28 28.59 64 10 29.72 70 17 09.22 101 58 48.95 232 50 06.05 276 26 54.38 314 30 17.42 349 29 49.70	0 / " 231 25 57.32 244 04 10.20 249 05 20.03 281 50 56.00 52 57 34.49 96 34 07.57 134 33 53.81 169 30 45.10	Meters. 3.9166136 4.2554371 4.5106389 4.3137085 4.3786537 4.2693782 4.1126523 4.1137369

PERKINS, TALLEST CHURCH SPIRE, PAYNE COUNTY.

(Not occupied.)

Station mark: Center of spire.

[Latitude 35° 58′ 33.1″. Longitude 97° 02′ 04.4″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
thee		0 / //	Meters. 3 67032
erkins			3 62399
Reece			4.14268

QUAY, PAWNEE COUNTY.

On bare point of ridge about 0.75 mile north of Quay, in the NE. 4 sec. 36, T. 20 N., R. 5 E., about 200 feet west of north-south public road.

Station mark: A bronze triangulation tablet cemented in large limestone rock set flush with ground.

[Latitude 36° 10′ 22.87′′. Longitude 96° 42′ 48.52′′.]

To station—	Azimuth.	Back azimuth.	Log. distance,
Cushing	0 ' '' 15 43 03.20 42 33 05.21	95 40 32.05 222 30 48.31	Meters. 4. 3755682 3. 9336897

#### PRIMARY TRAVERSE.

#### LOGAN COUNTY.

#### GUTHRIE QUADRANGLE.

The following are results of a primary-traverse line between Wingard triangulation station (a station of the Coast Survey, 1903) and the Guthrie standpipe (an intersected point of the Coast Survey, 1903), run by H. H. Hodgeson, topographer, in 1905. Positions are based on the United States standard datum.

Geographic positions in Guthrie quadrangle.

Station.	Station. Latitude.		Lon	ide.		
Wingard triangulation station, T. 17 N., R. 3 W., in SW. ½ sec. 14, on						
property of J. B. Wingard, about 5 miles north and 3.75 miles west	0		"	0	,	"
of Guthrie	35		47.428	97	29	20. :
Γ. 17 N., R. 3 W., corner secs. 13, 14, 23, and 24	35	56		97	28	44.
Γ. 17 N., Rs. 2 and 3 W., corner secs. 13, 18, 19, and 24.	35		31.40	97	27	40.9
Γ. 17 N., Rs. 2 and 3 W., corner secs. 19, 24, 25, and 30	35	55	39.30	97	27	40.9
F. 17 N., R. 2 W., on line between secs. 19 and 30, south of road, 2 feet						
west of Mort Carey's mail box, iron post stamped "Prim. Trav. Sta.	0.5		00.00	0.7	07	00
No. 17".	35	55		97	27	00.0
F. 17 N., R. 2 W., corner sees. 19, 20, 29, and 30.	35		39. 20	97	26	35.
F. 17 N., R. 2 W., corner secs. 20, 21, 28, and 29	35	99	38.80	97	25	31.
Center of track between two spurs of Santa Fe bridge over Cimmarron	95	5.4	50 50	97	25	12
River.	30	94	58.50	91	20	40.
Guthrie astronomic pier, located in "Government acre," 51.4 feet						
south of building line on Oklahoma avenue and 116.5 feet east of building line on Second street; geographic position of pier by astro-						
nomic observations by S. S. Gannett, 1892.	35	50	42, 22	97	25	33. (
Ry this traverse (United States standard)	35		39, 74		25	
By this traverse (United States standard) Guthrie standpipe.	35		38. 10	97	24	40. 2

## TEXAS-LOUISIANA.

## PRIMARY TRAVERSE.

BOWIE, CASS, FANNIN, GREGG, HARRISON, LAMAR, MARION, RED RIVER, TITUS, AND UPSHUR COUNTIES, TEX.; CADDO PARISH, LA.

CLARKSVILLE, GILMER, JEFFERSON, MOUNT PLEASANT, MOUNT VERNON, PARIS, SHAWNEETOWN, AND TEXARKANA.

An area of about 5,000 square miles in the northeastern part of Texas was controlled during the winter and spring of 1904–5 by Sledge Tatum, topographer, who ran a primary-traverse line 597 miles in length. The line started from a point at Texarkana previously located by primary traverse and was run approximately along parallels and meridians bordering 30-minute quadrangles, and was tied to triangulation station Goodland, Choctaw Nation, Indian Territory. Positions are given on the United States standard datum.

CLARKSVILLE QUADRANGLE (RED RIVER AND LAUREL COUNTIES, TEX.).

Geographic positions along Texas and Pacific Railway between Clarksville and Paris.

Station.	Latitude.	Longitude.
No.	0 / //	0 / //
Clarksville, street crossing at west end of station	33 37 00, 9	95 03 08.4
Milepost 63.	33 37 54.3	95 04 58.3
Milepost 64, 50 feet north of center of track, iron post stamped "Prim.	00 01 01.0	99 Ot 90.9
Trav. Sta. No. 11".	33 38 23.8	95 05 50.8
Water tank.	33 38 58.9	95 06 55.4
Milepost 67	33 39 28.3	95 08 36.9
Bagwell, 50 feet from center of track, street crossing at west end of	30 30 2010	
station, south of track, east edge of road, iron post stamped "Prim.		
Trav. Sta. No. 27"	33 39 45,6	95 09 40.9
Road crossing.	33 39 49.4	95 11 04.6
Milepost 70	33 39 48.1	95 11 42.1
Road crossing 50 feet north of center of track past adge of road iron		•
post stamped "Prim. Trav. Sta. No. —"	33 39 46.6	95 12 40.4
Schoolhouse, road crossing at	33 39 48.4	95 14 09.6
Milepost 73.  Detroit station, at road crossing, east end of, i ron post stamped "Prim.	33 39 50.0	95 14 47.2
Detroit station, at road crossing, east end of, i ron post stamped "Prim.		
Trav. Sta. No. 50"	33 39 44.0	95 15 57.2
Milepost 75	33 39 38.9	95 16 53.0
Milepost 76, 50 feet south of track, iron post stamped "Prim. Trav.		
Sta. No. 57".	33 39 36.1	95 17 55.2
Milepost 77	33 39 34.6	95 18 57.1
Road crossing, 50 feet north of center of track, west of road, iron post		
stamped "Prim. Trav. Sta. No. 65"	33 39 31.4	95 20 43.1
Road crossing.	33 39 33.0	95 21 43.2
Road crossing	33 39 37.0	95 22 32.5
Blossom station, iron post 300 feet east of, stamped "Prim. Trav. Sta.	00 00 00 0	05 00 00 0
No. 72"	33 39 39.0	95 23 00.6
Milepost 82, road crossing.	33 39 36.8 33 39 34.7	95 24 10.0 95 25 12.2
Milepost 83. Road crossing.	33 39 34.7 33 39 33.0	95 26 03.4
Milepost 85.	33 39 30.6	95 27 14.8
Reno flag station, road crossing, 50 feet from center of track, north	99 99 90.0	90 21 14.0
edge of right of way, east edge of road, iron post stamped "Prim.		
Trav. Sta. No. 90"	33 39 30.1	95 27 45.5
Road crossing	33 39 26.5	95 28 38.7
Road crossing	33 39 10.9	95 29 27.5
Road crossing	33 38 56,6	95 30 12.4
Water tank, road crossing	33 38 49.2	95 30 58.2
Milepost 90	33 38 56.9	95 32 17.7
Paris, Texas and Pacific Rwy. station.	33 39 01.7	95 33 24.4
Paris, crossing of Texas and Pacific Rwy, and St. Louis and San Fran-		
cisco R. R.	33 38 55.8	95 34 07.3

Geographic positions along highways.

Station.	La	Latitude.			gitu	de.
Clarksville station, street crossing at west end of Station 15, iron post stamped "Prim. Trav. Sta. No. 15". Stanley post-office. Mail box 26. Iron post at east side of road stamped "Prim. Trav. Sta. No. 29". Albert Bullock's mail box.	33 33 33 33	33 32	34.7 22.0 38.5 07.2	95 95 95 95 95	03 02 02 03 03 03	08. 48. 54. 99.

GILMER QUADRANGLE (CAMP, CASS, MARION, HARRISON, GREGG, AND UPSHUR COUNTIES, TEX.).

Geographic positions along Missouri, Kansas and Texas Railway between Dangerfield and Lasater.

							_
Station.	Latitude.		Longitue		ude		
Hughes, also called Hughes Spring, Cass County, Coast and Geodetic Survey bench mark, the west face of a brick building owned by T. B. Keaster, in new part of building, in double column where the old and new parts join, Il paces from the northwest corner of the building, in the twenty-first tier of brick above the concrete sidewalk, copper	0	,	,,,	0	,		"
bolt Dangerfield, tablet in court-house Road crossing Road crossing Milepost 812	33 32 32	59 01 59 59 57	51. 4 53. 3 43. 5 37. 4 55. 3	94 94 94 94 94	37 43 36 36 35	52 19 42 24 16	. 40
South edge of right of way, east edge of road, in angle of fence, iron post stamped "Prim. Trav. Sta. No. 210". Road crossing at Pattengill flag station. Milepost 218 Milepost. Road crossing.	32 32 32	57 56 55 54 54	13. 2 17. 7 39. 5 52. 4 14. 8	94 94 94 94 94	34 34 34 33 33	12 00 35	. 10
Avinger, southeast edge of station, iron post stamped "Prim. Trav. Sta.".  Avinger, Cass County, Coast and Geodetic Survey bench mark, 26 paces north of old track, 19 paces west of old station, 2 telegraph poles east of milepost 817, 12 paces north of public road paralleling		-	01.9	94		25.	
railroad, limestone post.  Marion-Cass county-line post.		53 52	$\frac{30.2}{46.2}$	94 94	$\frac{32}{32}$	46. 16.	
At private road crossing, north edge of right of way, east edge of road, iron post stamped "Prim. Trav. Sta. No. 244".  Milepost 821. Orrs flag station, road crossing. Road crossing. Lasater, Marion County, Coast, and Geodetic Survey bench mark, 9	$\frac{32}{32}$	51 50	09. 9 15. 4 32. 9 16. 7	94 94 94 94	31 31 31 30	43. 45. 29. 33.	. 90
paces north of old abandoned grade, 35 paces north of new track, 10 feet east of second telegraph pole (old line), west of platform used as station, 44 paces west of railroad-crossing sign at road crossing, limestone post	32	50	05.0	94	30	12.	. 3

Geographic positions along Texas and Pacific Railway, milepost 75 to Big Sandy.

Station.	Latitude.		atitude. Lo			de.
	0	,	,,	0	,	,,
Milepost 76, 1,950 feet west of, road crossing	32	30	33.6	94	30	19.
Milepost 77, road crossing 2,000 feet west of	32	30	27.9	94	31	29.
south of railroad, iron post stamped "Prim. Trav. Sta. No. 137" Lansing flag station, 36 feet north of track at west edge of road, iron	32	30	14.9	94	34	13.
post stamped "Prim. Trav. Sta. No. 149"	32	30	27.0	94	37	33.
Road crossing 1,000 feet west of milepost 85	32	30	14.1	94	39	17.
Milepost 87, 750 feet west of, private-road crossing.	32	30	07.5	94	41	12.
Longview Junction, 30 feet west of station, street crossing.  Cattle guard west of section house, west side of guard, 21 feet west of			38.4		43	
track, iron post stamped "Prim. Trav. Sta."			45.2		44	
Willow Springs flag station, road crossing			11.5		47	
Camps flag station, road crossing, 40 feet north of track at west side	32	30	11.6	94	49	05.
of road, iron post stamped "Prim. Trav. Sta. No. 201"	32	30	15.3	94	51	19.

Geographic positions along Texas and Pacific Railway, milepost 75 to Big Sandy—Cont'd.

Station.	Latitude.			Longitude.		
Milepost 99.  Road crossing at sawmill and spur. Gladewater, street crossing, 60 feet east of station. Milepost 103, 140 feet west of, 26 feet south of track, iron post stamped "Prim. Trav. Sta. No. 221".  Wilkin flag station, cattle guard 100 feet west of road crossing at, 40 feet north of track, iron post stamped "Prim. Trav. Sta. No. 233". Milepost 110, 500 feet east of, road crossing.  Big Sandy, crossing of Texas and Pacific Rwy, and Cotton Belt Route.	32 32 32 32 32 32	31 32 32 33 34	" 41.4 12.8 04.8 14.8 29.2 20.8 53.3	94 94 94 94 95 95	54 56 56 00 03	17.2 38.8 41.4 58.7 43.2 33.2 32.4

Geographic positions along St. Louis Southwestern Railway, Big Sandy to Pittsburg.

Station.	Latitude.			Longitude.			
Road crossing, 32 feet east of track, in angle of fence at north side of	0	,	,,	0	,	,,	
wagon road, iron post stamped "Prim. Trav. Sta. 255"	32	35	03.0	95	06	15.1	
Pinnaele flag station, road erossing at siding.	32	37		95	03	48.8	
Milepost 519.	32		32.2	95		23.7	
Road crossing, 32 feet east of track, south edge of road, iron post	02	OC	02.2	50	02	20.1	
stamped "Prin Tray Sta No 2052	32	02	49.3	0.5	0.9	06.3	
stamped "Prim. Trav. Sta. No. 295"	32	39		95	01	02.9	
Runaway flag station, road crossing	32		55.2	94	59	09.9	
Day 1 and 1	32		27.7	94	57	22.8	
Gilmer, 1 mile south of, milepost 511, road erossing, 36 feet west of	- 02	42	21.1	194	94	22.0	
track, south edge of road, iron post stamped "Prim. Trav. Sta.							
	32	49	05.3	94	50	47.5	
No. 341''. Gilmer, street crossing at north end of station.	32		49.7	94	- 56 - 56	53.0	
Bad a seging at switch stand	32		04.8	94	57	21.0	
Road erossing at switch stand.	32	47	04.8	94	97	21.0	
Delrose flag station, road erossing north of, 30 feet west of track, at	00	477	00.5	0.4	~ ~	00.0	
edge of road, iron post stamped "Prim. Trav. Sta"	32		22.5	94		28.0	
Bettie, 100 feet north of station, road crossing.	32	48	29.4	94	57	36.2	
Smith flag station, 600 feet south of, 38 feet west of track, at eattle	0.0	***	00.0	0.4	***		
guard, iron post stamped "Prim. Trav. Sta.".	32	50	36.3	94		13.7	
Road erossing.	32	51		94	58	10.0	
Road crossing at ehureh	32	53	22.9	94	58	01.9	
Road crossing, 40 feet west of track and north of road, iron post							
stamped "Prim. Trav. Sta."	32		26.2	94		15.9	
Road crossing north of water tank	32	57	27.3	94	57	55.7	
Pittsburg, erossing of Missouri, Kansas and Texas and St. Louis							
Southwestern Rwys	32	59	47.7	94	58	08.8	

JEFFERSON QUADRANGLE (CASS, JEFFERSON, AND MARION COUNTIES, TEX.).

Geographic positions along Missouri, Kansas and Texas Railway between Avinger and Jefferson.

Station.			de.	Longitude.		
•	0	,	,,	0	,	,,
Road crossing at milepost	32	49	15.1	94	29	01.3
Iron post at north edge of right of way and east edge of road, stamped						
"Prim. Trav. Sta. No. 282"	32	49	00.7			33.0
Milepost 828	32	48	41.2	94	26	12.4
Kelleyville, Marion County, Tex., Coast and Geodetic Survey bench						
mark, 30 feet west of and across track from switch stand at west						
end of siding, between thrid and fourth telegraph poles east of mile-						
post 830, 14 paces north of track, in an angle formed by right-of-						
way fence and fence crossing railroad, limestone post	32	47	19.9	94	25	01.3
At road erossing, south edge of right of way, east edge of road, iron				0.4		00.0
post stamped "Prim. Trav. Sta. No. 317"	32		09.6	94		03.0
Milepost 833	32		45.3	94		23.8
Road crossing at milepost 834			07.4			47.6
Crossing of Texas Pacific Rwy	32	45	53.4	94	21	19.9
Jefferson, Marion County, Coast and Geodetie Survey bench mark,						
7 feet north of telegraph pole just opposite the Missouri, Kansas						
and Texas Rwy. station, almost in line with east end of building and			04		000	000
16 paces north of track, limestone post	32	45	31.8	94	20	38.4

Geographic positions along Texas and Pacific Railway between Marshall and Bivins.

Station.	Latitude.			Longitude.		
	0	,	"	0	,	"
Marshall, railroad junction and street crossing under tracks	32	33	05.2	94	22	07.
Milepost 65		34	25.8	94	22	00.
Road crossing.		38	07.8	94	21	24.
Road crossing.	32	39	07.5	94	20	51.
Woodlawn, street crossing 60 feet south of station		40	02.1	94	20	35.
Private-road crossing at section house.	32	40	29.6	94	20	29.
Milepost 55, 1,800 feet north of, road crossing	32	43	0.00	94	21	02.
Road crossing.	32	43	58.4	94	21	27.
Milepost 53	32	44	22.0	94	21	31.
Road crossing.	32	46	08.6	94	20	34.
Private-road crossing, at west edge of right of way, north edge of	00		0.5.1	0.4	40	=0
road, iron post stamped "Prim. Trav. Sta. No. 346"	32	47	35.1	94	19	50.
Milepost 47	32	48	39.2	94	18	56.
Road crossing, west edge of right of way, south edge of road, iron	20	70	90.4	0.4	1 PT	
post stamped "Prim. Trav. Sta. No. 362"	32	50 51	20.4 42.6	94 94	17 17	54. 03.
Milepost 43.		52	19.6	94	17	03.
Road crossing  Lodi, street crossing near, east edge of right of way, south edge of	- 02	02	19.0	94	17	03.
road, in angle of fence, iron post stamped "Prim. Trav. Sta. No.						
379''	32	52	34.1	94	16	54.
Milepost 41.		53	19.7	94	16	35.
Milanoet 40		54	09.1	94	16	22
Milepost 40 Road erossing, west edge of right of way, south edge of road, iron	02	04	00.1	94	10	44
post stamped "Prim. Trav. Sta. No. 398"	32	55	01.6	94	16	00
Kildare station.	32	56	27.9	94	15	01
Station No. 411 and also station No. 527 of Malta-Kildare line.	32	56	45.1	94	14	53
Kildare station, 0.5 mile north of	32	56	45.1	94	14	46.
Road crossing, 600 feet north of milepost 36, iron post stamped "Prim.	0.2	30	2.711	0.1	~ 1	20.
Tray, Sta. No. 4".	32	57	17.9	94	14	21
Milepost 35		57	57.5	94	13	52
Milepost 34		58	40.8	94	13	17
Water tank		59	42.3	94	12	35

## Geographic positions along highways.

Station.	Latitude.	Longitude.
Tom Dodge's mail box. Road to right. Crossroads. Kildare public school, northeast corner of building lot.	32 58 15.4 32 58 00.2 32 57 05.1 32 56 40.2	94 18 33 94 17 53 94 15 39 94 14 57

## Geographic positions along Texas and Pacific Railway, Louisiana-Texas State line vi Marshall to milepost 75.

Station.	Latitude.		Longit			
Missouri, Kansas and Texas Rwy, crossing, 40 fect south of track,						
1,000 feet east of crossing, iron post stamped "Prim. Trav. Sta. No.	0	/	//	0	/	1
77"	32	28	34.9	94	03	00
Waskom station, 200 feet east of, street crossing	32	28	48.1	94	03	35
Milepost 344, road crossing	32	29_	03.3	94	05	04
Jonesville, 400 feet east of station, street crossing			52.7		06	39
	32	20	03.1	0.4	08	07
edge of road, iron post stamped "Prim. Trav. Sta. No. 55"						
Road crossing.			06.5	94	09	08
Road crossing			47.2	94	11	15
Road crossing.			20.2	94	12	57
Scottsville flag station, road crossing			16.8	94	14	19
Road crossing, iron post stamped "Prim. Trav. Sta. No. 27"			31.3	94	15	27
Road crossing			45.2	94	16	49
Milepost 359, 300 feet east of, road crossing	32	33	15.3	94	18	56
mark; Aniron post 40 feet south of track at east side of road, stamped						
"Pulse Thouse Sta 1012	20	20	FO F	0.4	0.0	23
"Prim. Trav. Ŝta. 89". Abner flag station, road crossing, 40 feet north of track on west side	32	32	52.5	94	23	23
	20	20	20.0	0.4	00	00
of road, iron post stamped "Prim. Trav. Sta. No. 193".			38.2	94	26	08
Road crossing at milepost 73.			28.2	94	27	11
Road crossing 0.25 mile west of milepost 75.	32	30	57.1	94	29	23

MOUNT PLEASANT QUADRANGLE (BOWIE, CASS, MORRIS, AND TITUS COUNTIES, TEX.).

# Geographic positions along highways, Malta to Simms.

Station.	La	titu	ıde.	Longitude.			
Road to right. Crossroads Crossroads (dim) Simms post-office, crossroads, 6 miles from. Bridge Anderson Creek, bridge over Sam Linsey's house, John Harris's house, iron post 600 feet west of, stamped "Sti. No. 94". Road to right Simms post-office, road to left, 400 feet east of. Bridge.	33 33 33 33 33 33	28 27 27 26 25 24 23 22 21 20 19	10. 2 33. 6 00. 2 01. 4 13. 3 08. 6 19. 5 47. 6 18. 1 59. 1 28. 1	94 94 94 94 94 94 94 94 94 94 94	31 31 31 31 31 31 31 31 31 30 30	49, 3 41, 2 38, 0 38, 0 35, 1 34, 1 24, 8 18, 8 13, 3 29, 8 01, 1	

# Geographic positions along cotton-belt route near Bassett.

Station.	Latitude.	Longitude.
Road crossing	33 18 34.4 33 18 42.9	94 29 42.4 94 32 08.1 94 33 46.5 94 34 13.2

## Geographic positions along highways.

Station.	Latitude.			Long	de.	
Signboard, "Bassett 4 miles". Sulphur River, north bank of county line. Fence, corner of Milepost, "21 miles to Linden". Bryans Mill post-office, 0.25 mile northwest of, iron post stamped "Prim. Trav. Sta. 248".  ALONG WEST EDGE OF QUADRANGLE.	33 33 33 33	16 16 15 15	13. 0 06. 7 31. 4 22. 8 15. 2	94 94 94 94	31 31 31 30	51. 0 47. 4 17. 6 55. 6
Greenhill post-office Payne's store, iron post stamped "Sta. No. 178". W. W. Smith's house, 500 feet south of, east edge of road, iron post stamped "Sta. No. 193". Mount Pleasant, 2 miles north of, 700 feet north of creek bridge, east edge of road, iron post stamped "Prim. Trav. Sta. No. 215". Mount Pleasant court-house, tablet.	33 33 33	14 13	32. 4 58. 8 17. 2 14. 8 23. 0	94 94	59 59 58	59, 8 49, 5 20, 7 21, 7 10, 1

# Geographic positions along St. Louis Southwestern Railway between Mount Pleasant and Pittsburg.

Station.	Latitude.			Longitude.		
	0	,	"	0	,	"
St. Louis Southwestern Rwy., street crossing.	33	09	11.0	94	58	08.3
Road crossing. On west edge of right of way and north side of road, road crossing,	33	08	20.2	94	58	24.5
On west edge of right of way and north side of road, road crossing,	. 0	07	00. 9	0.4	F0	00.0
iron post stamped "Prim. Trav. Sta. No. 12"			20. 3	94 94		26. 6 15. 1
Road crossing West edge of right of way, 50 feet west of track at gate, iron post	33	00	14.3	94	98	10. 1
stamped "Prim. Trav. Sta. No. 24"	33	05	00.3	94	58	07.8
Cypress flag station, road crossing at section house 300 feet north of			37. 9			08. 7
North side of road, east edge of right or way, iron post stamped "Prim.						
Trav. Sta. No. 37''			24.5			19.7
Road crossing.	33	01	21.2			15. 5
Milepost 490	33	00	45. 7	94	58	08. 6
On west edge of right of way, iron post stamped "Prim. Trav. Sta. No.		0.0	01.0	0.4	r.o.	07.7
Dittalyang arrasing of Minary Vanna and Managard St. Lauria	33	00	01.9	94	98	07.7
Pittsburg, crossing of Missouri, Kansas and Texas and St. Louis Southwestern Rwys.	32	59	47.7	94	58	08.8

Geographic positions along Missouri, Kansas and Texas Railway between Pittsburg an Hughes.

Station.	Latitude.			Long	gitu	de.
Pittsburg, Camp County, 0.25 mile west of station, on concrete arch culvert of Missouri, Kansas and Texas Rwy., 60 feet north of water tank, I telegraph pole east of milepost 786, top of coping to north side, copper bolt.	° 32	, 59	46, 5	° 94	, 58	26.
copper bott. Milepost 759, private road crossing 100 feet north of, north of track on edge of right of way, iron post stamped "Prim. Trav. Sta".  Eamp-Titus county line, 50 feet south of track, iron post stamped	0_	00	42. 4 53. 8	94 94		34. 11.
"Prim. Trav. Stå. No. 75". Milepost 793. 150 feet east of road crossing on south edge of right of way, iron post	33 33	01	05. 0 28. 0	94 94	51	35. 36.
stamped "Prim. Trav. Sta. No. 93" Carson-Titus county line, Coast and Geodetic Survey bench mark, 15 paces south of track, in an angle of fence on west side of road crossing, 7 telegraph poles west of station, 5 feet from south and east fences,	33	01	43. 4	94	50	03
limestone post 36 by 6 by 6 inches. Milepost 798. South edge of right of way, east edge of road, iron post stamped "Prim. Trav. Sta. No. 118".	33 33	01	10. 8 49. 5	94 94	49 46	06. 57.
Road crossing	33 33 33	01 01	32. 9 22. 3 31. 1	94 94 94	45 45 43	52, 17, 44,
Dangerfield, tablet in court-house Road crossing Milepost 805 Road crossing	33 33 33 33	01 00	53. 3 55. 8 58. 4 50. 4	94 94 94 54	43 42 40 40	19. 06. 54. 42.
Veals flag station, crossroads at, north edge of right of way, iron post stamped "Prim. Trav. Sta. No. 171". County-line post. Hughes, also called Hughes Spring, Cass County, Coast and Geodetic	33 33		42. 7 19. 3		40 39	08. 14.
Survey bench mark, in west face of a brick building owned by T. B. Keaster, in new part of building, in the double column where the old and new parts join, 11 paces from northwest corner of building and						
in twenty-first tier of brick above the concrete sidewalk, copper bolt.	32	59	51. 4	94	37	52

## MOUNT VERNON QUADRANGLE (RED RIVER AND TITUS COUNTIES, TEX.).

## Geographic positions along highways.

Station.		atit	ude.	Longitude.			
Cuthand Creek bridge, south end of, road to right. East edge of road, iron post stamped ''Prim. Trav. Sta. No. 59''. Cuthand post-office. Cuthand, 2,100 feet south of, road to right. Crossroads, iron post stamped ''Prim. Trav. Sta. No. 69''. Dim road to left. East edge of road, iron post stamped ''Prim. Trav. Sta. No. 86''. County line, northeast end of Sulphur bridge. Opposite new house, iron post stamped ''Prim. Trav. Sta. No. 109''. Mount Pleasant, milepost 13 from, 300 feet north of, iron post stamped ''Prim. Trav. Sta. No'' White Oak Creek, north bank. South of White Oak Creek, on summit of ridge, west edge of road, iron post stamped ''Prim. Trav. Sta. No. 154''.	33 33 33 33 33 33 33 33	28 27 27 25 24 23 21 19 18	41. 20 02. 90 43. 50 17. 05	95 95 95 95 95 95 95 95 95	03 03 03 03	23. 20 38. 53. 46. 49.	

## PARIS QUADRANGLE (FANNIN AND LAMAR COUNTIES, TEX.).

Geographic positions along St. Louis and San Francisco Railroad between Paris, Tex. and Goodland, Ind. T.

Station.	Latitude.			Longitude.			
***************************************							
TEXAS.							
Paris, crossing of Texas and Pacific Rwy, and St. Louis and San Fran-	0	,	"	٥	,	"	
cisco R. Rs		38	55. 8	95	34	07	
Paris station, Frisco street crossing at north end of	33	39	39. 6	95	34	03	
Road crossing.	33	40	12.3	95	34	03.	
Road crossing, iron post stamped "Prim. Trav. Sta. No. 18," south of						- 0	
road, 50 feet east of center of track	33	41	39.7	95	33	22.	
Road érossing.	33	43	09. 1	95	33	12.	

Geographic positions along St. Louis and San Francisco Railroad between Paris, Tex., and Goodland, Ind. T.—Continued.

Station.	La	titu	de.	Lon	gitu	de.
TEXAS—continued.  Hinckley flag station, road crossing, at angle of fence at east edge of right of way, north edge of road, iron post stamped "Prim. Tray.	0	,	,,	0	,	
Sta. No. 28," 50 feet east of center of road.  Road crossing, east edge of right of way and south edge of road, iron post stamped "Prim. Trav. Sta. No. 40," 50 feet east of center of			18.6	95		55. 2
track Lenoir flag station, road crossing, 30 feet west of track, north side of road, iron post stamped "Prim. Trav. Sta. No. 45" Store, road crossing at Arthur station, road crossing south of	33 33 33	48 50		95 95	31 30	50. 5 24. 0 55. 2
INDIAN TERRITORY.		52	07.7	95	30	16.8
Bridge, north end of, on abutment, 15 feet east of center of track, tablet. Milepost 567, road crossing at. Milepost 565. Grant station, road crossing 400 feet south of.	33 33 33 33	52 53 55 56	39. 0 44. 1 25. 1 25. 3	95 95 95 95	30 29 30 30	02. 8 36. 8 12. 6 34. 7
Hugo, crossing Choctaw R. R. Goodland flag station, road crossing at Road crossing (line turns west on wagon road) Goodland triangulation station, on a high flat prairie ridge owned by	34 34 34	00 02 03	30. 4 53. 7 18. 1	95 95 95	30 31 32	54. 1 42. 6 03. 6
Tom Self, 4 miles west of Goodland. From quarter corner between secs. 1 and 2, T. 6 S., R. 16 E., station bears S. 79° 25′ W., distant 11.68 chains. Station mark: Shell rocks piled around foot of tall signal						
pole	34	03	43. 0	95	35	36. 3

## SHAWNEETOWN QUADRANGLE (BOWIE AND RED RIVER COUNTIES, TEX.).

Geographic positions along Texas and Pacific Railway between Malta and Clarksville.

Station.	Latitude. ·			Station. Latitude. · Longitude.					
Road crossing, on north line of right of way, iron post stamped "Prim.	0	1	"	0	,	//			
Trav. Sta. No. 103''.	33	29	15.3	94	31	19.0			
Milepost 30	33	29	40.7	94	32	47.4			
Road crossing, 60 feet north of track, iron post stamped "Prim. Trav. Sta. No. 113".	33	30	05.3	94	9.4	08.9			
Road crossing.	33		18.3	94		$\frac{08.9}{33.4}$			
De Kalb station, street crossing 70 feet west of	33	30	29.3	94		59.6			
De Kalb station 1 980 feet west of ou north side of track iron post	99	00	20.0	94	90	00.0			
stamped "Prim. Trav. Sta. 128".	33	30	38.3	94	37	19.4			
Road crossing.	33	30	57.5	94	38	08.1			
Milepost 38.	33	31	49.0	94	40	35.1			
Oak Grove, 840 feet east of, north side of right of way, iron post									
stamped "Prim. Trav. Sta. No. 143"	33	32	02.9	94	41	05.2			
Milepost 40.	33	32	37.8	94	42	25.6			
North side of track, west side of road, at road crossing, iron post	0.0	0.0	40. 7	0.4	40	07 4			
stamped "Prim. Trav. Sta. No. 149"	33 33	32 33	43.7 17.2	94 94		37.4 19.2			
Milepost 42. Sixty feet north of track, on west side of road crossing, iron post	99	90	17.2	94	44	19.2			
stamped "Sta. 160"	33	33	10.1	94	45	20.1			
Avery station, street crossing 50 feet west of	33	32	58.1	94		50.2			
Milepost 46.	33	32	59.5	94	48	24.9			
Road crossing, north side of track and east of road, iron post stamped		-	30.0	0.5					
"Prim. Trav. Sta. No. 174"	33	33	20.4	94	49	07.8			
Road crossing.	33	33	59.5	94	50	43.7			
North of track, west of road crossing, iron post stamped "Prim. Trav.									
Sta. 186''	33		18.9	94		16.9			
Road crossing.  Anona station, 800 feet east of, 60 feet north of track, iron post stamped	33	34	28.0	94	53	22.3			
Anona station, 800 feet east of, 60 feet north of track, iron post stamped	0.0	0.4	45.0	0.4	~ .	00.0			
"Prim. Trav. Sta. No. 195" Private-road crossing, north of track and west of road, iron post	33	34	47.6	94	54	30.9			
ctompod the Deim West of road, from post	33	35	31.3	94	57	00.3			
stamped 'Prim. Trav. Sta. No. 203''. Milepost 256.	33		52.5	94		09.1			
Road grossing under bridge 988	33		09.3	94		02.2			
Road crossing under bridge 200.	33		18.5	94	59	43.5			
Road crossing under bridge 288. Road crossing, north of track and east side of road, iron post stamped	50	50	20	U I		2710			
"Prim. Tray. Sta. 219".	33	36	41.1	95	01	29.7			
Clarksville, east edge of, north of track, at road crossing, iron post									
stamped "Prim. Trav. Sta. No. 225"	33	36	56.7	94	02	46.1			
Clarksville, west end of station, street crossing.	33	37	00.9	94	03	08.4			

TEXARKANA QUADRANGLE (BOWIE AND CASS COUNTIES, TEX.; CADDO PARISH, LA.).

## Geographic positions along Texas and Pacific Railway.

Station.		Latitude.			de.
Texarkana, crossing of Texas and Pacific and Kansas City Southern Rwys Milepost 2. Road crossing (grade) Junction station (operator's window). Road crossing (grade). Iron bench-mark post stamped "Prim. Trav. Sta. 23". Road crossing. Leary post-oifice, road crossing west of. Milepost 12. Milepost 14. Hooks station, 50 feet west of, iron post stamped "Prim. Trav. Sta. 52". Milepost 16. Milepost 16. Milepost 18. Road crossing. Milepost 21. New Boston station, street crossing at east end of New Boston station, iron post at road crossing, 0.5 mile west of, stamped "Prim. Trav. Sta. 83". Milepost 25. Road crossing. Malta, Norman's store, iron post 300 feet east of, stamped "Prim. Trav. Sta. 103".	33 26 33 26 33 26 33 26 33 27 33 27	26.92 51.3 20.5 30.3 44.9 54.0 32.8 46.6 58.2 56.4 51.9 45.3 35.2 32.6 33.5 14.7	94 94 94 94 94 94 94 94 94 94 94 94 94 9	03 04 05 07 08 09 10 12 14 16 17 18 20 21 23 24 25 27 29	07.8 31.1 52.8 31.1 14.6 26.0 04.0 25.7 30.7 30.7 30.7 45.8 41.2 24.5 53.5 10.7

# Geographic positions along Texas and Pacific Railway between Bivins and Texarkana.

Station.	La	titu	de.	Lon	gitu	de.
Bivins, road crossing 125 feet south of, iron post stamped "Prim.	0	,	"	0	,	"
Trav. Sta. No. 25''	33	01	12.8	94	11	55.4
Milepost 29	33	02	31.3	94	11	02.3
Road crossing under track	33	04	00.5	94	10	50.7
Milepost 26	33	05	03.8	94	10	34.7
Atlanta, Main street crossing.	. 33	06	50.6	94	09	55.8
Milepost 23	33	07	$\frac{31.6}{43.3}$	94	09	33.6
Tank, road crossing 1,000 feet florth of	33 33	08 09	02.6	94	09	$\frac{11.2}{01.9}$
Queen City station, street crossing north of	33	09	47.4	94 94	08	59.5
Road crossing	33	10	56.6	94	09	06.8
Tenark flag station, road crossing	33	12	50.4	94	08	10.8
Road crossing	33	13	25.6	94	08	09.9
Springdale flag station.	33	14	00.1	94	08	03.9
Alamo post-office, road crossing, iron post stamped 'Prim. Trav. Sta.			00.4	0.2	00	
No. 107''	33 33	15 16	$\frac{56.1}{36.0}$	94	06 05	$\frac{48.3}{21.0}$
Milepost 11 Sulphur Bridge, water tank at north end of	33	18	00.7	94 94	03	$\frac{21.0}{39.8}$
Railroad station.	33	18	28.3	94	03	24.3
	33	19	22.3	94	03	23.5
Road crossing	33	20	07.4	94	03	$\frac{23.3}{28.4}$
Road crossing.	33	20	22.5	94	03	30.2
Milepost 4, road crossing 60 feet north of.	33	22	01.1	94	03	41.2
Road crossing.	33	22	46.8	94	03	46.2
Crossing of Kansas City Southern and Texas and Pacific Rwys	33	23	23.3	94	03	43.0
Texarkana, crossing of Kansas City Southern and Texas and Pacific				0.2	00	
Rwys	33	25	02.4	94	03	07.8

## Geographic positions along highways.

Station.	Latitude.			Longitude.		
inden, milepost 18 miles from Prossroads Adaple and Douglasville roads, intersection of Road to left Pusseta post-office, 60 feet south of Inden, at crossroads 9 miles north of, iron post stamped "Prim. Trav. Sta. No. 341" Prim. Trav. Sta. No. 341" Prim. Trossroads Inden, milepost 6 miles from W. N. Anderson's house Prossroads Road to right Inden, milepost 2 miles from Inden, milepost 2 miles from Inden court-house, bench-mark post at northeast corner of yard, stamped "Prim. Trav. Sta. No. 429" Road to right	33 33 33 33 33 33 33 33 33 33	, 13 12 11 11 09 07 06 05 04 03 02 01 00	41.8 40.9 42.7 08.8 15.9 01.1 45.1 09.8	94 94 94 94 94 94 94 94 94 94 94 94	29 29 29 28 27 25 25 24 24 23 23 23 21	11.3 04.1 33.0 27.1 18.6 27.5 38.6 27.3 49.5 49.3 18.1

# Geographic positions along Kansas City Southern Railway between Rodessa and Bloomburg.

Station.		Latitu le.			Longitude.		
Rodessa station, 740 feet south of, road crossing at section house, 30							
feet west of track, on north side of road, iron post stamped "Prim.	0	,	11	0	/	//	
Trav. Sta. No. 286"	32	58	10.4	93	59	37.4	
Station 293, sawmill, flag station, road crossing.			04.9			42.0	
Station 298, State line Arkansas and Louisiana, road crossing. Refer-							
ence mark: Iron post at corner of fence west of track	33	01	09.7	94	01	18.6	
Milepost 514	33	02	40.6	94	02	09.9	
Ravana flag station, 60 feet south of crossing, 35 feet west of track,							
iron post stamped "309"	33	03	58.7	94	02	29.0	
Section house No. 73.	33	05	07.8	94	02	27.7	
Arkansas-Texas State line, 50 feet east of track, iron post stamped							
"Prim. Trav. Sta. No. 320"	33	06	30.4	94	02	35.1	

# Geographic positions along Kansas City Southern Railway between Bloomburg and Atlanta.

Station.	Latitude.	Longitude.
Bloomburg station, 300 feet north of, 35 feet south of track, west side of road, iron post stamped "Prim. Trav. Sta.".  Road crossing 2.5 miles southwest of Bloomburg.  Road crossing.  Road crossing, 19 feet north of track, at west edge of road, iron post	33 08 16.3 33 08 05.0 33 08 11.1	94 03 38.2 94 04 51.1 94 06 34.1
stamped "Prim. Trav. Sta. No. 349"	33 08 13.4	94 07 32.8

#### UTAH-NEVADA.

## TRIANGULATION STATIONS.

BEAVER, IRON, AND PIUTE COUNTIES, UTAH; LINCOLN COUNTY, NEV.

## IRON SPRINGS SPECIAL QUADRANGLE.

In the fall of 1905 Fred McLaughlin, assistant topographer, occupied seven new triangulation stations, based on Pioche and Tushar stations of the Coast and Geodetic Survey.

BLUE, BEAVER COUNTY, UTAH.

On the highest and most prominent peak of the Blue Mountains about 12 miles north of Lund railroad station.

Station mark: A triangulation tablet cemented in solid rock.

[Latitude  $38^{\circ} 30' 42.19''$ . Longitude  $113^{\circ} 26' 04.25''$ .]

To station—	Azi	Azimuth. Back azimuth.				Log. distance.	
Tushar. Hot. Peck Springs Iron Frisco Peak.	326				48		Meters. 4. 953428 4. 348724 4. 689317 4. 639976 4. 770754 4. 594679

#### FRISCO PEAK, BEAVER COUNTY, UTAH.

On Quartzite Hill, a prominent timbered peak about 4 miles north of Frisco railroad station.

Station mark: A tablet cemented in solid rock.

[Latitude 38° 47′ 33.66". Longitude 113° 09′ 33.64".]

To station—	Azimuth. Back azimuth.				Log. distance.		
Hot Tushar . Granite . Blue .	13 302	13			41	26. 0 55. 6	Meters. 4.709510: 4.887415: 4.643276: 4.594678!

#### GRANITE, BEAVER COUNTY, UTAH.

On the highest part of sharp granite range 10 miles east of Milforc railroad station. Can be approached only from the west. About 600 feet north of this point is a sharp, isolated, and inaccessible rock located by the United States Coast and Geodetic Survey, called Milford Needle.

# Station mark: A triangulation tablet cemented in solid rock.

[Latitude 38° 30′ 55.48″. Longitude 112° 47′ 54.31″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Cushar Hot Prisco Peak	287 23 29.8 66 22 44.6	246 04 14.8	Meters. 4.5486284 4.6750857 4.6432765

## HOT, IRON COUNTY, UTAH.

On the southernmost and most prominent point of the Hot Springs Mountains, about 15 miles northeast of Lund railroad station.

Station mark: A triangulation tablet set in stone and covered by a cairn 4 feet high.

[Latitude 38° 20′ 36.71″. Longitude 113° 17′ 39.82″.]

To station—	Azimuth.			Back	azın	Log. distance.	
Springs. Iron Blue Frisco Peak Granite Tushar Pioche	356 146 193 246 263 59	03 48 14 04 28 22	15.70 36.25 10.00 26.00 14.80 56.80 13.80	\$\\ 184 176 32\oquad 373 66 84 238	36 05 42 19 22 01 54	29. 1 44. 6 49. 3 10. 0	Meters. 4. 5563142 4. 6987596 4. 3487240 4. 7095103 4. 6750857 4. 8896770 4. 8880691 4. 5313362

#### IRON, IRON COUNTY, UTAH.

On Iron Mountain, a prominent peak about 16 miles west-southwest of Cedar City post-office, on the highest part of a large iron rock. Fifteen feet west (true) of the geodetic point a rock cairn 4 feet high was built over a triangulation tablet set in solid rock.

[Latitude 37° 53′ 39.63″. Longitude 113° 15′ 19.28″.]

To station—	Azimuth.	Log. distance.	
Peak Springs Hot Pioche Blue	176 05 03.0 98 32 56.9	25 16 24.1 335 35 42.5 356 03 36.2 278 03 35.1	Meters. 4. 2992595 4. 1858920 4. 6987596 4. 8494989 4. 7707542

## PEAK, IRON COUNTY, UTAH.

On the sharpest of the Three Peaks, about 11 miles west of Cedar City post-office and 2 miles north of Iron Springs.

Station mark: A tablet cemented in solid rock, over which a cairn was erected.

[Latitude 38° 03′ 23.98″. Longitude 113° 09′ 31.23″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Iron. Hot. Blue. Springs.			Meters. 4. 2992595 4. 5313362 4. 6893173 4. 1862740

#### SPRINGS, IRON COUNTY, UTAH.

On the easternmost and highest of three peaks about 20 miles south-southwest of Lund railroad station.

Station mark: A tablet cemented in a rock, over which a cairn 4 feet high was erected.

[Latitude 38° 01′ 12.87″. Longitude 113° 19′ 38.72″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Hot. Iron. Blue. Peak			Meters. 4, 556314; 4, 185892( 4, 639976 4, 186273!

#### TUSHAR, PIUTE COUNTY, UTAH.

A Coast Survey station of 1882, on summit of northernmost of the highest of three peaks in Tushar Range, the backbone of which forms the boundary between Beaver and Piute counties; the peak is locally known as Mount Belknap. Can be reached most easily from Marys ville, a village on upper Sevier River, 10 miles distant in an air line

Station mark: A \(\frac{5}{5}\)-inch copper bolt leaded in solid rock, around and over which was built a stone foundation pier for theodolite, with a stone slab with a drilled hole in its top. Top of copper bolt is 11 inches below hole in slab. The vertical-circle station is almost due north 34.12 feet from station mark. Circular stone walls around these stations were left standing. The wall around station mark, 1 feet interior diameter, 2.5 feet thick, and 4.5 feet high, is concentric with station bolt and makes an excellent reference mark in the absence of usual drill holes, which were not made owing to the loose condition of the shale rocks about the station.

[Latitude 38° 25′ 10.31″. Longitude 112° 24′ 42.96″.]

To station—	Azimuth.		Back-azimuth.		uth.	Log. distance.	
Hot Granite Frisco Peak Blue Pioche	84 107 122 96 71	01 37 41 51 59	49. 3 55. 4 55. 6 31. 9 46. 3	263 287 302 276 250	28 23 13 13	56. 8 29. 8 56. 8 22. 0 56. 1	Meters. 4. 889677 4. 548628 4. 887418 4. 953428 5. 180217

PIOCHE, LINCOLN COUNTY, NEV.

A station of the Coast Survey, located on the highest rock knoll of a peak in the mountains east of Eagle Valley. Peak is about 1,000 feet west of boundary line between Nevada and Utah and bears N. 80° 25′ E., distant 22.5 miles (about 33 miles by road) from the courthouse in Pioche. The geodetic point is marked by a ½-inch copper bolt leaded in solid rock in the center of a stone foundation pier for theodolite as a subsurface mark. The pier is covered by a stone slab with a ¾-inch drill hole in its center as a surface mark. The copper bolt is 8¾ inches below top of drill hole. The vertical-circle station bears N. 26° 20′ E., distant 69.23 feet from geodetic point, and both points were surrounded with circular stone walls which were left standing.

Reference marks: Five drill holes, one N. 34° 28′ E., distant 8.27 feet; one S. 88° 22′ E., distant 7.91 feet; one S. 15° 14′ E., distant 8.92 feet; one N. 88° W., distant 7.71 feet, and one N. 28° 57′ W., distant 6.56 feet from geodetic point.

[Latitude 37° 59′ 10.90″.	Longitude 114° 03′ 04.82″.]
---------------------------	-----------------------------

To station—	Azimuth.	Back azimuth.	Log. distance.
Wheeler Peak Tushar Hot Iron	168 26 35.00 250 58 56.09 238 54 10.00 278 03 35.10	348 16 48.08 71 59 46.26 59 22 13.80 98 32 56.90	Meters. 5.05423265 5.18021727 4.88806910 4.84949890

#### WYOMING.

#### TRIANGULATION STATIONS.

BIGHORN, FREMONT, AND NATRONA COUNTIES.

# ALCOVA, BROKEN HORN, LOST CABIN, NOWOOD, NOWATER, AND WATROUS QUADRANGLES.

During the season of 1905 T. M. Bannon, topographer, extended triangulation from the stations Broken Horn, Shepherd, and Reef, in the vicinity of Casper, Wyo., established by Sledge Tatum, topographer, from the Coast and Geodetic Survey stations Morrison and Table Mound in Colorado, northwestward to stations Deranch and Mahogany, established by Mr. Robertson from the Ranchester base and Sheridan position. The differences of the positions and bases are noted in the description for Mahogany.

Positions are given on the United States Standard datum.

# DERANCH, BIGHORN COUNTY.

On the most prominent peak of Lyesite Mountain at the head of Lake Creek, a tributary of Kirby Creek. Road goes up one fork of Bridger Creek almost to station. Deranch post-office is about 7 miles

south of station. Peak is timbered on the Lake Creek side and smooth and grassy on the Bridger Creek side. Water in both creeks.

Signal: A rock cairn 8 feet high, built around small pine.

Station mark: A bronze triangulation tablet set in stone which was placed in ground under center of signal.

[Latitude  $43^{\circ}\ 34'\ 03.42''\ (43^{\circ}\ 34'\ 05.67''a)$ . Longitude  $107^{\circ}a\ 44'\ 05.57''\ (107^{\circ}\ 44'\ 03.23''a)$ .]

To station—	Azimuth.		Azimuth. Back azimuth.			nuth.	Log. distance.
Copper	199	39 06 55 25	07. 23 39. 47 05. 85 33. 71 15. 59 08. 07	292 19	29	49. 18	Meters. 4. 254976 4. 273752 4. 591183 4. 381111 4. 395613 4. 484318

a From Ranchester base.

# MAHOGANY, BIGHORN COUNTY.

On highest point of Mahogany Butte, a prominent spur from the main mountain, forming a perpendicular bluff on the side of No Wood Creek, about 5 miles down the creek from No Wood post-office. Road from No Wood to Redbank and Big Trails passes directly under station. Take this road from No Wood post-office to a point where it crosses a creek on a bridge, then take trail to right.

Station mark: A bronze triangulation tablet cemented in solid rock, over which a cairn 8 feet high is centered.

[Latitude 43° 38′ 29.83′′ (43° 38′ 32.10′′ a). Longitude 107° 22′ 16.20″ (107° 22′ 13.57″ a).]

To station—	Azimuth.	Back azimuth.	Log. distance.
Deranch Deranch a Cottonwood Pass Honeycomba	74 29 03.28 74 29 11.345 36 39 15.13 125 58 26.19	254 14 00. 31 254 14 08. 074 216 31 23. 01 305 47 36. 38	Meters. 4. 4842348 4. 4843181 4. 4117437 4. 4145173

a From Ranchester base.

#### COPPER, FREMONT COUNTY.

On a high grassy hill of the Bridger Mountains between the forks of Little or Dry Bridge Creek and West Bridge Creek on the north and the drainage of Dry Creek on the south, 5 miles west of Deranch and 2 miles west of Deranch Pass. Station is on rim of Wind River Basin and visible for a great distance. Easily reached from north. A big lone pine near station distinguishes the hill.

Station mark: A bronze triangulation tablet cemented into a large stone buried flush with ground and centered under a small rock monument and tripod signal,

Reference marks: Top of two nails driven into a blazed place 6 feet above ground in a big pine tree 42.05 feet southeast of station.

[Latitude 43° 26′ 51.19″. Longitude 107° 53′ 02.773″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
BadwaterRound Hill.	0 / // 111 38 45.88 144 12 08.09	291 16 53, 32 324 00 20, 15	Meters. 4. 6650032 4. 5985699

#### HERDER, FREMONT COUNTY.

#### (Not occupied.)

A sheep herder's monument on a hill south of the stage road about one-half way between Round Hill and the Buck Camp.

# [Latitude 43° 05′ 22.67″. Longitude 107° 35′ 00.50″.]

To station—	Azimuth.	Back zimuth.	Log. distance.
Round HillPoison	171 33 14.8 225 28 23.0	351 32 40.6 45 30 49.6	Meters. 3. 8867036 3. 8325969

#### POISON, FREMONT COUNTY.

On a small hill known as Round Hill, on the south side of Poison Creek, about 500 feet southwest of Round Hill stage station, at the junction of the Casper-Lander road and the Casper-Thermopolis stage road and telephone-line. The station is near the Fremont-Natrona county line.

Station mark: A bronze tablet cemented into a large bowlder buried several inches under ground, over which a mound of dirt was thrown.

Reference mark: A small hole picked into a rock buried 14.7 feet west.

# [Latitude 43° 07′ 57. 16″. Longitude 107° 31′ 25.97″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Round Hill. Badwater.	115 31 39.6 217 26 31.9	295 28 38.6 37 33 32.7	Meters. 3. 8211898 4. 3576638

#### ROUND HILL, FREMONT COUNTY.

On a sand hill on the divide between Poison and Alkali creeks, about 3 miles northwest of Round Hill stage station at forks of Lander-Casper road and Casper-Lost Cabin-Thermopolis stage road. Station is in view for a long distance from both roads. Good grass and bad water in Poison Creek bottom.

Station mark: A bronze tablet cemented into a large bowlder buried under a quadripod signal and a rough rock monument.

Reference mark: A chiseled cross on a limestone ledge 45 feet east.

[Latitude 43° 09′ 29.59′′. Longitude 107° 35′ 50.58″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Badwater. Jack Pot. Reservoir.	0 / " 232 24 53.63 247 25 44.92 295 22 36.78	52 34 55.74 67 42 36.96 115 30 36.43	Meters. 4. 3980835 4. 5573268 4. 4560997

# BADWATER, NATRONA COUNTY.

On grassy ridge on divide between Dry or South Fork of Badwater Creek and the drainage of Alkali Creek, 3 miles northeast of Cedar Pass (also known as Davis or Bostleman Pass), 3 miles east of Bostleman's ranch at forks of North and Dry Forks of Badwater Creek, 20 miles northwest of Walton, and 20 miles northeast of Lost Cabin. The road up Dry Fork of Badwater Creek passes one-half mile north of station. Good road from Walton to Bostleman via Cedar Pass; from Lost Cabin take old Bates road east to intersection with Cedar Pass road. Station is not on highest point, but 1,000 feet west and 50 feet lower. A large rock monument was also built on highest point.

Station mark: A bronze tablet cemented into a solid rock, over which a big cedar tree and rock monument were centered.

Reference mark: A chiseled cross on a large rock 32 feet west.

[ Latitude 43° 17′ 42.94″. Longitude 107° 21′ 11.44″.]

To station—	Az	imu	ith.	Back	aziı	nuth.	Log. distance.
Jaek Pot	276 347	,	58. 26 49. 07			48. 78 48. 22	Meters. 4. 1327726 4. 4494994

#### CLARK, NATRONA COUNTY. .

On the high north end of a grassy-topped ridge, fringed on slopeswith trees and locally known as Pine Mountains, 5 miles south of Clark's and 7 miles southwest of Johnson's ranches, on Casper-Lander stage road. A road from Clark's ranch to top of mountain passes 200 feet east of signal. Fine grass all over the top of mountain, and water in spring at head of gulch 500 feet west of signal.

Station mark: A bronze tablet cemented in solid rock, over which are centered a small monument and a tripod signal.

Reference mark: A small hole picked into a flat rock buried 41 feet east of signal near a small pile of stone.

# Latitude 42° 58′ 28.44′′. Longitude 106° 52′ 25.09′′.]

To station—	Azimuth.	Back azimuth.	Log. distance.
EasyReef	0 / // 207 56 26.76 292 54 04.06	28 01 39.72 113 04 45.68	Meters. 4. 3444672 4. 3655294

#### COTTONWOOD PASS, NATRONA COUNTY.

On highest point of limestone hill on the east side of Cottonwood Pass, about 1 mile southeast of telephone line in pass, 15 miles north of Lost Cabin and same distance south of Nowood post-office. The stage from Lost Cabin to Nowood and Bonanza comes up Cottonwood Creek from Lost Cabin and passes 1 mile west of signal. There is a good spring and grass in Cottonwood Creek at fork of a road to west 1 mile south of saddle. The road to the west intersects the main road from Nowood to Deranch. Hanson's ranch, on the stage road down Nowood Creek, is 7 miles north.

Station mark: A bronze tablet cemented under a quadripod signal into the solid limestone ledge.

Reference mark: An arrow pointing to a triangle chiseled into the limestone rock 29 feet southwest of station.

[Latitude 43° 27′ 18.39″. Longitude 107° 33′ 41.45″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Round Hill.	5 03 17.02 88 16 09.47	185 01 48. 45 268 02 50. 78	Meters. 4. 5199818 4. 4170584

# EASY, NATRONA COUNTY.

On the rim between Powder River and North Fork of Casper Creek, about 10 miles from both Clark's and Johnson's road ranches, on the Casper-Lander stage road. A wash leads from both of the ranches to the rim, which it follows around to Ballard's shearing pens, on the Casper-Kaycee wagon road.

Station mark: A bronze tablet cemented into a large bowlder buried under a small pile of rock, over which is centered a quadripod signal.

Reference mark: A chiseled square on a sandstone ledge, which is on the edge of the rim 30 feet west.

[Latitude 43° 09′ 00.98″. Longitude 106° 44′ 46.73″.]

To station—	Azimuth.			Back	aziı	muth.	Log distance.
Broken Horn Shepherd Reef	163 249 338	19 20 59	11. 51 21. 30 27. 90	343 69 159	16 23 04	08. 63 55. 64 57. 86	Meters. 4. 3212603 3. 8787358 4. 4858270

# ENOCH, NATRONA COUNTY.

On a badland hill on divide between Keg Springs Creek and Jack Pot Fork of Powder River, about 5 miles northwest of Keg Springs station, 7 miles east of Walton, and 5 miles north of the reservoin at the head of Keg Springs Creek. The signal is in view of the Casper-Lander road for a long distance. The road from the springs stage station to Jack Pot ranch crosses the divide about 3 miles west of signal.

Station mark: A bronze tablet cemented into solid rock under a small rock monument and a quadripod signal.

Reference mark: A chiseled square on the brown rock-ledge extending east of station.

[Latitude 43° 06′ 05.95″. Longitude 107° 09′ 47.91″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
EasyClark	260 48 49.5 300 47 01.1	81 05 55.7 120 58 52.8	Meters. 4, 5360627 4, 4394288

# JACK POT, NATRONA COUNTY.

On a high hill on divide between Buffalo Creek to north and E. K. Creek and Poison Creek drainage to southeast, 1 mile southeast of E. K. Pass and the forks of the road to the Buffalo shearing pens, on the high south end of the Bighorn Mountains, from main stage road from Walton to Houck and Kaycee; about 7 miles north of Jack Pot ranch, which is at crossing of the Lost Cabin-Casper road (known as Bates road) and the stage road from Walton to Houck and Kaycee; about 15 miles northeast of Walton.

Station mark: A bronze tablet cemented into a sand rock, over which a tree and large sandstone monument were centered.

Reference mark: A nail driven into the sandstone ledge 36 feet west.

[ Latitude 43° 16′ 55.76″. Longitude 107° 11′ 12.73″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
ReservoirClark.	0 / // 16 18 23 00 323 10 23 50	96 14 32.55 143 23 14.39	Meters. 4. 4338521 4. 6297172

#### RESERVOIR, NATRONA COUNTY.

Near the center of the north edge of a mesa on the divide between Powder River and Poison Creek at the south head of Keg Springs Creek, 4 miles southwest of Keg Springs stage station, 6 miles south of Walton, and 3 miles south of reservoir at the head of Keg Springs Creek. The station is in sight from Casper-Lander stage road for a long distance. Water at Keg Springs, Reservoir, and Walton. Proposed extension of Chicago and Northwestern Railway from Casper west will pass in a saddle just north of signal.

Station mark: A bronze tablet cemented into a large bowlder buried under a rock, over which a quadripod signal was erected.

Reference mark: The top of a flat iron pin driven in the ground 35 feet southeast of signal.

[ Latitude 43° 02′ 51.07″. Longitude 107° 16′ 49.59″.]

To station—	Azimuth.	Back azimuth.	Log. distance.
Easy	0 ' '' 255 06 31.20 283 35 32.08	75 28 25.01 103 52 11.07	Meters. 4, 6528045 4, 5332884



Α.	В.
Page.	Page.
Abbott, Ark 10	Bachmanville, Pa 94
Abner, Tex 220	Bacon Run, Ohio 71
Adamstown, Pa 97	Badwater station, Wyo 232
Agra quadrangle, Okla., triangula-	Bagdad, Ky 36
tion in 205-216	Bagwell, Tex 217
Agra stations, Okla 205-206	Bailey, Ohio 83
Air station, Okla 206	Bald Knob station, Va 104
Alabama, traverse in 2-5	Baldwin, H. L., jr., work of 178
Alabama and Vicksburg Railway 51,	Baldy station, Cal 160
53, 54, 56	Ball station, W. Va 112
Alamillo station, N. Mex 204	Baltimore and Ohio Railroad 73.
Alamo, Tex 224	75, 77, 82, 86, 87, 90
Albuquerque station, N. Mex 197, 203	Baltimore and Ohio Southwestern
Alcova quadrangle, Wyo., triangula-	Railroad 81
tion in 229-235	Baptist Corners, Ohio 87
Alleghenyville, Pa 97	Barallton, Ky 23
Alma, Ark 7	Bare Hill station, Mont 186
Alpha, Ky 33	Bare station, Nev 147
Alula Mills, N. C 65	Barn station, Cal 123
Amargosa region, CalNev., triangu-	Barrier, Ky 33
lation in 141-155	Bartelso, Ill12
anabel, Mo 60	Bartlett, Ill 15
inchorage, Ky 19, 38	Bassett, Tex 221
anderson, Mich 46	Baton Rouge, La 39, 42
Inderson Creek, Tex 221	Baton Rouge quadrangle, La., trav-
andesite station, Nev 144	verse in 39-40
nona, Tex 223	Beard, Ky 19
ntioch, Tenn 99	Beatty station, Nev 147
ntwerp, Ohio 70	Beaver Creek, Ky 34
rbuckle station, Cal 122	Beckleys, Ky 38
rkansas, traverse in 6-10	Beechgrove, Miss 57
rkansas-Indian Territory boundary_ 7, 9	Beechwood, Ky 19, 34, 35
arlington, N. C. 65	Beechwoods, Miss 57
rnoldsburg quadrangle, W. Va., tri-	Belen station, N. Mex 203
angulation stations in 106-116	Belgium, Wis 121
rthur, Tex 223	Bell, Ohio
sh, Mo 59	Belle Alliance, La 43
shland, Ill 13	Belmont quadrangle, N. C S. C.,
sh station, Cal 122-123	traverse in 64, 65
shwood, Ohio 73	Beloit, Wis 118
shippum, Wis 120	Belted Peak, Nev 147-148
tlanta, Mo 58	Bend, The. Ohio 69. 73
tlanta, Tex 224	Bennington Township House, Ohio 76
tlanta and West Point Railroad 3	Bent, Tenn 99
tlanta quadrangle, Mo., traverse in 58	Benton station, Ill 13
uburn, Ala4	Berky, Ohio85
uburn, Ark 8	Bessemer City, N. C 65
uburn, Mich 50	Bethel, Ky 18
utcliff, Mich 46	Bethel, Mo62
very, Tex 223	Bethel, N. C 63
very station, Okla 206	Bettie, Tex 219
vinger, Tex 218	Big Beach Creek, Ky 36
voca, Ky 38	Big Chiquesalunga Creek, Pa 95

	Page.		Page.
Big Creek, Miss	52	Bushy Creek, N. C	67
Big Meadows station, Cal	170	Busti station, N. Y	91
Big Mulberry Creek, Ark	8	Butter quadrangle, Ohio, traverse	
Big Sandy, Tex	219	in	
Big Snowy station, Mont	178	Byerstown, Pa	96
Big Uchee Creek, Ga		Byram, Miss	52
Birdseye, C. 11., work of	175	C	
Birmingham, Mich	50		
Bishop station, Cal	159	Cache Creek, Cal	176
Bivins, Tex	224	Cactus Peak station, Nev	148
Black Butte station, Mont		Caddo, La	45
Black Creek, Ind	24	Caldwell quadrangle, Ohio, traverse	
Black Earth, Wis 1	10, 114	in	
Blackford station, Ky	25	Caldwell station, Va	104
Black Mountain station, Cal		California, traverse in1	
Black Pine station, Mont	186	triangulation in 122-144, 1	
Blacksburg, S. C	66	California-Nevada boundary posts	173
Blacks station, Cal	126	Cambridge quadrangle, Ohio, traverse	
Blair Branch, Ga	6	in	
Blanchard, La		Camp, Tex	218
Blodgett station, Cal		Campana station, N. Mex	198
Bloomburg, Tex	225	Campbell station, W. Va	112
Blossom, Tex		Canas station, N. Mex1	
Blue Dick station, Nev	173	Cane station, Nev	149
Blue station, Utah	226	Caney Fork, Ky	34
Bogue Chitto Creek, Miss	55	Cap Branch, Mo	59
Bolton, Miss		Carolina and Northwestern Railway	
Boodle, Ohio	80	Carroll, Ohio	
Boundary station, Cal	142	Carter station, Va	101
Bovina, Miss		Cartwright, Ky	33
Bowling Green, S. C.		Castle Peak station, Cal	
Brandon, Miss		Catawba Creek, N. C.	65
Brandon quadrangle, Miss., traverse		Catfish Bayou, La	
in		Cecil, Ohio	
Breese, Ill.	10 10	Cedars, Ark	
Breese quadrangle, traverse in		Cementville, Ind	
Brewer station, Cal		Central City, Ohio	
Briak House station Cal		Central of Georgia Railway	
Brick House station, Cal Bridgeville, Ohio	$\frac{127}{82}$	Chalfont, Ohio	
Broad River, N. C		Chalk Mountain station, Nev	
Broken Horn quadrangle, Wyo., tri-	00, 01	Chandles and dength Oklas triangu	
angulation in 2	90 995	Chandler quadrangle, Okla., triangu- lation in 2	
Brooks, Ky		Chandler station, Okla	
Brownsboro, Ky		Chaney, Ind	
Browns Crossing, Ill		Chapel Hill, Ala	
Brownsville, Miss		Chapman, R. H., work of 1	
Brownsville, Ohio		Charleston, Ark	
Bruns, La		Chattahoochee River, Ala	
Brush Creek, Ohio		Cherokee Junction, Ark	
Brushy Creek, Ohio		Chesapeake and Ohio Railway	
Bryan, Ohio		Chicago and Milwaukee Electric	
Bryan quadrangle, traverse in		Railroad	
Bryans Mill, Tex		Chicago and Northwestern Railway	
Buchanan quadrangle, triangulation		Chicago, Aurora and Elgin Third	
stations in 1		Rail Electric line	
Buck Creek, Ind		Chicago, Burlington and Quincy Rail-	
Buck station, Okla		way 16	
Buffalo Creek, N. C		Chicago Great Western Railway	
Buffalo station, Va ==		Chicago, Milwaukee and St. Paul	
Bull Creek, Ind		Railway	15, 117
Bullfrog, Nev		Chicago, Rock Island and Pacific	
Bullitts Lick, Ky	23	Railroad	10
Bull station, Pa	92	Chicago station, Mont	
Bull station, Va	101	China Grove, Miss	
Busch station, Nev	148	Christianburg, Ky	

	**	
Page.	Pag	
Cincinnati and Muskingum Rail-		233
road 76, 77, 81		12
Cincinnati Northern Railroad 69, 84		55
Clantorf, Wis 116		205
Clarence, Mo 59, 60, 61		26
Clarendon station, Pa 92		13
Clark station, Wyo 232-233		60
Clarksville, Tex 217, 218, 223	Crescent, La	41
Clarksville quadrangle, Tex., traverse	Creswell, Ky	25
in 217–218	Crippen station, Pa	92
Clay Lick, Ohio 80	Crocodile Lake, La	42
Clay quadrangle, traverse in 24-26	Cross Plains quadrangle, Wis., trav-	
Cleveland, Akron and Columbus Rail-	erse in 116-1	17
way 75, 76	Croton, Ohio	76
Cliffside, N. C 67	Crowders Creek, N. C.	65
Clinton, N. C 63, 64	Crystal Springs, Miss	57
Clouds Rest station, Cal 136	Cumberland quadrangle, Ohio, trav-	0.
Clover, S. C	erse in 69,	712
	Cupid, Ky	23
Clyde, Ky 34		176
Clyman quadrangle, Wis., traverse		128
in 119-121		214
Coalville quadrangle, Ala., traverse	Cusseta, Ga	6
in 2–3		225
Coffee Hill, Ky 33		222
Colebrook, Pa 95		222
College City station, Cal 123	Cynthia, Miss	54
Columbia, Ohio 74	Cypress, Tex	221
Columbia, Pa 95		
Columbia Center, Ohio 87	, D.	
Columbia station, Nev 145	* ***	
Columbus, Ga 5	Dalton, Ky 25,	26
Colusa quadrangle, Cal., triangula-	Damiansville, Ill	12
tion in 122-136	Dangerfield, Tex 218, 2	
Colusa station, Cal 123		176
Comite, La 39		119
		160
		128
Cone Butte station, Mont 183		142
Conesville quadrangle, Ohio, traverse	, , , , , , , , , , , , , , , , , , , ,	
in 69, 71-72		194
Congdon Peak station, Mont 187	Defiance, Ohio	73
Connelsville, Ohio 83	Defiance Junction, Ohio	73
Conness station, Cal 172	Defiance quadrangle, Ohio, traverse	
Connors, Ky 38	in 69,	
Consolation, Ky 36	De Kalb, Tex :	223
Continental quadrangle, Ohio, trav-	Delavan quadrangle, Wis., traverse	
erse in 69, 72	in 117, 1	119
Convenience, Ind 24	Dell, Ky	34
Coon station, W. Va 106	Delrose, Tex	219
Cooper, Ky 33	Denver, Pa	97
Cooperdale, Ohio 75	Deranch station, Wyo 229-5	230
Cooperville, Ky 33		108
Copay quadrangle, Cal., triangula-	Deshler quadrangle, Ohio, traverse in 69.	74
tion in 122-136		14
Copenhagen, Ill 16		217
	Detroit, Italiana	137
Copper station, Wyo 230-231		137
Coral Ridge, Ky 18		14
Corbin station, Cal	Diamond Lake, Ill	
Cordis station, Okla 213		149
Corinth, S. C. 68	Dillon, Ohio 83,	
Corne Bayou, La 43	Dixon, Miss	56
Correy station, Ohio 71	Dogmelle station, Mont 178-1	
Coshocton, Ohio 73	Donaldsonville, La	43
Coshocton quadrangle, Ohio, traverse	Dorseyville station, La	44
in 69, 72–73	200000	160
Cottonbelt Route 219	Dovertown, Ohio 81,	90

Page.	Page
Dresden, Ohio 76	Florence quadrangle, Miss., traverse
Druses Lake, Ill14	in 50-51, 52-5
Drygrove, Miss 56, 57	Florin, Pa 9
Dunçan Hill, Ind 22	Flournoy, La 45
Duncans Bridge, Mo 59, 60	Floyd quadrangle, Va., triangulation
Dunnigan quadrangle, Cal., triangu-	in 100-102
lation in 122-136	Floyds Fork, Ky 18, 19, 38
Dunnigan station, Cal 128	Foothill station, Cal 124
Durlach, Pa 97	Forbush Creek, Ky 3
Duront, Ohio 83	Foreman, La 39
Dutchtown, La 39	Forest, Ky 20
Dyer, Ark 7	Forest Grove, Mo 60
E.	Forks, Miss 57
***	Fort Mitchell, Ala
Eagle station, Cal 137-138	Fort Smith, Ark
Earl, N. C 66	erse in 6-10
East Engle, Ky 35	Forty station, Nev 150
Easy station, Wyo 233	Fox Pass station, Mont 179–18
Echo, Ark 10	Fox Peak station, Mont 18
Edgerton, Ohio 70	Fox Ridge, Ky 18
Edmond station, Okla 212-213	Frame station, W. Va 10
Edon quadrangle, Ohio, traverse in_ 69, 74	Franklin station, Cal 12
Edmund quadrangle, triangulation	Frazeysburg quadrangle, Ohio, trav-
in 205–216	erse in 69, 75-7
Edwards, Miss 51	Fredonia, Ala 3-
Edwards quadrangle, Miss., traverse	Fredonia, Ohio 7
in 50-51	Fredonia, Wis 12
Elbeck, Ga 6	Freeland, Ohio 82, 8
El Capitan station, Cal 138 Elgin, Ill 14	Frisco Peak station, Utah 22
Elgin, Ill14 Elgin, Joliet and Eastern Railway14,	"Frisco" Railroad 7,
15, 16	Frontenac, Ill1
Elizabeth, Ind 24	Fulton, Ohio 8
Elkhorn, Cal 177	Furnace station, Cal14
Ellis, J. R., work of 5, 6, 10, 17, 24,	
26, 33, 35, 48, 49, 50, 58, 69	C.
Ellis, Ohio 71	Gaffney, S. C6
Elmville, Ky 35	Gaffney quadrangle, N. CS. C., trav-
Emerine station, Mont 187	erse in 64, 67–6
Enoch station, Wyo 234	Gages Corners, Ill
Enon, Ky 25	Gallup station, Cal 12
Esparta station, ('al 129	Garden, Ark
Evans Landing, Ind 24	Gassaway, Pa9
Ewingsville, Tenn 99	Gastonia, N. C 6
Excello, Mo 59	Geismar, La 4
Excelsior, Ark 8	Georgetown, Ind 2
F.	Georgia, traverse in 3, 5-
	Germantown, Ill 11, 1
Fairview station, Cal 129	Gilmer, Tex21
Fallsburg, Ohio 75, 79	Gilmer quadrangle, Tex., traverse in_ 217
Fence Corner station, Mont 179	218-21
Fergus station, Mont 179	Gip station, W. Va 10
Fertility, Pa 96	Girdle station, Okla 20
Filbert, S. C. 65	Glacier Point station, Cal 138-13
Fincastle quadrangle, Va., triangula-	Gladewater, Tex21
tion stations in 103-105	Gladstone, Ky2 Glassrock, Ohio8
Fish Peak station, Mont 188 Fitzsimmons Landing, Ala 5	Glassrock, Ohio 8 Glensboro, Ky 3
Fitzsimmons Landing, Ala5 Five Points, Ala4	Glensboro, Ky
Flat station, ('al138	Goddys Corners, Miss5
Flat Top station, Va 105	Goldfield, Nev 15
Flatwood quadrangle, W. Va., trian-	Goldfield region, Nev., triangulation
gulation in 106-116	in155, 173-17
Flinn station, Okla 209-210	Gold Hill, Ala
Florence, Cal 170	Gold Mountain station, Nev 145, 173-17

241

Page.	Page.
Goodhope, La 39	Heistand, Pa 96
Goodland, Tex 223	Hellam, Pa 95
Goodland station, Tex 223	Henpeck Corners, Ohio
Goshen, N. C. 64	Henrietta, N. C 67
Goula Bayou, La 44	Herder station, Wyo231 Hesler, Ky35
Goula Bayou, La 44 Grafton, Cal 176	Hickory Corners, Ill 14
Grand Bayou, La 43	Hicksville, Ohio 70
Granite station, Utah 226-227	Highhill, Ohio
Grant, Tex 223	Highland, Ill 11
Granville, Ohio 77	Highland Park, Ky 23
Granville quadrangle, Ohio, traverse	High Sierra region, Cal., triangula-
in 69, 76–77	tion in 155-172
Grape station, Cal 143	High station, W. Va 107–108
Gratiot, Ohio89	Highwater, Ohio 77
Grays Bend, Cal 177	Hilgard station, Cal 156
Great Coharie, N. C	Hinckley, Tex 223 Hines station, Cal 130
Greene Crossing, Miss 54 Greenfield, Miss 53	Hines station, Cal
Greens Mill, Ind	Hockersville, Pa 94
Green station, Cal 130	Hocking Valley Railway 88
Green station, W. Va 107	Hodgeson, H. H., work of 205
Greenwood, Ark 8	Hoertz, Ky 18
Greenwood, La 45	Holgate, Ohio 81
Greggs, Ill 17	Holland, Ohio85
Gregory, Ky 33	Homer, Ohio 76, 79
Grossetete, La 41	Hood, Ky 25
Grossetete quadrangle, La., traverse	Hooker, Ohio
in 40 Grover Hill, Ohio 72	Hooks, Tex
Gudgel, Ky 37	Hopeville, S. C
Gunstock station, W. Va 111	Horse station, Cal 167
Guthrie, Okla 216	Hot station, Utah 227
Guthrie astronomic pier, Okla 216	Howell quadrangle, Mich., traverse
Guthrie quadrangle, Okla., traverse	in 46
in 216	Howe station, Mont 184
triangulation in 205-216	How Ridge, Ky25
Guthrie station, Okla 210	Hubers, Ky18
11	Hughes, Tex 218, 222 Hugo, Tex 223
II.	
Hackett, Ark 8	Hummelstown, Pa 94 Humphreys station, Cal 157
Hagers Grove, Mo 61	Hunters Creek, Mich 47
Haggin station, Mont 188-189	Hylton station, Va 101-102
Halleck, Ga6	
Hallsville, Tex 218	I.
Hamler, Ohio 81	1.
Hannibal and St. Joseph Railway 59, 60	Iconium, Tenn 98
Hanover, Ohio 75, 80	Illinois, triangulation in 10-17
Harger station, Okla 80	Illinois Central Railroad 15, 25, 52, 54, 56
Harger station, Okla 208 Harrison station, W. Va 110-111	Independence, Cal 160
Harrisville, Miss 52	Indiana, traverse in 17-24
Hartford, Ark9	Indian station, Okla 214
Hartford quadrangle, Wis., traverse	Indian Territory-Arkansas boundary 7, 9 Iron station, Utah 227
in 119-120	Iron station, Utah
Hartland, Mich 48	Isleta station, N. Mex 199, 203
Harvey station, Mont 189	Itasca, Ill 15
Hatton, Ky 36	
Hawkins, G. T., work of 46,	J.
48, 49, 116, 117, 119 Hawkins, Mo 60	J.
Haycock station, Va 100	Jabez, Ky 34
Hayne, N. C63	Jack Pot station, Wyo 234
Hebron, Ohio 87	Jacks Knob station, Ky 33
Heckla station, Cal 167	Jackson, Miss 54

Page.	Page,
Jackson quadrangle, Miss., traverse	Lees Creek, Ark7
in 50-51, 53-54	Lemitar station, N. Mex 204
Jacksonville, Mo 59	Lenoir, Tex223
Jamestown, Ga5	Lentner, Mo 61
Jamestown, Ill 11	Leonard quadrangle, Mich., traverse
Janesville, Wis 118	in 46-47
Janesville quadrangle, Wis., traverse	Lewiston station, Mont 183
in 117–118	Liberty, Ark8
Jefferson quadrangle, Tex., traverse	Liberty, Tenn 98, 99
in 217, 219–220	Liberty station, Tenn 98
Jeffersonville, Ind 20, 21, 22	Licking Creek, Ohio 90
Jewella, La 45	Linden, Tex25
Johnsons Ferry, Miss 53	Lindsy's ranch station, Mont 184
Johns station, Cal	Lisman, Ky 26
Jonathan Creek, Ohio 90	Little Beach Creek, Ky 37 Little Fabius River, Mo 62
Jones Creek, La 39	
Jonesville, Tex 220	Little Mount, Ky 37, 38 Little Otter quadrangle, W. Va., tri-
Judith Mountains station, Mont 183 Judith station, Mont 180	angulation in 106-116
	Little Thickety Creek, S. C 68
Jumbo station, Nev 150 Junction City, Ohio 77	Little Walnut Creek, Ohio 88
Junction City, Onto	Little Whiteoak Creek, Miss 57
**	Lloyds Corners, Ohio 80
K.	Lochanour, Cal 176
Kaiser station, Cal 156-157	Lock, Ohio 76
Kansas City Southern Railway 45,	Lockwood, Miss 57
224, 225	Lodi, Tex
Kaweah Mountain station, Cal 171	Logan quadrangle, Ohio, traverse in_ 69,77
Kawich station, Nev 150	Lombard station, Ill 15
Kelleyville, Tex 219	Lone Mountain station, Nev 145-146, 174
Kendall quadrangle, Cal., triangula-	Longrun, Ky 38
tion in 178-184	Longview, Ala2
Kendall, C. B., work of 2	Longview Junction, Tex 218
5, 17, 20, 22, 35, 39, 40,	Los Lunas station, N. Mex 204
50, 63, 64, 94, 96, 98	Lost Cabin quadrangle, Wyo., trian-
Kentucky, traverse in 17-38	gulation in 229–235
Kent station, Mont 195	Lucero, N. Mex
Kenyon station, Cal 161	Louisiana, traverse in 39-45 Louisiana Central Railroad 41, 42
Kern station, Cal 171	Luis Lopez station, N. Mex 204
Kerr, Ind 24	Louisville, Ky 18, 19, 23
Kildare, Tex	survey of 26-32
Kings Mountain, N. C	Louisville and Nashville Railroad 2,
Kings Mountain quadrangle, N. C.,	18, 19, 20, 23, 36, 38
traverse in 64, 65-66	Louisville quadrangle, Ky., traverse
Kings Mountain station, N. C 65	in 17, 18–19
Kite station, W. Va 109	Lucas ford of Salt River, Ky 38
Knight, Ohio 73	Luck Creek, N. C 67
Knights Landing, Cal 176, 177	Lucknow, Miss 53
	Lukens station, W. Va 110
I	Lula, Miss 55
17.	Lunas, N. Mex 202-203
Lafayette, Ala 4	Lyell station, Cal 168
La Joya, N. Mex 204	Lyndon, Ky 19
Lake Forest, Ill14	Lyondale, Olrio 81
Lakeland, Ky 19	
Lake Shore and Michigan Southern	М.
Railway 85	
Lancaster, Ohio 84, 88	McClure quadrangle, Ohio, traverse
Lanesville, Ind24	in 69, 78
Langston station, Okla 210	McElroys, Ohio 77
Lansing, Tex218	McFarland Creek, Ky 34
Lattimore N. C. 58	McLaughlin, Fred, work of 226
Lattimore, N. C 67 Lawn, Pa 95	2.2023410,), 01110
Lawn, Pa 95	McNair, E. L., work of 3, 5, 12, 15, 90

l'age.	Page
Macon quadrangle, Mo., traverse in_ 58,	
59=60	way 45, 218, 219, 220, 221-22
Madison, Miss 53	
Madison astronomic station, Wis 116	
Magdalena station, N. Mex 204	Moccasin Mountains quadrangle,
Magruder station, Nev 174	Mont., triangulation
Mahogany station, Cal 171-172	in 178-18
Mahogany station, Wyo 230	Mohaffeys Ferry, Miss 5
Maiden quadrangle, Mont., triangula-	Mono station, Cal. 16
tion in 178-184	
Mallon quadrangle, Okla., triangula-	Montana, triangulation in 178-190
	Monteguma station, Nev146, 173
tion in 205-216	
Malott, Ky	in 33-3-
Mal station, Nev 151	Monticello station, ('al 13
Malta, Tex 224	Montpelier quadrangle, Ohio, trav-
Mansfield, Ark 10	erse in 69, 78-79
Mansfield quadrangle, La., traverse	Montreal, Ark
in 44-45	
Marcoot, Ala 4	Mooresboro, N. C. 6
Maringouiu, La 42	
Marshall, Tex 220	Moore station, Mont 189
Martinsburg, Ohio 79	Mooringsport, La 4
Matamora, Mich 47	Morgan station, Cal 16.
Maud, S. C 68	Mottenville, N. C 6
Mayville, Wis 120	Mound station, Okla 21
Mazomanie, Wis 117	Mount Airy, Pa 97
Meadows, Ala 4	Mount Eden, Ky 3'
Meadows, Ark 7	Mount Horeb, Wis 110
Meacham, Ill 15	Mount Pleasant, Miss 5
Meas station, N. Y 91	Mount Pleasant, Tex 221, 225
Mechanicsburg, Pa 96	Mount Pleasant quadrangle, Tex.,
Memphis, Ind 21	traverse in 217, 221-222
Merrick quadrangle, Okla., triangula-	Mount Salem, Mo 63
tion in 205-216	Mount Vernon quadrangle, Tex.,
Mesa station, Cal 130	traverse in 217, 22:
Mesa station, Nev 151	Mount Wade, Miss 5
	Mount Washington, Ky 18, 19
Metamora, Ohio 85	Mule station, W. Va 109
Michigan, traverse in 46-50	Mumma station, Cal
Michigan Central Railway 47	Myrtistown, La 48
Middletown, Ky19	N.
Middletown quadrangle, Pa., traverse	Y . I D
in 94-96	Natchez Bayou, La
Midland City, Ark9	Natchez Lake, La 43, 4-
Midland Valley and "Frisco" Rail-	Neapolis, Ohio 78
road 8	Nelson station, Pa 93
Midland Valley Railroad 8, 9	Neosho, Wis 120
Midway, Ohio 73	Nevada, triangulation in 144-155
Milford quadrangle, Mich., traverse	173-175, 226, 229
in 48	Nevada-California boundary posts 173
Military Springs, Ky 34	New Albany, Ind 2:
Milk, Ky 38	New Albany quadrangle, Ind., trav-
Mill Creek, Pa 96	erse in 17, 2:
Millcreek Mountain, Ark 8	Newark, Mo 6:
Millersport, Ohio 87	Newark, Ohio
Millsprings, Ky 34	Newark quadrangle, Ohio, traverse
Millstone station, W. Va 109	in 69, 79–80
Millway station, Pa 97	New Baden, Ill 1:
Millwood, Pa 96	New Boston, Tex 22-
Milton, Tenn 99	New Chicago station, Mont 190
	New Comerstown quadrangle, Ohio,
Minnora quadrangle, W. Va., trian-	traverse in 69, 80-81
gulation in 106-116	
Mississippi, traverse in 50-57	New Holland quadrangle, Pa., trav-
Missouri, traverse in 58-62	erse in 96-97

Page.	Page
New Hudson, Mich 48	Paris, Tex 217, 22
New Lexington. Ohio	Paris quadrangle, Tex., traverse in 217
New Lexington quadrangle, Ohio,	222-22
traverse in 69, 81	Paris, Texas and Pacific Railway 21
Newman, Miss 57	Parnell, Ky 3
Newmans Creek, Miss 56	Pat, Miss 5
New Mexico, triangulation in 197-205	Pataskala, Ohio 8
New Rosedale, La 42	Patterson Springs, N. C 6
New York, triangulation in 90-91	Paulding quadrangle, Ohio, traverse
Ney, Ohio 69	in 69, 8
Nichols station, W. Va 113	Peadget, Ark
Noel station, Va 102	Peak station, Ark
North base station, N. Mex 199-200	Peak station, Utah 227-22
North Carolina, traverse in 63-68	Pearl, Miss 5
Northern Central Railway 95	Pearl River, Miss5
North Greenfield, Wis 121	Pearson, Miss 5
North Moccasin Mountains, Mont 182	Peart, Cal 17
North Moccasin station, Mont 180-181	Pelahatchee Creek, Miss 5
Norwich, Ohio 82	Pennsylvania, traverse in 94-9
Novi, Mich 49	triangulation in 90, 92-9
Nowater quadrangle, Wyo., triangula-	Pennsylvania Interurban Railroad 2
tion in 229-235	Pennsylvania Railroad 73, 9
Nowood quadrangle, Wyo., triangula-	Penton, Ala
tion in 229-235	Pequea, Pa 9
	Perch Creek, Miss 5
0,	Perkins stations, Okla 21
	Perry, Mo6
Oak Grove, Ark 8	Petersburg, Ark 1
Oak Grove, Ohio 73	Peterson station, N. Y
Oak Grove, Tex 223	Petit Jean River 1
O'Bannon, Ky 20	Petty, Ky3
Ochilles Creek, Ga 6	Pewee Valley, Ky 1
Ohio and Little Kanawha Railroad 83	Phee station, Okla 20
Oil Valley, Ky 33	Philadelphia and Reading Railway 9
Oklahoma, traverse in 216	Philipsburg quadrangle, Mont., tri-
triangulation in 205-216	angulation in 184-19
Olancha station, Cal 161-162	Philo quadrangle, Ohio, traverse in _ 69
Old Marrottoy, Ky 37	82-8
Olive Green, Ohio 71	Pierrepas Bayou, La 4
Ono, Ky 34	Pikes Peak station, Mont 19
Ontarioville, Ill 15	Pilot Peak station, Cal 13
Operika quadrangle, Ala., traverse in 3-4	Pilot station, W. Va 11
Orange, N. C63	Pinchot station, Cal 16
Orangeville, Miss 55	Pinnacle, Tex====================================
Oregon, Pa 97	Pinnacle station, Ark 1
Orrs, Tex 218	Pioche station, Nev 22
Osweechee, Ala 5	Pioneer, Ohio
Orion, Mich 48	Pikeville, Wis1
Otsego, Ohio 72	Pilgrims Rest, Miss5
Ottawa quadrangle, Ohio, traverse	Pilot Rock, Ky3
in 69, 81	Piper station, Cal 16
Otter Creek, Ky 34	Pittsburg, Tex 219, 221, 22
Otter Creek, Mo 59	Pittsburg, Cincinnati, Chicago and
Otter Creek, Ohio 76	St. Louis Railway 2
Ottoman, Ohio 87	Plainfield, Ohio 7
Outville, Ohio87	Plaquemine, La 41, 4
Oxford, Mich 47	Plaguemine Bayou, La 4
	Plattenville, La 4
P.	Pleasant Hill, Ohio7
***	Pleasant Ridge, Ark 1
Paincourtville, La 43	Pleasant station, Ohio
Palestine, Miss 56	Pleasant Valley, Ohio 75, 82, 8
Palisade station, Cal 162	Pleasant View, Pa9
Palisade station, Mont 195	Pleasantville, Ohio
Paradise, Pa96	Plevna, Mo
Paradise station, Okla 215	Pocahontas, Miss 55, 5

l'age.	Page.
Point Lookout station, Mont 190	Robinsons Springs, Miss 54, 56
Poison station, Wyo 231	Rochester quadrangle, Mich., traverse
Polyadera station, N. Mex 200, 204	
Pontiac quadrangle, Mich., traverse	in
in 48-49	Rockefeller, III
	Rodessa, Tex 225
Poplar station, W. Va 113-114	Roscoe, Ohio 7:
Porphyry Peak station, Mont 183	Rose Center, Mich 48
Port Allen, La42	Rosedale, La 41, 42
Port Washington quadrangle, Wis.,	Rosehill, Ind 24, 39
traverse in 119, 121	Roselle, Ill1
Potts station, Va 103	Roth station, Cal13:
Powell station, Mont 194	
	V
Prairie Creek, Ark 9	Round Hill station, Wyo 231-231
Prairie station, Mont 191	Round station, Cal 16:
Princeton station, Mont 191	Roxbury, Wis 117
Pritchett, Tex 219	Rowland, Ohio 8:
Prospect, N. C 67	Ruble station, W. Va 11.
Prospect quadrangle, IndKy., trav-	Rumsey quadrangle, Cal., triangula-
erse in 17, 19-22	tion in 122-136
Prosperity, Tenn 99	Runyan, Ind21
Providence, Ky 26	
	Rushville, Ohio 87
Pyramid station, Mont 181	Rutherford, Pa94
Q.	
Q.	S.
Quaker Hill station, Pa 93	
	Sac-Fox Agency station, Okla 209
Quartzite station, Nev 151-152	Sac-Fox quadrangle, Okla., triangula-
Quay quadrangle, Okla., triangula-	tion in 205-216
tion in 205-216	Sacramento, Cal 177
Quay station, Okla 216	Sadieville quadrangle, Ky., traverse
Queen City, Tex 224	
Quigg station, Mont 192	in 35
Quinn, Ky 25	Saginaw, Ala
	Saginaw, Ala 2, 3
R. ·	Sago station, Ohio 72
16.	St. Gabriel, La 40
Ransom, Ala 3	St. Louis and San Francisco Rail-
Rattlesnake station, W. Va 110	road 222-223
Ravana, Tex 225	St. Louis Southwestern Railway 219, 221
Raymond, Miss 55, 56	St. Marks, Ga5
Raymond quadrangle, Miss., traverse	St. Matthews, Ky19
in 50-51, 54-56	Salem, Ala4
Readyville, Tenn 99	Salemburg quadrangle, N. C., traverse
Red Lion station, Mont	in 63-64
Red Slate station, Cal 157	Salem, Ala4
Reece station, Okla 210-211	Salt River, Ky 38
Reform, Ohio 75, 80	Salt River, Mo 60
Reno, Tex 217	San Acacia Mesa station, N. Mex 204
Renrock, Ohio 73	San Antonio station, N. Mex 20
Repton, Ky 25	Sandersburg, Pa 96
Reservoir station, Utah 234-235	Sanders station, N. Mex 200-201
Reveille station, Nev 152	Sapphire quadrangle, Mont., triangu-
Rexford, Miss52	lation in 184 196
Rexs Mill, Ohio 83	Schoeneck, Pa97
Rice, Miss 54	Scotts, Ky 38
Rich Hill, Ohio 83	Scott station, Cal 132
Richmond, Wis 119	Scottsville, Tex 220
Rich Patch station, Va 103	Sellersburg, Ind 21
Ridge, N. C 65	Sentinel Dome station 139
Riley station, Ky18	Seward, Ohio 85
Rio Puerco station, N. Mex 204	Seymour Ferry, La
Ripley quadrangle, Okla., triangula-	
tion in 205–216	Sharon, Ohio 70
Ritters, Ohio 84	Sharp Hill, Ohio 83
Riverview, Ky 23	Shawneetown quadrangle, Tex., trav-
Riverview quadrangle, Ind Ky.,	erse 217, 223
1	Shearer Valley, Ky 33
traverse in 17, 23	Shearer Valley, Ky 33

	Page.	Page.
Sheep station, Cal	163	Steubenville, Ky 34
Sheet Line, Nev	152	Stevens station, Cal 132-133
Shelbina, Mo	60	Stewart, B. D., work of 141
Shelbina quadrangle, Mo., traverse		Stocker station, Va 100-101
in 58,	61-62	Stokes, Ky
Shelby, N. C		Stonewall station, Nev 153, 175
Shelby quadrangle, Mo., traverse in_		Stony Brook, Pa 95
Shelbyville, Ky	36	Stony Ridge, Ky 26
Shelbyville, Mo	62	Stovall station, Cal 125-126
Shelbyville quadrangle, Ky., traverse		Stovetown, Ohio 83
in	35, 37	Stringtown, Ohio 81
Shelbyville quadrangle, Mo., traverse		Strong station, Okla 211
in 58.	61-62	Stryker quadrangle, Ohio, traverse in 69, 84
Shepherdsville, Ky		Stuart Methodist Episcopal Church
Sherman, Ohio	88	station, Va 102
Shiloh, Mo	62	Stuart quadrangle, triangulation in 100-102
Shoal Creek, Ill.	12	Stuart station, Okla 209
Shoal House, Ohio	87	Sugargrove quadrangle, Ohio, trav-
Shopiere quadrangle, Wis., traverse		erse in 69, 84-85
in 11	7. 118	Sugarhouse, La 43
Short Hill station, Va	105	Sugar Loaf station, Mont 193
	98	
Short Mountain station, Tenn	185	Sugar Loaf station, Va 104–105 Sugar station, W. Va 108
Short Peak station, Mont		
Short station, Okla	211	
Shreveport, La	45	Sulphur Bridge, Tex 224
Shreveport quadrangle, La., traverse		Sulphur River, Tex21
in		Summit, Ohio 77, 87
Silver station, Cal	158	Sumpter, Ky 33
Simms, Tex	221	Sundale, Ohio 82, 83
Simpsonville, Ky	38	Susie, Ky 34
Sixmile Creek, Ohio	72	Susquehanna River 95
Skaggs station, Mont	181	Swanton quadrangle, Ohio, traverse
Skylight, Ky	20	iu 69, 85–86
Sleterville, Ky	35	
Smettzer, Ark	7	775
Smith, Miss	51	Т,
Smith, Tex	219	
Smithville, Ky	19, 38	Tallahala Creek, Miss 56
Smokestack station, Cal 12	5, 176	Tallula quadrangle, Ill., traverse in_ 12-13
Snowball, Ohio	82	Tatum, Sledge, work of 44, 217
Snug's ferry, N. C.	67	Taylorsville, Ky 38
Socorro Peak station, N. Mex	201	Taylorsville quadrangle, Ky., trav-
Socorro station, N. Mex	205	
Solon, Ind		erse in 35, 38
		erse in 35, 38
	21	Teague Bridge, Ala3
Somerset, Ohio	21 86	Teagne Bridge, Ala3 Telescope Peak station, Cal144
Sonora, Ohio	21 86 82	Теадие Bridge, Ala
Sonora, OhioSonth Base station, N. Mex	21 86 82 201	Teagne Bridge, Ala
Sonora, OhioSonth Base station, N. MexSouthern Pacific Railway	21 86 82 201 177	Teague Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway	$ \begin{array}{c} 21 \\ 86 \\ 82 \\ 201 \\ 177 \\ 65, 66 \end{array} $	Teagne Bridge, Ala.       3         Telescope Peak station, Cal.       144         Tenark, Tex       224         Tennessee, traverse in.       98-99         Terry quadrangle, Miss., traverse in 50-51, 56-57
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway 12, 22, 23, South Moccasin Mountains station	21 86 82 201 177 65, 66 183	Teagne Bridge, Ala.       3         Telescope Peak station, Cal.       144         Tenark, Tex       224         Tennessee, traverse in.       98-99         Terry quadrangle, Miss., traverse in.       50-51, 56-57         Texarkana, Tex       224
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway	21 86 82 201 177 65, 66 183 31–182	Teagne Bridge, Ala.       3         Telescope Peak station, Cal.       144         Tenark, Tex       224         Tennessee, traverse in.       98-99         Terry quadrangle, Miss., traverse in 50-51, 56-57       56-57         Texarkana, Tex       224         Texarkana quadrangle, Tex La.       Tex La.
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway12, 22, 23, South Moccasin Mountains station South Moccasin station, Mont18 South Park, Ky	21 86 82 201 177 65, 66 183 31–182	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway12, 22, 23, South Moccasin Mountains station South Moccasin station, Mont18 South Park, Ky Spann, Ky	21 86 82 201 177 65, 66 183 31–182 18	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway12, 22, 23, South Moccasin Mountains station South Moccasin station, Mont18 South Park, Ky Spann, Ky Speeds, Ind	21 86 82 201 177 65, 66 183 31–182 18	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex	21 86 82 201 177 65, 66 183 31–182 18 33 21	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway	21 86 82 201 177 65, 66 183 31–182 18 33 21	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway	21 86 82 201 177 65, 66 183 33 21 96–116 114	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex	21 86 82 201 177 65, 66 183 31–182 18 33 21	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex	21 86 82 201 177 65, 66 183 33 21 96–116 114	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex	21 86 82 201 177 65, 66 183 31–182 18 33 21	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex	21 86 82 201 177 65, 66 183 31–182 18 33 21 96–116 114 158 224	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway	21 86 82 201 177 65, 66 183 31–182 18 33 21 06–116 114 158 224 228	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway	21 86 82 201 177 65, 66 183 (1-182 18 33 21 96-116 114 158 224 228 114	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, N. Mex Southern Pacific Railway Southern Railway	21 86 82 201 177 65, 66 183 81–182 18 33 21 96–116 114 158 224 228 114 218	Teagne Bridge, Ala
Sonora, Ohio Sonth Base station, X. Mex	21 86 86 201 177 65, 66 183 31–182 18 33 21 06–116 114 158 224 228 114 218	Teagne Bridge, Ala

Page.	Fage.
Timber Creek, Ky 37	Walnut Hill, Ky25
Timber station, Nev 153	Walton quadrangle, triangulation
Timpahute station, Nev 146	in 106-116
Ting, Ky 19	Ward, Ark
Tin station, Cal 144	Warm Spring station, Mont 185
Toledo and Ohio Central Railway == 80, 87	
Tolicha station, Nev 153-154	Washington, Cal 177
Tome station, N. Mex 203	Washoe station, Mont 185
Tom station, Cal 164	Waskom, Tex 220
Toray, N. C 65	Water Canyon station, N. Mex 205
Touchstone, Miss 52	Waterford, Ky 38
Trail station, Cal 172	Waterville, Ohio 86
Trampton, Ohio 75	Watrous quadrangle, Wyo., triangu-
Tribune, Ky 25	lation in 229-235
Trinway, Ohio 76	Waucoba station, Cal 164
Tryon station, Okla 209	Waukegan, Ill 14
·	
Tucker, L. E., work of 13	Waukegan quadrangle, Ill 13-14
Tucker, Ky 19	Waukesha quadrangle, Wis., traverse
Tufted Pine station, Mont 182	in 119, 121
Tumballs Creek, Miss 52	Wauseon quadrangle, Ohio, traverse
Tunnel Hill, Ohio 75	in 69, 89
Turkey Ridge, Ky 33	Webster station, Cal 126
Turner station, Va 102	Weed station, W. Va 115-116
Turtle Creek, Wis 119	Wellom, Ohio 86
Turututu station, N. Mex 202	Weedy station, W. Va 115
Tushar station, Utah 228	Westbend quadrangle, Wis., traverse
rushar station, Ctanzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzzz	
	in 119, 120
U.	West Carlisle, Ohio 75
	West Earl, Pa97
Union, Miss 53	West Lafayette, Ohio 71, 72, 80
Union, Ohio 77	West Mound station, Mont 185
Upatoie, Ga 5, 6	West Point, Ga 3
Urquhart, C. F., work of 122, 136, 155	West Point, Ky 23
Utah, triangulation in 226-228	Westport, Ky 20, 21
	West Rushville, Ohio 87
	West Virginia, triangulation in_ 106-116
Utica, Ohio 79	
	Wheaton quadrangle, III., traverse
V.	in 15–17
**	Wheelbarrow Peak station, Nev 154
Valley station, Cal 140	Wheeling and Lake Erie Railroad 76.
	82, 90
Van Buren, Ark	Whitecastle Lumber *Company Rail-
Vandalia Railroad 11	road, La 44
Vandyke, Ky 37	Whitecastle quadrangle, La., trav-
Vantines, N. C 65	erse in 43-44
Verona, Wis 117	
Vesta, Ark8.	
Vesta, Ind21	White Mountain South station, Cal. 169
Vian, Pa 94	White Mountain station, Cal 169
Vicksburg, Miss 57	Whiteoak Creek, Ky 34
Vicksburg quadrangle, Miss., traverse	Whiteoak Creek, Miss 57
in 50-51, 57	White Oak Creek, Tex 222
	White Pine station, Nev 154-155
Vintage, Pa96	White Plains, Ala 4
Violet Chapel, Ohio 88	White Top station, Cal 165
Virginia, triangulation in 100-105	Whiteville, Ohio 85
Vivian, La 45	Whitfield, Ky 19
Vulcan station, N. Mex 197-198	
	Whitney station, Cal 165-166
YYY	Widder station, Ohio 81
W.	Wilburn, Ohio
	Wilcox station, Pa93
Wabash Railroad 58, 73, 74	Wilkin, Tex 219
Wagram, Ohio 88	Wilkinsville, S. C 68
Wait, Ky 33, 34	
	William Bayou, La 41
	William Bayou, La 41
Wakaton Creek, Ohio	

Page.	Page.
Wilma station, Mont 194	Yazoo and Mississippi Valley Railroad 40, 54
Wills Creek, Ohio 72	Yellow Leaf Creek, Ala 2, 3
Wilsons Creek, Ky 25	Yellow station, Nev 155
Windmill station, Cal 133	Yerkes observatory, Wis 119
Windmill station, Mont 183	Yolo, Cal 176
Wingard station, Okla 212, 216	Yolo northwest base station, Cal 135
Winters stations, Cal 133, 134	Yolo southeast base station, Cal 135-136
Wisconsin, traverse in 116-121	Yolo station 134
Wisconsin Central Railway 14	York, Pa 96
Wolf Creek, Ky 34	York Center, Ill 10
Wolf Creek, S. C 66	Yosemite Point station, Cal 140-141
Woodland, Cal 176	Yosemite quadrangle, Cal., triangu-
Woodland quadrangle, Cal., triangu-	lation in 136-141
lation in 122-136	
Woodland stations, Cal 134	Z.
Woodland station, Wis 120	Zanesville, Ohio 82, 90
Woodlawn, Mo 60	· · · · · · · · · · · · · · · · · · ·
Wrightsville, Pa 95	Zanesville and Western Railway 86
Wyoming, triangulation in 229-235	Zanesville quadrangle, Ohio, traverse
	in69, 89–90 Zinc, Ohio8
Υ.	
Vanlage Duch Do	Zion, Ark
Yankee Bush, Pa 94	Zion City, Ill
Yates, Ky 35	Zula, Ky 35

# CLASSIFICATION OF THE PUBLICATIONS OF THE UNITED STATES GEOLOGICAL SURVEY

# [Bulletin No. 310.]

The publications of the United States Geological Survey consist of (1) Annual Reports, (2) Monographs, (3) Professional Papers, (4) Bulletins, (5) Mineral Resources, (6) Water-Supply and Irrigation Papers, (7) Topographic Atlas of United States—folios and separate sheets thereof, (8) Geologic Atlas of United States—folios thereof. The classes numbered 2, 7, and 8 are sold at cost of publication; the others are distributed free. A circular giving complete lists can be had on application.

Most of the above publications can be obtained or consulted in the following ways:

- 1. A limited number are delivered to the Director of the Survey, from whom they can be obtained, free of charge (except classes 2, 7, and 8), on application.
- 2. A certain number are delivered to Senators and Representatives in Congress for distribution.
- 3. Other copies are deposited with the Superintendent of Documents, Washington, D. C., from whom they can be had at prices slightly above cost.
- 4. Copies of all Government publications are furnished to the principal public libraries in the large cities throughout the United States, where they can be consulted by those interested.

The Professional Papers, Bulletins, and Water-Supply Papers treat of a variety of subjects, and the total number issued is large. They have therefore been classified into the following series: A, Economic geology; B, Descriptive geology; C, Systematic geology and paleontology; D, Petrography and mineralogy; E, Chemistry and physics; F, Geography; G, Miscellaneous; H, Forestry; I, Irrigation; J, Water storage; K, Pumping water; L, Quality of water; M, General hydrographic investigations; N, Water power; O, Underground waters; P, Hydrographic progress reports. This paper is the fifty-seventh in Series F, the complete list of which follows:

#### SERIES F, GEOGRAPHY.

#### [All are Bulletins thus far except Professional Papers 45 and 56.]

- 5. Dictionary of altitudes in United States, by Henry Gannett. 1884. 325 pp. (Out of stock: see Bulletin 274.)
- 6. Elevations in Dominion of Canada, by J. W. Spencer. 1884. 43 pp. (Out of stock.)
- Boundaries of United States and of the several States and Territories, with historical sketch of territorial changes, by Henry Gannett. 1885. 135 pp. (Out of stock; see Bulletin 226.)
- 48. On form and position of sea level, by R. S. Woodward. 1888. 88 pp. (Out of stock.)
- 49. Latitudes and longitudes of certain points in Missouri, Kansas, and New Mexico, by R. S. Woodward. 1889. 133 pp. (Out of stock.)
- Formulas and tables to facilitate the construction and use of maps, by R. S. Woodward. 1889.
   124 pp. (Out of stock.)
- 70. Report on astronomical work of 1889 and 1890, by R. S. Woodward. 1890. 79 pp.
- 72. Altitudes between Lake Superior and Rocky Mountains, by Warren Upham. 1891. 229 pp.
- Dictionary of altitudes in United States (second edition), by Henry Gannett. 1891. 393 pp. (Out of stock; see Bulletin 274.)
- 115. Geographie dictionary of Rhode Island, by Henry Gannett. 1894. 31 pp.
- 116. Geographic dictionary of Massachusetts, by Henry Gannett. 1894. 126 pp.
- 117. Geographic dictionary of Connecticut, by Henry Gannett. 1894. 67 pp.
- 118. Geographic dictionary of New Jersey, by Henry Gannett. 1894. 131 pp.
- 122. Results of primary triangulation, by Henry Gannett. 1894. 412 pp., 17 pls. (Out of stock.)
- 123. Dictionary of geographic positions, by Henry Gannett. 1895. 183 pp., 1 map. (Out of stock.)
- 154. Gazetteer of Kansas, by Henry Gannett. 1898. 246 pp., 6 pls.
- 160. Dictionary of altitudes in United States (third edition), by Henry Gannett. 1899. 775 pp. (Out of stock; see Bulletin 274,)
- 166. Gazetteer of Utah, by Henry Gannett. 1900. 43 pp., 1 map. (Out of stock.)
- 169. Altitudes in Alaska, by Henry Gannett. 1900. 13 pp.

- 170, Survey of boundary line between Idaho and Montana from international boundary to crest of Bitterroot Mountains, by R. U. Goode. 1900. 67 pp., 14 pls.
- 171. Boundaries of United States and of the several States and Territories, with outline of history of all important changes of territory (second edition), by Henry Gannett. 1900. 142 pp., 53 pls. (Out of stock; see Bulletin 226.)
- 174, Survey of northwestern boundary of United States, 1857-1861, by Marcus Baker. 1900. 78 pp., 1 pl.
- 175, Triangulation and spirit leveling in Indian Territory, by C. H. Fitch. 1900. 141 pp., 1 pl.
- 181, Results of primary triangulation and primary traverse, fiscal year 1900-1901, by H. M. Wilson. J. H. Renshawe, E. M. Douglas, and R. U. Goode. 1901. 240 pp., 1 map.
- 183. Gazetteer of Porto Rico, by Henry Gannett. 1901. 51 pp.
- 185. Results of spirit leveling, fiscal year 1900-1901, by H. M. Wilson, J. H. Renshawe, E. M. Douglas, and R. U. Goode. 1901. 219 pp.
- 187. Geographic dictionary of Alaska, by Marcus Baker. 1901. 446 pp. (Out of stock.)
- 190. Gazetteer of Texas, by Henry Gannett. 1902. 162 pp., 8 pls. (Out of stock.) 192. Gazetteer of Cuba, by Henry Gannett. 1902. 113 pp., 8 pls. (Out of stock.)
- 194. Northwest boundary of Texas, by Mareus Baker. 1902. 51 pp., 1 pl. 196. Topographic development of the Klamath Mountains, by J. S. Diller. 1902. 69 pp., 13 pls.
- 197. The origin of certain place names in the United States, by Henry Gannett. 1902. 280 pp. (Out of stock; see Bulletin 258.)
- 201. Results of primary triangulation and primary traverse, fiscal year 1901-2, by H. M. Wilson, J. H. Renshawe, E. M. Douglas, and R. U. Goode. 1902. 164 pp., 1 pl.
- 214. Geographic tables and formulas, compiled by S. S. Gannett. 1903. 284 pp. (Out of stock; see Bulletin 234.)
- 216. Results of primary triangulation and primary traverse, fiscal year 1902-3, by S.S. Gannett. 1903. 222 pp., 1 pl.
- 224. Gazetteer of Texas (second edition), by Henry Gannett. 1904. 177 pp., 7 pls.
- 226. Boundaries of the United States and of the several States and Territories, with an outline of the history of all important changes of territory (third edition), by Henry Gannett, 1904. 145 pp., 54 pls.
- 230. Gazetteer of Delaware, by Henry Gannett. 1904. 15 pp.
- 231. Gazetteer of Maryland, by Henry Gannett. 1904. 84 pp.
- 232. Gazetteer of Virginia, by Henry Gannett. 1904. 159 pp.
- 233. Gazetteer of West Virginia, by Henry Ganuett., 1904. 164 pp.
- 234. Geographic tables and formulas (second edition), compiled by S. S. Gannett. 1904. 310 pp.
- 245. Results of primary triangulation and primary traverse, fiscal year 1902-3, by S. S. Gannett. 1904. 328 pp., 1 pl.
- 248. Gazetteer of Indian Territory, by Henry Gannett. 1904. 70 pp.
- 258. The origin of certain place names in the United States (second edition), by Henry Gannett. 1905, 334 pp.
- Professional Paper 45. The geography and geology of Alaska, a summary of existing knowledge, by A. H. Brooks, with a section on climate, by Cleveland Abbe, jr., and a topographic map and description thereof, by R. U. Goode. 1906. 327 pp., 34 pls.
- 274. A dictionary of altitudes in the United States (fourth edition), compiled by Henry Gannett. 1906. 1072 рр.
- 276. Results of primary triangulation and primary traverse, fiscal year 1904-5, by S. S. Gannett. 1905. 263 pp., 1 pl.
- 281. Results of spirit leveling in the State of New York for the years 1896 to 1905, inclusive, by S. S. Gannett and D. H. Baldwin. 1906, 112 pp.
- 288. Results of spirit leveling in Pennsylvania for the years 1899 to 1905, inclusive, by S.S. Gannett and D. H. Baldwin. 1906. 62 pp.
- 291. Gazetteer of Colorado, by Henry Gannett. 1906. 185 pp.
- 299. Geographic dictionary of Alaska, by Marcus Baker; second edition, prepared by James McCormick. 1906. 690 pp.
- 302. Areas of the United States, the States, and the Territories, by Henry Gannett. 1906. 9 pp., 1 pl.
- 306. Rate of recession of Niagara Falls, by G. H. Gilbert, accompanied by a report on the survey of the crest, by W. C. Hall. 1906. 31 pp., 11 pls.
- Professional Paper 56. Geography and geology of a portion of southwestern Wyoming, with special reference to coal and oil, by A. C. Veatch. 1907. - pp., 26 pls.
  - A manual of topographic methods, by Henry Gannett. 1906. 88 pp., 8 pls.
- 310. Results of primary triangulation and primary traverse, fiscal year 1905-6, by S. S. Gannett. 1907. 248 pp., 1 pl.

Correspondence should be addressed to

THE DIRECTOR,

UNITED STATES GEOLOGICAL SURVEY,

Washington, D. C.

JANUARY, 1907.

